

SODAYON E-COMMERCE

Master API Directory & Postman Testing Reference Guide

Welcome to the official Sodayon developer technical manual. This document houses comprehensive endpoint routing schema details, JSON payloads, and testing parameters to facilitate fast, flawless CRUD verification using Postman or other standard API clients.

■ 1. Setup & Authentication Flow

Base Local URL: <http://localhost:5000/api>

All modifications, promotions settings, and dashboard management routes require administrative credentials. Sodayon includes an auto-seeding system for developers. Simply log in using one of the email credentials below to instantly generate a Super Admin session token.

```
POST http://localhost:5000/api/auth/login
Content-Type: application/json

{
  "email": "admin@sodayon.com",
  "password": "admin123"
}
```

Postman Authorization Setup:

1. Copy the token key returned in the login response.
2. In Postman, navigate to your folder or request settings.
3. Open the **Authorization** tab and set the Type to **Bearer Token**.
4. Paste your token. It will be sent automatically with every secure request.

■■ 2. Product Catalog CRUD Operations

Method	Endpoint	Access	Description
GET	/products	Public	Query list with filters, searches, and age-ranges
GET	/products/:id	Public	Get single product by Object ID or numeric ID
POST	/products	Admin Only	Add a new product with embedded variants matrix
PATCH	/products/:id	Admin Only	Update variant pricing, inventories, or metadata
DELETE	/products/:id	Admin Only	Permanently remove a product model

Product Creation Payload Example (POST /products):

```
{
  "sku": "SDY-PLY-TENT",
  "slug": "premium-playhouse-tent",
  "nameEn": "Sodayon Premium Playhouse Tent",
  "nameBn": "████████ ████████████████████████████████████",
  "price": 1499,
  "originalPrice": 1999,
  "ageMonthsMin": 12,
  "ageMonthsMax": 48,
  "brandEn": "Sodayon",
  "brandBn": "████████",
  "images": ["https://sodayon.com/tent-blue.jpg"],
  "image": "https://sodayon.com/tent-blue.jpg",
  "descriptionEn": "Playhouse canvas tent.",
  "descriptionBn": "████████████████████████████████████████",
  "variants": [
    {
      "sku": "SDY-PLY-TENT-BLU",
      "nameEn": "Tent - Ocean Blue",
      "nameBn": "████████ - ████████████████",
      "price": 1499,
      "stock": 30,
      "options": { "color": "Blue" }
    }
  ]
}
```

■ 3. Category & Taxonomy Subsystem

Method	Endpoint	Access	Description
GET	/categories	Public	List flat representation of all active categories
GET	/categories?tree=true	Public	Retrieve recursive parent-child nested tree mapping
GET	/categories/:idOrSlug	Public	Fetch category details by custom slug or Object ID
POST	/categories	Admin Only	Create category node (Supports parentId linking)
PATCH	/categories/:id	Admin Only	Edit category positioning, icons, and menus flags
DELETE	/categories/:id	Admin Only	Permanently remove a category node

Category Creation Payload (POST /categories):

[illegible]

■ ■ 4. Storefront UI Dynamic Sections

Method	Endpoint	Access	Description
GET	/content/ui-sections	Public	List active visible layout blocks
GET	/content/ui-sections/:id	Public	Get dynamic UI block metadata
POST	/content/ui-sections	Admin Only	Create homepage visuals grids/sliders
PATCH	/content/ui-sections/:id	Admin Only	Modify layouts, columns, banners, and context
DELETE	/content/ui-sections/:id	Admin Only	Delete layout block configuration

Create Layout Section Payload (POST /content/ui-sections):

```
{
  "type": "QUICK_DEAL",
  "titleEn": "Eid Special Quick Deals",
  "titleBn": "■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■",
  "layoutStyle": "GRID",
  "gridColsResponsive": { "xs": 2, "md": 3, "lg": 4 },
  "maxItems": 8,
  "bannerImageEn": "https://sodayon.com/banner-en.jpg",
  "bannerLink": "/shop/deals"
}
```

■ 5. Promotion Campaigns & Combo Offers

Method	Endpoint	Access	Description
GET	/campaigns/flash-sales/active	Public	List active scheduled flash sale campaigns
POST	/campaigns/flash-sales	Admin Only	Create flash sales with stocks limits & user caps
GET	/campaigns/combos/active	Public	List active combo builder offers
POST	/campaigns/combos	Admin Only	Create Curated Fixed sets or Interactive custom pools

Create Interactive Pool Combo Payload (POST /campaigns/combos):

```
{
  "type": "INTERACTIVE_CUSTOM",
  "nameEn": "STEM Kit & Book Custom Combo",
  "nameBn": "██████ ███ ███ ███ ██████████ ████████",
  "discountType": "PERCENTAGE",
  "discountValue": 20,
  "isActive": true,
  "customPools": [
    {
      "nameEn": "STEM Pool (Pick 1)",
      "nameBn": "████████ █████ (████)",
      "minSelect": 1, "maxSelect": 1,
      "products": ["65b21db0ae4b1a43a0e99999"]
    },
    {
      "nameEn": "Book Pool (Pick 1)",
      "nameBn": "██ █████ (████)",
      "minSelect": 1, "maxSelect": 1,
      "products": ["65b21db0ae4b1a43a0e77777"]
    }
  ]
}
```

■ 6. Shopping Cart & Orders Checkout

Method	Endpoint	Access	Description
GET	/cart/:userId	Customer	Retrieve current customer shopping cart items
POST	/cart/:userId	Customer	Sync full client cart arrays list to DB
POST	/orders/checkout	Customer	Initiate purchase (Supports COD and Stripe intent)
GET	/orders/my-orders	Customer	List all past purchases of logged-in customer
GET	/orders/admin/orders	Admin Only	Retrieve all historic checkout invoices

■ 7. Sodayon AI & Media Upload Modules

Method	Endpoint	Access	Description
POST	/ai/parenting-assistant	Public	Contextual assistant chat based on child age
POST	/ai/gift-finder	Public	Milestone-driven recommendations
POST	/upload	Admin Only	Multipart form data media uploading directly to Cloudinary

Manual compiled successfully on May 2026. Sodayon Core Engineering Team.