

MINISTRY OF EDUCATION, SINGAPORE
in collaboration with
CAMBRIDGE ASSESSMENT INTERNATIONAL EDUCATION
General Certificate of Education Ordinary Level

CANDIDATE
NAME



CENTRE
NUMBER

S				
---	--	--	--	--

INDEX
NUMBER

--	--	--	--

MATHEMATICS

4052/02

Paper 2

October/November 2025

2 hours 15 minutes

Candidates answer on the Question Paper.

READ THESE INSTRUCTIONS FIRST

Write your Centre number, index number and name on all the work you hand in.
Write in dark blue or black pen.
You may use an HB pencil for any diagrams or graphs.
Do not use staples, paper clips, glue or correction fluid.
DO NOT WRITE ON ANY BARCODES.

Answer **all** questions.

The number of marks is given in brackets [] at the end of each question or part question.

If working is needed for any question it must be shown with the answer.

Omission of essential working will result in loss of marks.

The total of the marks for this paper is 90.

The use of an approved scientific calculator is expected, where appropriate.

If the degree of accuracy is not specified in the question, and if the answer is not exact, give the answer to three significant figures. Give answers in degrees to one decimal place.

For π , use either your calculator value or 3.142.

This document consists of **22** printed pages and **2** blank pages.



Singapore Examinations and Assessment Board



Cambridge Assessment
International Education



Mathematical Formulae

Compound interest

$$\text{Total amount} = P \left(1 + \frac{r}{100}\right)^n$$

Mensuration

$$\text{Curved surface area of a cone} = \pi r l$$

$$\text{Surface area of a sphere} = 4\pi r^2$$

$$\text{Volume of a cone} = \frac{1}{3}\pi r^2 h$$

$$\text{Volume of a sphere} = \frac{4}{3}\pi r^3$$

$$\text{Area of triangle } ABC = \frac{1}{2}ab \sin C$$

$$\text{Arc length} = r\theta, \text{ where } \theta \text{ is in radians}$$

$$\text{Sector area} = \frac{1}{2}r^2\theta, \text{ where } \theta \text{ is in radians}$$

Trigonometry

$$\frac{a}{\sin A} = \frac{b}{\sin B} = \frac{c}{\sin C}$$

$$a^2 = b^2 + c^2 - 2bc \cos A$$

Statistics

$$\text{Mean} = \frac{\sum fx}{\sum f}$$

$$\text{Standard deviation} = \sqrt{\frac{\sum fx^2}{\sum f} - \left(\frac{\sum fx}{\sum f}\right)^2}$$





TURN OVER FOR QUESTION 1





Answer **all** the questions.

1 (a) Solve $\frac{6}{1-2x} = 5$.

Answer $x = \dots\dots\dots$ [2]

(b) Factorise completely $12a^2c - 3b^2c$.

Answer $\dots\dots\dots$ [2]

(c) Solve these simultaneous equations.

$$3x + 4y = 1$$

$$5x - 6y = 8$$

You must show your working.

Answer $x = \dots\dots\dots$

$y = \dots\dots\dots$ [3]




(d) Write $\frac{3x+5}{(x+4)(x-3)} - \frac{2}{x-3}$ as a single fraction in its simplest form.

Answer [3]



- 2 (a) A website records the times taken for 80 adults to complete a quiz. The cumulative frequency diagram represents these times.



- (i) Use the diagram to estimate

(a) the median time,

Answer minutes [1]

(b) the interquartile range of the times.

Answer minutes [2]


- (ii) One of the 80 adults is chosen at random.

Use the diagram to estimate the probability that the adult took longer than 46 minutes to complete the quiz.

Answer [2]



- (b) The website also records the times taken for 80 children to complete the quiz. The box-and-whisker plot represents these times.



Find how many of the 80 children took at most 38 minutes to complete the quiz.

Answer [1]

- (c) The table shows the number of visitors to five different websites in 2022.

Website	A	B	C	D	E
Number of visitors	8.76×10^5	5.43×10^7	1.276×10^5	9.78×10^6	2.84×10^7

- (i) The range of the number of visitors is k million.

Calculate the value of k , correct to the nearest integer.

Answer $k =$ [1]

- (ii) A pie chart is drawn to represent the data in the table.

Calculate the angle of the sector representing the number of visitors to website D.

Answer [1]





- 3 (a) Last year, a school raised \$780 for charity.
This year, the school has raised 4.3% more for charity.

Find how much money the school has raised for charity this year.

Answer \$ [1]

- (b) The real distance between two schools is 5.6 km.
On a map, the distance between the schools is 35 cm.
On the same map, a field has an area of 0.24 cm^2 .

Work out the real area of the field.
Give your answer in square metres.

Answer m^2 [3]

- (c) Each student at the school is in one of three sports teams.

The ratio of the number of students in Team A to the number of students in Team B is 2 : 3 .
The ratio of the number of students in Team B to the number of students in Team C is 5 : 4 .

$\frac{3}{8}$ of the students in Team C move into Team A.

There are now 87 students in Team A.

Find the number of students at the school.

Answer [3]



- (d) A college course has three tests.
Each of the tests is out of 100 marks.

Koh and Min are two students taking this course.

The matrix $\mathbf{R}$ shows information about the marks Koh and Min got on the tests.

$$\mathbf{R} = \begin{matrix} & \begin{matrix} \text{K} & \text{M} \end{matrix} \\ \begin{pmatrix} 86 & 74 \\ 56 & 70 \\ 80 & 24 \end{pmatrix} & \begin{matrix} \text{Test 1} \\ \text{Test 2} \\ \text{Test 3} \end{matrix} \end{matrix}$$

- (i) Test 1 counts for 30% of the final grade for the course.
Test 2 and Test 3 each count for the same proportion of the final grade.

Represent this information in a 1×3 matrix $\mathbf{T}$.
Give each element as a decimal.

Answer $\mathbf{T} =$ [1]

- (ii) Evaluate the matrix $\mathbf{P} = \mathbf{TR}$.

Answer $\mathbf{P} =$ [1]


- (iii) State what the elements of $\mathbf{P}$ represent.

.....
..... [1]





4 (a)



In the diagram, ACB and ADE are right-angled triangles.

- (i) Show that the two triangles are geometrically similar.

Answer

[2]


- (ii) $AD = 1.25$ cm, $AB = 8$ cm and angle $AED = 30^\circ$.

Find the perimeter of $BCED$.

Answer cm [4]



(b)



PQ , QR , RS and ST are four sides of a regular polygon.
Angle $QRT = 135^\circ$ and angle $SRT = x^\circ$.

(i) Show that $x = 15$.

Answer

[2]

(ii) Find the number of sides of the regular polygon.

Answer [1]

(iii) Find the size of angle RTP .

Answer Angle $RTP =$ [3]






- 5 (a) Write $\frac{2^{189} \times 2^{482}}{2^{100} + 2^{100}}$ as a single power of 2.

Answer [2]

- (b) Luke invests some money into an account.
The graph shows the value of Luke's investment, in dollars, t years after he invests.



At time $t = T$, the value of Luke's investment is 1.5 times its initial value.

By drawing a tangent, work out an estimate for the gradient of the graph at time $t = T$.
State the units of your answer.

Answer [4]





- (c) The graph of $y = ka^x$, where $a > 0$, passes through the points $\left(0, \frac{1}{4}\right)$ and $(-2, 9)$.


The point P has x -coordinate 3 and lies on the graph.

Find the exact y -coordinate of P .

Answer [3]



6 (a)



The diagram shows a quadrilateral, $ABCD$.

$AB = 9$ cm and $AD = 12$ cm.

Angle $ABC = 1.5$ radians, angle $BAC = 1.1$ radians and angle $DAC = 0.8$ radians.

The point M lies on CD such that $CM : CD = 3 : 5$.

(i) Work out the area of triangle ABD .

Answer cm^2 [2]


(ii) Calculate the length CM .

Answer cm [5]





(b)



The diagram shows a solid metal square-based pyramid, $XPQRS$.

The square $PQRS$ has side length 16 cm.

The vertex, X , is directly above the centre of the square, Y .

Angle $XPY = 70^\circ$.

The pyramid is melted down and made into as many solid cubes as possible.

The side length of each of these cubes is 3.5 cm.

The remaining metal is used to make a sphere with radius r cm.

Find the value of r .

Answer $r = \dots\dots\dots$ [6]





- 7 (a) $\mathcal{E} = \{\text{integers } x : 5 \leq x \leq 24\}$
 $A = \{\text{factors of } 24\}$
 $B = \{\text{multiples of } 5\}$

Below are two statements.

For each statement, write whether you agree or disagree and give a reason for each answer.


Statement	Agree/disagree	Reason
$A = \{1, 2, 3, 4, 6, 8, 12, 24\}$		
$A \cap B = \emptyset$		

[2]

- (b) Set P and set Q are such that $P \subset Q$.

In the space below,

- (i) complete the Venn diagram to represent set P and set Q ,
(ii) shade the region on your diagram which represents $P \cup Q'$.



[2]





- (c) A company has 220 employees that are either full-time workers, part-time workers or contractors. The table below shows information about the employees at the company.

	Right-handed	Left-handed
Full-time worker	18	12
Part-time worker	65	45
Contractor	60	20

- (i) One of the employees is chosen at random.

Work out the probability that this employee is not a contractor and not left-handed.

Answer [1]


- (ii) Three of the full-time workers are chosen at random.

Work out the probability that they are either all right-handed or all left-handed.

Answer [3]



- 8 (a) The diagram shows a sketch of the line $y = 2x + 1$ and the line $x = p$, where $p > 0$.



Point A is the y -intercept of the line $y = 2x + 1$ and point B is the x -intercept of the line $x = p$. The lines intersect at point C .

The area of trapezium $OACB$ is $\frac{15}{4}$ units².

- (i) Show that $4p^2 + 4p - 15 = 0$.

Answer

[2]

- (ii) By factorising $4p^2 + 4p - 15 = 0$, find the value of p .

Answer $p = \dots\dots\dots$ [3]

(iii) Find the length of the line segment AC .

Answer [2]

- (b) Point P and point Q have coordinates $(1, -5)$ and $(-4, -2)$ respectively.
 Line l has equation $x - y = 2$.
 Point R lies on the line l and has coordinates $(x, 0)$.

(i) Find the value of x .

Answer $x =$ [1]

- (ii) Find an equation for the line parallel to PQ which passes through the point R .
 Give your answer in the form $ax + by = c$, where a , b and c are integers.

Answer [3]





- 9 Erin is planning a road trip in the UK with an electric car. She finds the following information to help plan her trip.

Distance between UK cities by road in kilometres

London				
95	Oxford			
322	260	Manchester		
340	299	135	York	
650	589	352	317	Edinburgh

For example, the distance between Oxford and York is 299 km.

Electric car charging information

There are three main types of electric car chargers that can be used.

	Slow chargers	Fast chargers	Rapid chargers
Approximate cost (cents per km)	3.6	25.1	45.0
Approximate charging rate	up to 11 km of range in 30 minutes	up to 64 km of range in 30 minutes	up to 193 km of range in 30 minutes

Erin plans to drive at an average speed of 90 kilometres per hour on her trip.

- (a) How long would it take Erin to drive from York to Edinburgh?
Give your answer in hours and minutes, correct to the nearest minute.

Answer hours minutes [1]

The range of Erin's car is 420 km when the battery is fully charged.
Electric cars are often charged to 80% of the battery's capacity.

- (b) Calculate the range of Erin's car when the battery is charged to 80% capacity.

Answer km [1]



- (c) Erin plans to start her trip in London with a fully charged car battery. She will drive to Oxford, then to Manchester, then to York and finally to Edinburgh.

Erin will charge the battery in Manchester and in York.
She will use a rapid charger in Manchester and a fast charger in York.
Each time, Erin will charge the battery to 80% capacity.

Erin calculates the total journey time for her trip and the total cost of charging the battery.
The total journey time includes the time that Erin will spend waiting for the battery to charge.
Erin assumes that each charger charges at a constant maximum rate.

Erin says:

My total journey time will be less than 12 hours.
The total cost of charging the battery in Manchester and York will be less than \$165.

Using Erin's assumption, justify with calculations whether she is correct.

[6]


[Question 9 is continued on the next page.]





- (d) Erin's assumption is wrong.
The chargers do **not** charge at a constant maximum rate.

The graph shows how the charging rate of each of the chargers varies as the battery is charged.



Explain what effect this will have on Erin's total journey time.

.....

.....

[1]





BLANK PAGE



DO NOT WRITE IN THIS MARGIN





Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

Cambridge Assessment International Education is part of Cambridge Assessment. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which is a department of the University of Cambridge.

