

Not in SD Core

What has been removed, why, and what to use instead.

This page exists so you do not spend time hunting for something that is not there. **It names what is gone and what to use in its place; it does not document the removed features themselves.**

Everything here was in OpenQM, in ScarletDME, or in SD on Linux, and is not in SD Core for Windows.

If you had a use for any of these, say so. Several were removed on the reasoning that nothing needed them. That reasoning is worth testing against real use, and for some of them an administrator can put the verb back into an account's VOC — the programs behind a few of them are still installed.

Editors

GONE	USE INSTEAD
<code>sed</code> — the full-screen editor	<code>edit</code> , or <code>ed</code> for the line editor
<code>update.record</code> — the full-screen record editor	<code>edit</code> or <code>ed</code>
<code>modify</code> — the full-screen record editor from OpenQM	<code>edit</code> or <code>ed</code>

SD Core's own full-screen editing is `edit` and `micro`, which open the record in Microsoft Edit and in micro — see Programmer commands, which also says what they are good for and what they cannot do. The three above are gone as *programs*; the capability is not.

`modify` is received by **no account of any tier**.

`micro` **was on this page and has come off it — under its own name.** It was removed on 17 Aug 2026 because it launched an external editor, which is a way out of SD onto the machine underneath it. That was reversed on 26 Aug 2026, and there are now **two** full-screen editors, `edit` and `micro`: the same idea, done deliberately, limited to programmer and administrator accounts and refused over the API.

`modify.account` and `modify.password` **are not affected.** They are different verbs with different programs behind them, and both remain administrator commands.

`ed` was never affected by the keyboard faults that hit the full-screen editors — it reads whole lines and goes through the command-line editor. **If backspace is ever reported broken in `ed`, that is a new fault, not an old one returning.**

The PROC language

`PROC` is gone. **A VOC item of type `PQ` now reports that PROC is not supported instead of running.** Your `PQ` records are left alone — it is the interpreter that has gone, not the records.

Do not confuse PROC with the query processor. `LIST`, `COUNT`, `SELECT` and `SORT` are unaffected. They are a different thing despite the similar name.

SDNet — remote file access

SD could open a file held on another SD server by putting `server;file` in a VOC entry. **That is gone. A VOC entry containing a semicolon is now simply a file name that does not resolve.**

`SET.SERVER`, `DELETE.SERVER` and `LIST.SERVERS` have gone with it. **Two of those three had never worked in any case** — their VOC entries were malformed.

Why it went: each server's user name and password were kept in `sd.conf`, obscured with a simple letter substitution that is not encryption, and the session ran over port 4245. There was also no way to switch the feature off — the `NETFILES` setting was read at start-up and then never consulted.

The API is not affected. `SDClient` and the remote API are a separate mechanism and are unchanged. See API access.

`NETFILES` **is still accepted in `sd.conf`** and does nothing, so an existing configuration file will not stop SD starting.

Virtual file systems

SD has never been able to open a virtual file system. Nothing in the file-opening code ever recognised a `VFS:` pathname. What the language carried was the *outline* of one, and none of it could be reached: a VOC F-pointer written as `VFS:something` was reported as a virtual file system, passed the name resolver, and then failed to open with an unrelated error.

All of it has been removed, so the language no longer offers a feature it cannot perform.

These names are no longer defined, and a program mentioning one will no longer compile:

FL\$TYPE.VFS	SYSCOM KEYS.H
ER\$VFS.NAME	SYSCOM ERR.H
ER\$VFS.CLASS	SYSCOM ERR.H
ER\$VFS.NGLBL	SYSCOM ERR.H

`FTYPE` no longer returns `VFS` for a `VFS:` pathname. **Error numbers 3038, 3039 and 3040 are retired and will not be given a new meaning.**

IF ONE OF YOUR PROGRAMS REFERS TO ANY OF THESE, it was testing for a state SD could not reach, and the test can be deleted.

Two unreachable pieces went with it: `_EXTENDLIST`, installed into the SDSYS `GPL.BP` file and loaded at every start-up although nothing ever called it; and the debugger's `(Networked)` file type, which no file could report once SDNet was gone.

Language and locale

`NLS`, `SET.LANGUAGE` and `LOAD.LANGUAGE` are removed. **SD Core is English only**, and these were the only callers of the message-language machinery.

Embedded Python

Dropped, and it is a statement about what SD Core is for rather than a packaging choice: the intended use is as a back end data store reached through the API.

The C sources, the Makefile flags, 20 `GPL.BP/PY_*` programs, `SYSCOM/SDPYFUNC.H`, the `SD_Py*` error codes and the SDEXT keys have all gone.

Field-level encryption

`encrypt.field` **is gone, and with it field-level encryption from TCL.** The verb is in **no account's VOC at any tier** — it left `newvoc/TIER.ADD.ADMINISTRATOR` before W1.0-0. While it was still there it could not have worked: the `$CRYPTO` program behind it is not in the distribution, and every form of the verb failed at load, before it looked at what you typed.

Encryption in SD BASIC is unaffected and is the supported route. `sdencrypt()` and `sddecrypt()` ship — see *SD Basic - System and Environment* — and replaced the older `encrypt()` and `decrypt()` functions. What has gone is the TCL verb that encrypted a field in place, and **nothing replaces that.**

Account and configuration items

GONE	NOTES
<code>RDPACCOUNT</code> , <code>NO.RDPACCOUNT</code>	typing it now stops <code>create.account</code> with <i>Unexpected token (RDPACCOUNT)</i> and makes no account
<code>CREATUSR</code>	<code>config</code> no longer lists it; <code>config('CREATUSR')</code> returns nothing. A <code>CREATUSR</code> line in <code>sd.conf</code> is still accepted and ignored
<code>umask</code>	removed from every tier. It controls POSIX file-mode bits, which Windows does not use for security
Field 4 of an <code>ACCOUNTS</code> record	the list of accounts allowed in. <code>list.grants</code> answers that question now

Accounts already created with `RDPACCOUNT` keep their Windows sign-in. Nothing goes round and takes it back, because SD did not record which accounts they were. If you have any, either delete and recreate them, or add them to the restricted group by hand:

```
net localgroup sdsshonly <name> /add
```

The five programs SD used to ship into the SDSYS BP file

`PCL` and `PCL.GRID` (printer control), `U0032` and `U50BB` (user exits) and `VFS.CLS` (a template class module) are no longer installed there.

PCL is unaffected as a printer feature — the `PCL` keyword and the catalogued `PCL` routine are both still there. What has gone is a second, older copy of the source sitting in `BP`.

SD now ships nothing into the SDSYS bp file. It is created empty and is yours — and because of that, `bp` and its compiled objects are now preserved when you upgrade, alongside your accounts and the rest of your own data.

Things that were never features, and are not coming

These are not removals. They are stated here because a reader coming from another MultiValue system will otherwise assume they exist.

Multi-user access over remote Desktop is not supported. It follows from the access model and is settled. One Windows setting covers Remote Desktop and the physical keyboard together, so allowing one allows the other. A verb that lifted the restriction was built and deleted the next day for exactly that reason. If you want it, you want Windows

Server, RDP client access licences and probably a commercial product built for it. See [ssh access](#).

SD cannot be installed silently. `/SILENT` and `/VERYSILENT` are refused, with a message saying why, and there is no switch to override it. Installing ends by asking for a password and a silent install has nobody to ask — it used to finish with **no password on any account** and say nothing about it. Unattended deployment is not supported.

scp AND sftp DO NOT WORK INBOUND ONCE SD HAS CONFIGURED THE ssh SERVER, for anybody, administrators included. This is the accepted cost of putting every ssh session straight into SD. **Pull files rather than pushing them** — see [ssh access](#). A machine with no ssh server is unaffected, because SD has configured nothing.

The cleartext API login is gone, and a client that still sends a password in clear is refused outright. See [API access](#).

Linux-only mechanisms

The Linux privilege model does not survive the move and has been replaced rather than emulated. Most of this is invisible unless you are reading source, but two consequences show:

- `chmod` **does nothing**. The MSYS2 mount is `noacl`, so file-mode bits are not a security control here. Windows ACLs are, and SD sets them.
- **There is no `sdsys` uid to drop to**. Privilege is elevation, and the operating system's groups are the whole of the authorisation model. See [Security](#).