Wildlife health perceptions and monitoring in protected areas

Diego Montecino-Latorre Mathieu Pruvot Sarah H Olson

Introduction

Surveillance systems monitoring wildlife and livestock health in protected areas and fostering the early detection and timely communication of morbidity and mortality events are essential to track, prioritize threats, and activate contingency plans under high-risk scenarios for wildlife, human, and livestock health. However, effective surveillance systems involving wildlife are uncommon, especially in high-risk areas of pathogen emergence, such as the human-wildlife-livestock interfaces nearby protected areas. Logistical challenges associated with surveillance in locations hard to access exacerbate the task's difficulty.

Leveraging stakeholders already present at key interfaces is a potentially efficient strategy to establish baseline scanning wildlife health surveillance in these areas at a minimal cost (IUCN and EcoHealth Alliance 2022). Rangers and natural resource authorities (hereafter "rangers") are responsible for conservation and law enforcement in protected areas. On a global scale, rangers patrol thousands of square kilometers at critical wildlife-livestock-human interfaces where they can generate eyes-on-the-field health intelligence, detecting injured, sick, and dead animals; trigger investigations; and provide data for trend assessments (Montecino-Latorre et al. 2020; Kuisma et al. 2019).

However, to date there is little to no information about: i) the importance given to wildlife health in protected area conservation programs globally, ii) the extent rangers are mandated to record wildlife health during their patrols in protected areas, and iii) how wildlife health data are collected and the potential for comparability of measures across spatial units (if collected at all).

The "Spatial Monitoring and Reporting Tool" (SMART) is a suite of technological tools designed to manage protected areas. This suite is composed by SMART Desktop, a desktop computer software, SMART Mobile, a mobile device application, and SMART Connect, a server-based cloud. SMART was founded in 2011, and to-date it is currently use in more than one thousand protected areas in more than 70 countries distributed across the World.

We aimed to learn from protected area managers if: i) they consider wildlife health relevant from a One Health perspective, ii) dead, sick, or injured wildlife are observed in protected areas and recorded by rangers, iii) the presence and recording of domestic animals including dead, sick, or injured animals, and iv) health data is stored in SMART databases. We also asked for the current status of SMART in the protected areas. To accomplish this objective, we reached global distributed protected area managers belonging to the SMART user community through the SMART Partnership and request to complete an online survey.

Methods

We developed a web-based questionnaire aimed at protected area managers. The survey had five sections. Under section 1, we asked managers to rank their perceptions regarding wildlife health and potential consequences of pathogen transmission among wildlife, domestic animals and people.

Under section 2, we explored the overall frequency of encounters with dead, sick, or injured wildlife in the protected areas and their documentation when found during patrols.

Under section 3, we asked managers to rank the importance of introduced domestic animals for the conservation goals of the corresponding protected areas. Likert scales were used in sections 1 - 3.

Under section 4, we asked about data storage practices.

Under section 5, we asked about the current state of SMART and its components.

An introductory webpage explained that the survey was voluntary, anonymous, aimed at protected area managers administering SMART data. The webpage also clarified that clicking the "Start the survey" button constituted consent. The survey was built on Google Forms, which has a translation tool. We provided a tutorial on translating it into the preferred language (https://sites.google.com/wcs.org/smarttorecordwildlifehealth/home). The survey was exempt from IRB review (ref #22-53 Wildlife Conservation Society Internal Review Board).

The survey was distributed globally to the SMART Community (SMART Community Forum users https://forum.smartconservationtools.org/) by the SMART Partnership via email in October 2022, and it remained open for three months. As the closing date approached, a reminder was sent to the SMART Community three weeks in advance.

Responses could represent a single or multiple protected areas. However, our analysis focused on responses representing one or two individual terrestrial protected areas to gain insights into specific local realities. Therefore, responses representing more than two protected areas were filtered out. The resulting dataset could have a specific protected area represented by single responses, by responses that included two protected areas, or a combination of both. We duplicated the responses that were representing two protected areas but left a single protected area for each one, so each row in the dataset implied a unique protected area. One of the

responses representing the same protected area after this step were filtered out to leave a unique representation completion and consistency of answers, and respondent's alignment with the intended target audience of the survey.

The protected areas included in the responses were classified as marine or terrestrial based on the World Database on Protected Areas (https://www.protectedplanet.net/en/thematic-areas/wdpa?tab=WDPA). Marine protected areas were removed.

The questionnaire, survey data, data cleaning and filtering, and descriptive analysis scripts can be found at https://github.com/dmontecino/SMART_survey.

Results

General results

The total number of responses was 129.

Seven responses were removed because they included a given name instead of the protected area name and one response was removed because it did not have a protected area name. Twenty-four responses representing more than two protected areas were filtered out and other six were removed because they involved protected areas that were represented once already. Sixteen responses were removed because the respondent did not match the target audience.

The final dataset described below excluded four marine protected areas leading to the removal of another four responses, for a total of 76 protected areas represented by 71 answered surveys (66 responses representing a single protected area and 5 representing two protected areas) from 19 countries.

Section 1: Perceptions regarding wildlife health and potential consequences of pathogen transmission among wildlife, domestic animals and people

The ranking distribution for the following affirmations: "Wildlife health, including infectious and non-infectious diseases, is important to achieve the conservation goals of the protected areas where I work", "Human or livestock pathogens can affect wildlife populations inhabiting the protected area I work", "Pathogens carried by wildlife inhabiting the protected area I work in can affect public health", and "Pathogens carried by wildlife inhabiting the protected area I work in can affect livestock health" is shown in Figure 1.




Figure 1: Distribution protected area managers responses regarding the importance of wildlife health to achieve the conservation goals of protected area(s) where they work in (row 1), human or livestock pathogens can affect wildlife populations inhabiting the protected area(s) where they work in (row 2), pathogens carried by wildlife inhabiting the protected area(s) where they work in can affect public health (row 3), and pathogens carried by wildlife inhabiting the protected area(s) where they work in can affect livestock health (row 4).

The most common ranking combination was "Strongly agree" with the four affirmations (n=9; 12.7%), followed by "Agree" with the four affirmations (n=4; 5.6% of the responses). Twenty-eight (39.44%) of the respondents answered either "Strongly agree" or "Agree" to the four affirmations. The number of responses per rank combination are provided in Appendix 1.

Section 2: Overall frequency of encounters with dead, sick, or injured wildlife in the protected areas and their documentation when found during patrols.

Fifty-six responses (78.9%) reported that either dead, sick, or injured wildlife found during patrols are recorded. Twenty out of the 71 respondents (28.2%) answered that dead wildlife found during patrols are not recorded as a specific category. Of this set, only three responses (15%) claimed that dead wildlife are "Never" encountered in the protected area(s). The overall distribution of responses across ranking of dead wildlife encountering frequency in the protected

area(s) and their recording as a specific category of individuals when found during a patrol is shown in Figure 2.




Figure 2: Distribution of protected area managers responses regarding the recording of dead wildlife found during ranger patrols as a specific category of animals across the overall encountering frequency with dead wildlife in the protected area(s) where they work in.

Forty-eight out of the 71 respondents (67.6%) answered that sick wildlife found during patrols are not recorded as a specific category. Of this set, only five responses (10.4%) claimed that sick and injured wildlife are "Never" encountered in the protected area(s). The overall distribution of responses across ranking of sick or injured wildlife encountering frequency in the protected area(s) and the recording of sick wildlife as a specific category of individuals when found during a patrol is shown in Figure 3.




Figure 3: Distribution of protected area managers responses regarding the recording of sick wildlife found during ranger patrols as a specific category of animals across the overall encountering frequency with sick or injured wildlife in the protected area(s) where they work in.

Forty out of the 71 respondents (56.3%) answered that injured wildlife found during patrols are not recorded as a specific category. Of this set, only five responses (12.5%) claimed that sick and injured wildlife are "Never" encountered in the protected area(s). The overall distribution of responses across ranking of sick or injured wildlife encountering frequency in the protected area(s) and the recording of injured wildlife as a specific category of individuals when found during a patrol is shown in Figure 4.




Figure 4: Distribution of protected area managers responses regarding the recording of injured wildlife found during ranger patrols as a specific category of animals across the overall encountering frequency with sick or injured wildlife in the protected area(s) where they work in.

The methods to record either sick, injured, or dead wildlife found during a patrol (when registered) "Part of the full count of the species", "Part of the full count of the species" (stratification of the animals of a specific species per health status), "Present/absent", and "Recorded in another way" were reported in 94.6%, 51.8%, 23.2%, and 17.9% of the 56 responses that reported the recording of either dead, sick, or injured wildlife found during patrols. The distribution of the methods reported to record healthy, sick, injured, or dead wildlife recording when they are found during a patrol is shown in Figure 5.




Figure 5: Distribution of protected area managers responses regarding how recorded healthy, sick, injured, and dead wildlife found during patrols are actually registered.

The most common combination of methods to register either sick, injured, or dead wildlife was the recording of dead wildlife only with each dead individual registered as a unique observation (19.6% of the responses), followed by "Each animal is an individual observation" for the three health categories (10.7% of the responses). The number of responses per method used per health category are provided in Appendix 2.

The number of responses including specific data types collected across sick, injured, or dead wildlife (for the set of 56 responses reporting the recording of at least one of these categories) was 55, 51, 41, 37, 33, 30, 25, 21, 17 for the items Species, Photographs, Suspect cause, , Sex, Condition, Age, Anomalies, Other. The distribution of the data items collected per each health status category is shown in Figure 6.




Figure 6: The percentage of protected area managers responses that reported the recording of dead, sick, and injured wildlife that collected different items of information (y-axis) across different categories of wildlife health status (x-axis). The size of the circles is proportional to the percentage observed.

Section 3: Importance of introduced domestic animals for the conservation goals of the protected areas

Fifty managers responded that domestic animals are observed in the corresponding protected areas (70.4%). Thirty-five managers of this subset claimed that domestic animals are documented if observed during patrols (70%), but only 9 of these managers reported the recording of the health status of these animals. The distribution of manager responses across the overall ranking of domestic animals as a conservation concern, their documentation, and recording of their health status is shown in Figure 7.

	Domestic animals are a concern for conservation goals					
	Strongly disagree	Disagree	Somewhat disagree	Neutral	Agree	Strongly agree
Domestic animals found during patrols are not documented			WWW.		7	6
Domestic animals found during patrols are documented				3 2	9 2	5

Figure 7: Distribution of protected area manager responses where domestic animals are observed regarding the recording of domestic animals found during ranger patrols across their overall agreement with domestic animals as a concern for conservation goals in protected areas. The dashed area of the polygons represent the subset of responses without health status of domestic animals recording. The responses included in this figure are those of managers that reported the presence of domestic animals in the corresponding protected area.

Section 4: Data storage practices.

Thirty-one of the 35 managers (88.6%) reporting the recording of domestic animal sighted during patrols responded that this information was stored in a SMART database. All managers reporting domestic animals health status recording responded that this information is stored in a SMART database. The distribution of health data storage in a SMART database per wildlife category for those responses reporting the recording of sick, injured, or dead wildlife is shown in Figure 8.




Figure 8: The percentage of protected area managers responses reporting the recording of dead, sick, and injured wildlife (x-axis) that stored this information in a SMART database (y-axis). The size of the circles is proportional to the percentage observed.

In those cases when sick, injured, or dead wildlife were recorded but their data was not stored in SMART, a range of options were employed instead, including paper forms, reports, and spreadsheets.

Section 5: Current state of SMART components.

Discussion

We developed a web-based questionnaire aimed at protected area managers around the globe to learn about protected areas managers wildlife health perceptions; the monitoring of dead, sick, and injured wildlife and domestic animals in protected areas; health monitoring data storage practices; and the current status of SMART in protected areas. Protected area managers responses included 76 protected areas distributed in 19 countries and they suggest that: i) wildlife health tends to be considered relevant for the conservation goals of protected areas and there is a general understanding that pathogens can be transmitted among wildlife and humans and livestock and affect any of these groups; ii) dead, sick or injured wildlife might not be recorded if found during ranger patrols regardless of these animals being observed with

certain frequency in protected areas. This is specially evident for sick and injured wildlife; iii) the recording of dead, sick, and injured wildlife found in patrols conducted in protected areas where these animals are registered follows different methodology, within and among sites, and the information collected is also variable; iv) domestic animals tend to be considered a concern for the conservation goals of protected areas, they tend found in them and recorded but their health status is usually not recorded; v) health data when collected might not be properly handled as many managers reported that this information is either not entered or is partially entered in a SMART database and the alternative choices are not adequate.

Appendices

Appendix 1. Frequency of response combinations to the four affirmations of Section 1.

Appendix 2. Frequency of response combinations to the recording methods for sick, injured, and dead wildlife of Section 2. Cells without information means that the corresponding health categories were not recorded.

Wildlife health is important	Human and livestock	Wildlife pathogens can	Wildlife pathogens can	Number of responses
	pathogens can	impact human	impact livestock	
	impact wildlife health	health	health	
Strongly agree	Strongly agree	Strongly agree	Strongly agree	9
Agree	Agree	Agree	Agree	4
Agree	Strongly agree	Neutral	Strongly agree	3
Strongly agree	Agree	Neutral	Neutral	3
Strongly agree	Agree	Strongly agree	Agree	3
Agree	Neutral	Neutral	Neutral	2
Agree	Strongly agree	Neutral	Agree	2
Strongly agree	Agree	Agree	Agree	2
Strongly agree	Agree	Strongly agree	Strongly agree	2
Strongly agree	Neutral	Neutral	Agree	2
Strongly agree	Strongly agree	Agree	Agree	2
Strongly agree	Strongly agree Strongly agree	Somewhat Disagree	Agree	2
Strongly agree	Strongly agree Strongly agree	Strongly disagree	Strongly disagree	2
Agree	Agree Agree	Agree	Strongly disagree Strongly agree	1
Agree	Agree	Neutral	Neutral	1
Agree	Agree	Somewhat Disagree	Agree	1
Agree	Agree	Somewhat Disagree	Somewhat Disagree	1
Agree	Agree		Agree	1
		Strongly agree Strongly agree	Strongly agree	1
Agree Agree	Agree Disagree	Disagree Disagree	Disagree Disagree	1
Agree	Disagree	Neutral	Agree	1
0	9	Neutral	Neutral	1
Agree	Disagree Neutral	Disagree	Neutral	1
Agree	Neutral	Neutral		1
Agree	Neutral	Neutral	Agree	1
Agree		Neutral	Disagree	1
Agree	Somewhat Disagree		Disagree	1
Agree	Strongly agree	Agree	Somewhat Disagree	
Agree	Strongly agree	Neutral	Neutral	1
Agree	Strongly agree	Somewhat Disagree	Disagree	1
Agree	Strongly agree	Strongly disagree	Strongly disagree	1
Disagree	Agree	Disagree	Strongly disagree	1
Neutral	Agree Neutral	Neutral	Neutral Neutral	1
Neutral Neutral		Disagree		
Neutral	Strongly agree	Agree	Agree Neutral	1 1
	Strongly agree	Disagree		
Strongly agree	Agree	Agree	Strongly agree	1
Strongly agree	Agree	Strongly agree	Neutral	1
Strongly agree	Disagree	Strongly disagree	Strongly agree	1
Strongly agree	Neutral	Somewhat Disagree	Somewhat Disagree	1
Strongly agree	Strongly agree	Agree	Strongly agree	
Strongly agree	Strongly agree	Disagree	Agree	1
Strongly agree	Strongly agree	Disagree	Disagree	
Strongly agree	Strongly agree	Neutral	Strongly agree	1
Strongly agree	Strongly agree	Strongly agree	Agree	1
Strongly agree	Strongly agree	Strongly agree	Somewhat Disagree	1
Strongly disagree	Strongly disagree	Neutral	Neutral	1

How sick wildlife is recorded	How injured wildlife is recorded	How dead wildlife is recorded	Number of responses	
		Each animal is an individual observation	11	
Each animal is an	Each animal is an	Each animal is an	6	
individual observation	individual observation	individual observation		
		Recorded in another	5	
		way		
Part of the full count	Part of the full count	Part of the full count	5	
of the species	of the species	of the species		
		Present/absent	3	
	Each animal is an	Each animal is an	3	
	individual observation	individual observation		
	Part of the full count	Part of the full count	3	
	of the species	of the species		
	Present/absent	Present/absent	2	
Each animal is an individual observation			2	
Part of the full count		Part of the full count	2	
of the species		of the species		
Recorded in another	Each animal is an	Each animal is an	2	
way	individual observation	individual observation		
		Part of the full count	1	
		of the species		
	Each animal is an individual observation	Present/absent	1	
	Each animal is an	Recorded in another	1	
	individual observation	way	1	
	Present/absent	way	1	
	Present/absent	Each animal is an	1	
	Tresent, assent	individual observation	-	
	Recorded in another	Each animal is an	1	
	way	individual observation	_	
Each animal is an		Each animal is an	1	
individual observation		individual observation	_	
Each animal is an	Each animal is an		1	
individual observation	individual observation			
Part of the full count	Each animal is an	Each animal is an	1	
of the species	individual observation	individual observation		
Part of the full count	Part of the full count	Each animal is an	1	
of the species	of the species	individual observation		
Present/absent	Present/absent	Present/absent	1	
Recorded in another	Each animal is an		1	
way	individual observation			