



oneShotBlinking


Source:	/Users/m1m1024/Desktop/bme290/oneShotBlinking/oneShotBlinking.kicad_sch		
Date:	Thursday, February 09, 2023 at 03:07:42 PM		
Tool:	Eeschema (6.0.10-0)		
Generator:	/Applications/KiCad/KiCad.app/Contents/SharedSupport/plugins/bom_csv_grouped_by_value_with_fp.py		
Component Count:	39		
Ref	Qty	Value	Cmp name
BT101,	1	6V	Battery
C101, C102, C204,	3	10u	C
C201,	1	100n	C
C202, C203,	2	0.01u	C
C205,	1	1u	C
D101,	1	RevPol_PwrStatus	LED_Filled
D102, D103,	2	LED_Filled	LED_Filled
H101, H102, H103, H104,	4	MountingHole	MountingHole
J101,	1	Push Button	Conn_01x02_Female
J102, J105,	2	LED	Conn_01x02_Male
J103,	1	Power Switch	Conn_01x02_Female
J104,	1	BATT	Conn_01x02_Female
R101, R102,	2	1k	R_Small_US
R200,	1	455k	R_Small_US
R202,	1	42.2k	R_Small_US
R203,	1	10k	R_Small_US
R204,	1	100k	R_Small_US
RV200, RV201,	2	0-100k	R_Potentiometer_US
SW101,	1	SW_SPST	SW_SPST
SW102,	1	LED	SW_Push
TP101,	1	VCC	TestPoint_Probe
TP102,	1	AstableOut	TestPoint_Probe
TP103,	1	MonoOut	TestPoint_Probe
TP104,	1	LightOut	TestPoint_Probe
TP105,	1	GND	TestPoint_Probe
U101,	1	LM7805_TO220	LM7805_TO220
U102,	1	4081	4081
U103,	1	74LS04	74LS04
U201,	1	LM556	LM556

Footprint	Description	Vendor
	Multiple-cell battery	
Capacitor_THT:CP_Radial_D10.0mm_P5.00mm	Unpolarized capacitor	
Capacitor_THT:CP_Radial_D10.0mm_P5.00mm	Unpolarized capacitor	
Capacitor_THT:CP_Radial_D10.0mm_P5.00mm	Unpolarized capacitor	
Capacitor_THT:CP_Radial_D10.0mm_P5.00mm	Unpolarized capacitor	
LED_THT:LED_D5.0mm	Light emitting diode, filled shape	
	Light emitting diode, filled shape	
MountingHole:MountingHole_3.2mm_M3	Mounting Hole without connection	
Connector_PinHeader_2.54mm:PinHeader_1x02_P2.54mm_Vertical	Generic connector, single row, 01x02, script generated (kicad-library-utils/schlib/autogen/connector/)	
Connector_PinHeader_2.54mm:PinHeader_1x02_P2.54mm_Vertical	Generic connector, single row, 01x02, script generated (kicad-library-utils/schlib/autogen/connector/)	
Connector_PinHeader_2.54mm:PinHeader_1x02_P2.54mm_Vertical	Generic connector, single row, 01x02, script generated (kicad-library-utils/schlib/autogen/connector/)	
Connector_PinHeader_2.54mm:PinHeader_1x02_P2.54mm_Vertical	Generic connector, single row, 01x02, script generated (kicad-library-utils/schlib/autogen/connector/)	
Resistor_THT:R_Radial_Power_L16.1mm_W9.0mm_P7.37mm	Resistor, small US symbol	
Resistor_THT:R_Radial_Power_L16.1mm_W9.0mm_P7.37mm	Resistor, small US symbol	
Resistor_THT:R_Radial_Power_L16.1mm_W9.0mm_P7.37mm	Resistor, small US symbol	
Resistor_THT:R_Radial_Power_L16.1mm_W9.0mm_P7.37mm	Resistor, small US symbol	
Resistor_THT:R_Radial_Power_L16.1mm_W9.0mm_P7.37mm	Resistor, small US symbol	
Potentiometer_THT:Potentiometer_ACP_CA9-V10_Vertical	Potentiometer, US symbol	
	Single Pole Single Throw (SPST) switch	
	Push button switch, generic, two pins	
TestPoint:TestPoint_Pad_D4.0mm	test point (alternative probe-style design)	
TestPoint:TestPoint_Pad_D4.0mm	test point (alternative probe-style design)	
TestPoint:TestPoint_Pad_D4.0mm	test point (alternative probe-style design)	
TestPoint:TestPoint_Pad_D4.0mm	test point (alternative probe-style design)	
TestPoint:TestPoint_Pad_D4.0mm	test point (alternative probe-style design)	
Package_TO_SOT_THT:TO-220-3_Vertical	Positive 1A 35V Linear Regulator, Fixed Output 5V, TO-220	
Package_DIP:DIP-14_W7.62mm_Socket_LongPads	Quad And 2 inputs	
Package_DIP:DIP-14_W7.62mm_Socket_LongPads	Hex Inverter	
Package_DIP:DIP-14_W7.62mm_Socket_LongPads	Dual Timer, DIP-14/SOIC-14	

Monostable One-Shot



Astable Oscillator



Dmitri Morales

Sheet: /Timer/

File: untitled.kicad_sch

Title: One-Shot Blinking Light

Size: A4 Date: 2023-02-02

KiCad E.D.A. kicad (6.0.10-0)

Rev: v3.0.0

Id: 2/2