

Report ID: S27576.01(01) Generated on 09/20/2021

Report to

Attention: Gregg Anderson

**BCMUA** 

1048 East 8th Street, P.O Box 537

Mio, MI 48647

Phone: 989-329-6656 FAX:

Email: Gregg.Anderson@M33Access.com

Report produced by

Merit Laboratories, Inc. 2680 East Lansing Drive East Lansing, MI 48823

Phone: (517) 332-0167 FAX: (517) 332-6333

Contacts for report questions: John Laverty (johnlaverty@meritlabs.com) Barbara Ball (bball@meritlabs.com)

Report Summary

Lab Sample ID(s): S27576.01

Project: Monitoring

Collected Date(s): 08/26/2021

Submitted Date/Time: 08/27/2021 10:40

Sampled by: Gregg Anderson

P.O. #:

#### **Table of Contents**

Cover Page (Page 1)

General Report Notes (Page 2)

Report Narrative (Page 2)

Laboratory Certifications (Page 3)

Qualifier Descriptions (Page 3)

Glossary of Abbreviations (Page 3)

Naya Mushah

Method Summary (Page 4)

Sample Summary (Page 5)

Maya Murshak Technical Director



#### **General Report Notes**

Analytical results relate only to the samples tested, in the condition received by the laboratory.

Methods may be modified for improved performance.

Results reported on a dry weight basis where applicable.

'Not detected' indicates that parameter was not found at a level equal to or greater than the reporting limit (RL).

40 CFR Part 136 Table II Required Containers, Preservation Techniques and Holding Times for the Clean Water Act specify that samples

for acrolein and acrylonitrile need to be preserved at a pH in the range of 4 to 5 or if not preserved, analyzed within 3 days of sampling.

QA/QC corresponding to this analytical report is a separate document with the same Merit ID reference and is available upon request.

Full accreditation certificates are available upon request. Starred (\*) analytes are not NELAP accredited.

Samples are held by the lab for 30 days from the final report date unless a written request to hold longer is provided by the client.

Report shall not be reproduced except in full, without the written approval of Merit Laboratories, Inc.

Limits for drinking water samples, are listed as the MCL Limits (Maximum Contaminant Level Concentrations)

PFAS requirement: Section 9.3.8 of U.S. EPA Method 537.1 states "If the method analyte(s) found in the Field Sample is present in the

FRB at a concentration greater than 1/3 the MRL, then all samples collected with that FRB are invalid and must be recollected and reanalyzed."

Samples submitted without an accompanying FRB may not be acceptable for compliance purposes.

#### **Report Narrative**

There is no additional narrative for this analytical report

Generated on 09/20/2021 Report to BCMUA Page 2 of 7 Project: Monitoring



#### **Laboratory Certifications**

Authority	Certification ID
Michigan DEQ	#9956
DOD ELAP/ISO 17025	#69699
WBENC	#2005110032
Ohio VAP	#CL0002
Indiana DOH	#C-MI-07
New York NELAC	#11814
North Carolina DENR	#680
North Carolina DOH	#26702
Alaska CSLAP	#17-001
Pennsylvania DEP	#68-05884

#### **Qualifier Descriptions**

Qualifier	Description
!	Result is outside of stated limit criteria
В	Compound also found in associated method blank
E	Concentration exceeds calibration range
F	Analysis run outside of holding time
G	Estimated result due to extraction run outside of holding time
Н	Sample submitted and run outside of holding time
I	Matrix interference with internal standard
J	Estimated value less than reporting limit, but greater than MDL
L	Elevated reporting limit due to low sample amount
M	Result reported to MDL not RDL
0	Analysis performed by outside laboratory. See attached report.
R	Preliminary result
S	Surrogate recovery outside of control limits
T	No correction for total solids
Χ	Elevated reporting limit due to matrix interference
Υ	Elevated reporting limit due to high target concentration
b	Value detected less than reporting limit, but greater than MDL
е	Reported value estimated due to interference
j	Analyte also found in associated method blank
p	Benzo(b)Fluoranthene and Benzo(k)Fluoranthene integrated as one peak.
X	Preserved from bulk sample

#### **Glossary of Abbreviations**

Abbreviation	Description
RL/RDL	Reporting Limit
MDL	Method Detection Limit
MS	Matrix Spike
MSD	Matrix Spike Duplicate
SW	EPA SW 846 (Soil and Wastewater) Methods
E	EPA Methods
SM	Standard Methods
LN	Linear
BR	Branched



#### **Method Summary**

Method Version

ASTM D7968-17M ASTM Method D7968 - 17 Modified (Isotopic Dilution)

SM2540B Standard Method 2540 B 2011

#### **Parameter Summary**

Parameter	Synonym	Cas #
PFBA	Perfluorobutanoic Acid	375-22-4
PFPeA	Perfluoropentanoic Acid	2706-90-3
4:2 FTSA	4:2 Fluorotelomer Sulfonic Acid	757124-72-4
PFHxA	Perfluorohexanoic Acid	307-24-4
PFBS	Perfluorobutane sulfonic Acid	375-73-5
PFHpA	Perfluoroheptanoic Acid	375-85-9
PFPeS	Perfluoropentane Sulfonic Acid	2706-91-4
6:2 FTSA	6:2 Fluorotelomer Sulfonic Acid	27619-97-2
PFOA	Perfluorooctanoic Acid	335-67-1
PFHxS	Perfluorohexane Sulfonic Acid	355-46-4
PFHxS-LN	Perfluorohexane Sulfonic Acid - LN	355-46-4-LN
PFHxS-BR	Perfluorohexane Sulfonic Acid - BR	355-46-4-BR
PFNA	Perfluorononanoic Acid	375-95-1
8:2 FTSA	8:2 Fluorotelomer Sulfonic Acid	39108-34-4
PFHpS	Perfluoroheptane Sulfonic Acid	375-92-8
PFDA	Perfluorodecanoic Acid	335-76-2
N-MeFOSAA	N-methyl perfluorooctanesulfonamidoacetic acid	2355-31-9
EtFOSAA	N-Ethyl Perfluorooctane Sulfonamidoacetic Acid	2991-50-6
PFOS	Perfluorooctane Sulfonic Acid	1763-23-1
PFOS-LN	Perfluorooctane Sulfonic Acid - LN	1763-23-1-LN
PFOS-BR	Perfluorooctane Sulfonic Acid - BR	1763-23-1-BR
PFUnDA	Perfluoroundecanoic Acid	2058-94-8
PFNS	Perfluorononane Sulfonic Acid	68259-12-1
PFDoDA	Perfluorododecanoic Acid	307-55-1
PFDS	Perfluorodecane Sulfonic Acid	335-77-3
PFTrDA	Perfluorotridecanoic Acid	72629-94-8
FOSA	Perfluorooctane Sulfonamide	754-91-6
PFTeDA	Perfluorotetradecanoic Acid	376-06-7
11CI-PF3OUdS	11-chloroeicosafluoro-3-oxaundecane-1-sulfonic acid	763051-92-9
9CI-PF3ONS	9-chlorohexadecafluoro-3-oxanone1-sulfonic acid	756426-58-1
ADONA	4,8-dioxa-3H-perfluorononanoic acid	919005-14-4
HFPO-DA	Hexafluoropropylene oxide dimer	13252-13-6



Sample Summary (1 samples)

Sample ID Sample Tag Matrix Collected Date/Time

S27576.01 Biosolids Sludge 08/26/21 09:00

Report to BCMUA Page 5 of 7 General Project: Monitoring Report



Lab Sample ID: S27576.01

Sample Tag: Biosolids

Collected Date/Time: 08/26/2021 09:00

Matrix: Sludge

COC Reference: 139737

#### Sample Containers

#	Туре	Preservative(s)	Refrigerated?	Arrival Temp. (C)	Thermometer #
1	250ml Plastic	None	Yes	5.7	IR
1	15ml Centrifuge Tube	None	Yes	5.7	IR

#### Extraction / Prep.

Parameter	Result	Method	Run Date	Analyst	Flags
Initial wt. (g) / Final wt. (g) / Volume (ml)*	8.85/7.03/10	ASTM D7968-17M	09/11/21 16:15	KCV	

#### Inorganics

Method: SM2540B, Run Date: 08/27/21 18:00, Analyst: ELR

Parameter	Result	RL	MDL	Units	Dilution	CAS#	Flags
Total Solids*	3.4	1		%	1		

Dilution

#### Organics

28 PFAs, Method: ASTM D7968-17M, Run Date: 09/13/21 00:16, Analyst: KCV

Parameter	Result	RL	MDL	Units	Dilution	CAS#	Flags
PFBA*	Not detected	3.2		ug/kg	162	375-22-4	
PFPeA*	5.1	1.6		ug/kg	162	2706-90-3	
4:2 FTSA*	Not detected	1.6		ug/kg	162	757124-72-4	1
PFHxA*	3.1	1.6		ug/kg	162	307-24-4	
PFBS*	Not detected	1.6		ug/kg	162	375-73-5	
PFHpA*	Not detected	1.6		ug/kg	162	375-85-9	
PFPeS*	Not detected	1.6		ug/kg	162	2706-91-4	
6:2 FTSA*	Not detected	1.6		ug/kg	162	27619-97-2	1
PFOA*	9.7	1.6		ug/kg	162	335-67-1	
PFHxS*	Not detected	1.6		ug/kg	162	355-46-4	
PFHxS-LN*	Not detected	1.6		ug/kg	162	355-46-4-LN	
PFHxS-BR*	Not detected	1.6		ug/kg	162	355-46-4-BR	
PFNA*	Not detected	1.6		ug/kg	162	375-95-1	
8:2 FTSA*	Not detected	1.6		ug/kg	162	39108-34-4	1
PFHpS*	Not detected	1.6		ug/kg	162	375-92-8	
PFDA*	8.4	1.6		ug/kg	162	335-76-2	
N-MeFOSAA*	14	1.6		ug/kg	162	2355-31-9	
EtFOSAA*	9.1	1.6		ug/kg	162	2991-50-6	
PFOS*	8.4	1.6		ug/kg	162	1763-23-1	
PFOS-LN*	6.4	1.6		ug/kg	162	1763-23-1-LN	
PFOS-BR*	2	1.6		ug/kg	162	1763-23-1-BR	
PFUnDA*	Not detected	1.6		ug/kg	162	2058-94-8	
PFNS*	Not detected	1.6		ug/kg	162	68259-12-1	
PFDoDA*	1.6	1.6		ug/kg	162	307-55-1	
PFDS*	Not detected	1.6		ug/kg	162	335-77-3	
PFTrDA*	Not detected	1.6		ug/kg	162	72629-94-8	
FOSA*	3.5	1.6		ug/kg	162	754-91-6	
PFTeDA*	Not detected	1.6		ug/kg	162	376-06-7	
11CI-PF3OUdS*	Not detected	1.6		ug/kg	162	763051-92-9	
9CI-PF3ONS*	Not detected	1.6		ug/kg	162	756426-58-1	

I-Matrix interference with internal standard



#### Lab Sample ID: S27576.01 (continued)

Sample Tag: Biosolids

28 PFAs, Method: ASTM D7968-17M, Run Date: 09/13/21 00:16, Analyst: KCV (continued)

	to trini, truit butter corres							
Parameter	Result	RL	MDL	Units	Dilution	CAS#	Flags	
ADONA*	Not detected	1.6		ug/kg	162	919005-14-	4	
HFPO-DA*	Not detected	16		ua/ka	162	13252-13-6		

Report to BCMUA Page 7 of 7 General Project: Monitoring Report

### **Merit Laboratories Login Checklist**

Lab Set ID:S27576

Client: MISCPFC (BCMUA)

Client Review By:

Project: Monitoring

Submitted: 08/27/2021 10:40 Login User: SRS

Attention: Gregg Anderson Address: BCMUA 1048 East 8th Street, P.O Box 537 Mio, MI 48647

Phone: 989-329-6656 FAX: Email: Gregg.Anderson@M33Access.com

Selection		Description	Note
Sample Receiving			
01. X Yes N	o N/A	Samples are received at 4C +/- 2C Thermometer #	IR 5.7
02. X Yes N	o N/A	Received on ice/ cooling process begun	
03. X Yes N	o N/A	Samples shipped	UPS
04. Yes X N	o N/A	Samples left in 24 hr. drop box	
05. <b>X</b> Yes N	o N/A	Are there custody seals/tape or is the drop box locked	
Chain of Custody			
06. <b>X</b> Yes N	o N/A	COC adequately filled out	
07. <b>X</b> Yes N	o N/A	COC signed and relinquished to the lab	
08. <b>X</b> Yes N	o N/A	Sample tag on bottles match COC	
09. Yes X N	o N/A	Subcontracting needed? Subcontacted to:	
Preservation			
10. Yes N	o X N/A	Do sample have correct chemical preservation	
11. Yes N	o X N/A	Completed pH checks on preserved samples? (no VOAs)	
12. Yes <b>X</b> N	o N/A	Did any samples need to be preserved in the lab?	
Bottle Conditions			
13. <b>X</b> Yes N	o N/A	All bottles intact	
14. <b>X</b> Yes N	o N/A	Appropriate analytical bottles are used	
15. <b>X</b> Yes N	o N/A	Merit bottles used	
16. <b>X</b> Yes N	o N/A	Sufficient sample volume received	
17. Yes <b>X</b> N	o N/A	Samples require laboratory filtration	
18. X Yes N	o N/A	Samples submitted within holding time	
19. Yes N	o X N/A	Do water VOC or TOX bottles contain headspace	
Corrective action for	all exception	s is to call the client and to notify the project manager.	

Date:

2680 East Lansing Dr., East Lansing, MI 48823
Phone (517) 332-0167
www.meritlabs.com

C.O.C. PAGE # \_\_\_\_\_ OF \_\_\_\_

C.O.C. PAGE #	OF	
---------------	----	--

139737

REPORT TO	CHAIN	OF C	US	STO	D	/ RE	COF	RD									8		INV	DICE	E TO
CONTACT NAME GREGG ANDERSON				CÓ	NTAC	TNAME		TOM	N	T	RI	4	-					□SAN	IE-		314
CONTACT NAME GREGG ANDERSON  COMPANY  BCMUA  ADDRESS  1048 EAST 8th STREET,  CITY  MIO  PHONE NO. appel 209 (157) EAX NO. and appel 2005	domesis	201	Las	COI	MPAN	NY 2	30,0	nu	A	1 2	dia	irny'		i le	1. 10	Mr.	11.5	ri meggya	75.11	S. 2011	Tue O
ADDRESS 1048 EAST 8th STREET	P.O. BOX 5.	37	e i	ADI	DRES	s f	20,	B	OX	99	7	1.7	56	1 × 130	1.0	oine	Tai	g tim.	elicari	المنساد	改造
MIO SIGNED	STATE ZIP COI	DE 2647	el i	CIT		M	ID				H to	80 (5)		77		dam	nd.	STATE	ZIP Co	48	647
985-11-666 989-826-8105	P.O. NO.			PHO	1 anc	98	9-82	26-6	975	Ò	E-M	AIL AD	DRESS		1 .	anille accept	- 14	Va. Biski	alo mas	aire	5.0.0.d
gregg, anderson @ M33 access, com	QUOTE NO.	NATE OF	ar.					Α	NAL	'SIS	(AT	TACH	LIST	TIF N	ИOR	E SP	ACE	IS REQUII	RED)		
PROJECT NO,/NAME	SAMPLER(S) - PLEASE PRIN	NT/SIGN N	NAME		R		n en	ani	. 1	ne e	siq	381	or <sup>y</sup>	57	udv	1 80	200	Certifica	tions		baza
TURNAROUND TIME REQUIRED				CON					1						Tr 125	rio I	di -	□ OHIO \			
DELIVERABLES REQUIRED STD LEVEL II LEVEL III	□ LEVEL IV □ EDD	□ ОТН	ER												71	-5	83	□ DoD		NPDES	5
MATRIX GW=GROUNDWATER WW=WASTEWATER S=SCODE: SL=SLUDGE DW=DRINKING WATER O=OIL		SOLID =WASTE				ntainer. ervativ		2		-11	A)	r Helek	1,4	20		r Ti	reed!	Project I		ns New Y	ork
MERIT YEAR SAMPLE	TAG	MATRIX # OF	ES	NONE	F.	7 -		PFA		q				9.54. J	arth	.elf	dul	□ Other Special	a brie	oleh jo Wasania	100
FOR LAB USE ONLY DATE TIME		SL 4	-	Z	+	I Z	20	~		1	er EV		Qu'		(0)	73	No.		ii isti uci	NAME OF TAXABLE PARTY.	THE STATE OF
27576.01 8-262/ 9AM Biosolids	1.45	54		1		1 24	us 1	0			18.7		24. BA		220	11	- 0		2 20		mΑ
1	- 12415; 12 · 11025	-(30,88)		+		3O	9 (1)	reng			MIS.	300	mr.	ini	los:	13.1 · 1	1,71	Aponsa:	100		
			1	- 4-5						1	e la c		- 155	wi k	zd	besite	6.7%	- 5.We 10	d	- askn	38
The state of the s	3.4.5.117		1							1	cje	2	2012	1	lds	ui lepi	18 /		bee e		
	- Louis State Company of the Company	SLeven			2/8	sex ser		- 7 2			0.01		1.53	70	eri i	Fist.			kl	: 25 (0.	3000
same by a second and construct a fed a mark	app. Total	situa	-	110	gly4	0) 1	1111	a d	150	131	in i	ŏr	RE	te l	HE	(b) (5)	1.1	ies ed	jr -	MAL	1123
National Section of the Senting of their may be senting to the senting of the sen		8016	74	W 54		J	05.5	90.1	21.20		eil.	gri i	is 140		O O	0.5		EMPERAGE			Kali i
and white the control of the control	le en la companya de	room.	5)		m	y 14		zomi			1 2	21.1	204	Harle	-91		EFF F	4 5-125	<u> </u>	i bristi	/rol
terfer the country and the company and a started	. Or all mean relation	Pris 1		e Ta	E	1.0	1 18	mi a	12	778	871	91/	+ 20/	e Ab	eql	dali		that (e.	r arkti	oroaib	but
no hi bed with del anti-	- Kel Johnston Hills			and the		-10		PELLY I			14 9	1-150	PO X	14 (36) 1	1 162		GI I	TRANS LA	4 nd 3	TO SEE	il Sta
The said on a fellow a fellow a fellow	n militares i nammiti	bbi	20	8.9		i dir	89°	1839	(1)	-31	Th	19	(a)	94	00	gg-7	Mer	e glasses	107.9	i arii	fin i
RELINQUISHED BY: SIGNATURE/ORGANIZATION RECEIVED BY: BECEIVED BY:	Sampler B.26-2	TIM	E DA-	-		QUISHEI		ATION							Jo	7 70	o I	T Desc.	Di	ATE	TIME
RECEIVED BY: SIGNATURE/ORGANIZATION	DATE	TIM		R	ECEIV	VED BY:			g H	1,6		1 9	10.3	asi	Okta	67 l	0 31	rod ago	D/	ATE	TIME
RELINQUISHED BY: SIGNATURE/ORGANIZATION  JJS	8/27/C	102	70	1	EAL N		this s	Arc Hezz	YES [		NO 🗆		ITIALS		1111	NOTES		TEMP. 0	ON ARRIVA	مرتبرد با	1000)
RECEIVED BY: SIGNATURE/ORGANIZATION PLEASE NOTE: SIGN	8/27/21 ING ACKNOWLEDGES A	DHERF	D NCF		MEF		AMPL		YES C	1	POL		ON RI		RSE	SIDE	•	J, '			Rev. 5.18.12