

Report ID: S23860.01(01) Generated on 05/26/2021

Report to

Attention: Don Popma Biotech Agronomics, Inc. 1651 Bevlah Highway Bevlah, MI 49617

Phone: 616-835-0100 FAX: Email: dpopma@biotechag.com Report produced by

Merit Laboratories, Inc. 2680 East Lansing Drive East Lansing, MI 48823

Phone: (517) 332-0167 FAX: (517) 332-6333

Contacts for report questions: John Laverty (johnlaverty@meritlabs.com) Barbara Ball (bball@meritlabs.com)

Report Summary

Lab Sample ID(s): S23860.01 Project: Flushing WWTP Collected Date(s): 05/05/2021

Submitted Date/Time: 05/05/2021 15:00

Sampled by: Don Popma

P.O. #:

Table of Contents

Cover Page (Page 1)

General Report Notes (Page 2)

Report Narrative (Page 2)

Laboratory Certifications (Page 3)

Qualifier Descriptions (Page 3)

Glossary of Abbreviations (Page 3)

Method Summary (Page 4)

Sample Summary (Page 5)

Maya Murshak Technical Director

Naya Mushah



General Report Notes

Analytical results relate only to the samples tested, in the condition received by the laboratory.

Methods may be modified for improved performance.

Results reported on a dry weight basis where applicable.

'Not detected' indicates that parameter was not found at a level equal to or greater than the reporting limit (RL).

40 CFR Part 136 Table II Required Containers, Preservation Techniques and Holding Times for the Clean Water Act specify that samples

for acrolein and acrylonitrile need to be preserved at a pH in the range of 4 to 5 or if not preserved, analyzed within 3 days of sampling.

QA/QC corresponding to this analytical report is a separate document with the same Merit ID reference and is available upon request.

Full accreditation certificates are available upon request. Starred (*) analytes are not NELAP accredited.

Samples are held by the lab for 30 days from the final report date unless a written request to hold longer is provided by the client.

Report shall not be reproduced except in full, without the written approval of Merit Laboratories, Inc.

Limits for drinking water samples, are listed as the MCL Limits (Maximum Contaminant Level Concentrations)

PFAS requirement: Section 9.3.8 of U.S. EPA Method 537.1 states "If the method analyte(s) found in the Field Sample is present in the

FRB at a concentration greater than 1/3 the MRL, then all samples collected with that FRB are invalid and must be recollected and reanalyzed."

Samples submitted without an accompanying FRB may not be acceptable for compliance purposes.

Report Narrative

There is no additional narrative for this analytical report



Laboratory Certifications

Authority	Certification ID
Michigan DEQ	#9956
DOD ELAP/ISO 17025	#69699
WBENC	#2005110032
Ohio VAP	#CL0002
Indiana DOH	#C-MI-07
New York NELAC	#11814
North Carolina DENR	#680
North Carolina DOH	#26702
Alaska CSLAP	#17-001
Pennsylvania DEP	#68-05884

Qualifier Descriptions

Qualifier	Description
!	Result is outside of stated limit criteria
В	Compound also found in associated method blank
E	Concentration exceeds calibration range
F	Analysis run outside of holding time
G	Estimated result due to extraction run outside of holding time
Н	Sample submitted and run outside of holding time
I	Matrix interference with internal standard
J	Estimated value less than reporting limit, but greater than MDL
L	Elevated reporting limit due to low sample amount
M	Result reported to MDL not RDL
0	Analysis performed by outside laboratory. See attached report.
R	Preliminary result
S	Surrogate recovery outside of control limits
Т	No correction for total solids
X	Elevated reporting limit due to matrix interference
Υ	Elevated reporting limit due to high target concentration
b	Value detected less than reporting limit, but greater than MDL
е	Reported value estimated due to interference
j	Analyte also found in associated method blank
р	Benzo(b)Fluoranthene and Benzo(k)Fluoranthene integrated as one peak.
х	Preserved from bulk sample

Glossary of Abbreviations

Abbreviation	Description
RL/RDL	Reporting Limit
MDL	Method Detection Limit
MS	Matrix Spike
MSD	Matrix Spike Duplicate
SW	EPA SW 846 (Soil and Wastewater) Methods
E	EPA Methods
SM	Standard Methods
LN	Linear
BR	Branched



Method Summary

Method Version

ASTM D7968-17M ASTM Method D7968 - 17 Modified (Isotopic Dilution)

SM2540B Standard Method 2540 B 2011

Parameter Summary

Parameter	Synonym	Cas #
PFBA	Perfluorobutanoic Acid	375-22-4
PFPeA	Perfluoropentanoic Acid	2706-90-3
4:2 FTSA	4:2 Fluorotelomer Sulfonic Acid	757124-72-4
PFHxA	Perfluorohexanoic Acid	307-24-4
PFBS	Perfluorobutane sulfonic Acid	375-73-5
PFHpA	Perfluoroheptanoic Acid	375-85-9
PFPeS	Perfluoropentane Sulfonic Acid	2706-91-4
6:2 FTSA	6:2 Fluorotelomer Sulfonic Acid	27619-97-2
PFOA	Perfluorooctanoic Acid	335-67-1
PFHxS	Perfluorohexane Sulfonic Acid	355-46-4
PFHxS-LN	Perfluorohexane Sulfonic Acid - LN	355-46-4-LN
PFHxS-BR	Perfluorohexane Sulfonic Acid - BR	355-46-4-BR
PFNA	Perfluorononanoic Acid	375-95-1
8:2 FTSA	8:2 Fluorotelomer Sulfonic Acid	39108-34-4
PFHpS	Perfluoroheptane Sulfonic Acid	375-92-8
PFDA	Perfluorodecanoic Acid	335-76-2
N-MeFOSAA	N-methyl perfluorooctanesulfonamidoacetic acid	2355-31-9
EtFOSAA	N-Ethyl Perfluorooctane Sulfonamidoacetic Acid	2991-50-6
PFOS	Perfluorooctane Sulfonic Acid	1763-23-1
PFOS-LN	Perfluorooctane Sulfonic Acid - LN	1763-23-1-LN
PFOS-BR	Perfluorooctane Sulfonic Acid - BR	1763-23-1-BR
PFUnDA	Perfluoroundecanoic Acid	2058-94-8
PFNS	Perfluorononane Sulfonic Acid	68259-12-1
PFDoDA	Perfluorododecanoic Acid	307-55-1
PFDS	Perfluorodecane Sulfonic Acid	335-77-3
PFTrDA	Perfluorotridecanoic Acid	72629-94-8
FOSA	Perfluorooctane Sulfonamide	754-91-6
PFTeDA	Perfluorotetradecanoic Acid	376-06-7
11CI-PF3OUdS	11-chloroeicosafluoro-3-oxaundecane-1-sulfonic acid	763051-92-9
9CI-PF3ONS	9-chlorohexadecafluoro-3-oxanone1-sulfonic acid	756426-58-1
ADONA	4,8-dioxa-3H-perfluorononanoic acid	919005-14-4
HFPO-DA	Hexafluoropropylene oxide dimer	13252-13-6



Sample Summary (1 samples)

Sample ID Sample Tag Matrix Collected Date/Time

S23860.01 Biosolids Sludge 05/05/21 14:10

Report to Biotech Agronomics, Inc. Project: Flushing WWTP

Page 5 of 7

Generated on 05/26/2021 Report ID: S23860.01(01)



Lab Sample ID: S23860.01

Sample Tag: Biosolids

Collected Date/Time: 05/05/2021 14:10

Matrix: Sludge

COC Reference: 142568

Sample Containers

#	Type	Preservative(s)	Refrigerated?	Arrival Temp. (C)	Thermometer #
1	15ml Centrifuge Tube	None	Yes	4.0	IR
1	250ml Plastic	None	Yes	4.0	IR

Extraction / Prep.

Parameter	Result	Method	Run Date	Analyst	Flags
Initial wt. (g) / Final wt. (g) / Volume (ml)*	12.96/6.83/10	ASTM D7968-17M	05/21/21 11:00	KCV	

Inorganics

Method: SM2540B, Run Date: 05/05/21 17:20, Analyst: ELR

Parameter	Result	RL	MDL	Units	Dilution	CAS#	Flags
Total Solids*	2.1	1		%	1		

Organics

28 PFAs, Method: ASTM D7968-17M, Run Date: 05/22/21 09:04, Analyst: KCV

Parameter	Result	RL	MDL	Units	Dilution	CAS#	Flags
PFBA*	Not detected	3.9		ug/kg	77.7	375-22-4	X
PFPeA*	Not detected	0.78		ug/kg	77.7	2706-90-3	
4:2 FTSA*	Not detected	0.78		ug/kg	77.7	757124-72-4	1
PFHxA*	2.6	0.78		ug/kg	77.7	307-24-4	
PFBS*	Not detected	0.78		ug/kg	77.7	375-73-5	
PFHpA*	Not detected	0.78		ug/kg	77.7	375-85-9	
PFPeS*	Not detected	0.78		ug/kg	77.7	2706-91-4	
6:2 FTSA*	Not detected	0.78		ug/kg	77.7	27619-97-2	1
PFOA*	Not detected	0.78		ug/kg	77.7	335-67-1	
PFHxS*	Not detected	0.78		ug/kg	77.7	355-46-4	1
PFHxS-LN*	Not detected	0.78		ug/kg	77.7	355-46-4-LN	1
PFHxS-BR*	Not detected	0.78		ug/kg	77.7	355-46-4-BR	1
PFNA*	Not detected	0.78		ug/kg	77.7	375-95-1	
8:2 FTSA*	Not detected	0.78		ug/kg	77.7	39108-34-4	1
PFHpS*	Not detected	0.78		ug/kg	77.7	375-92-8	1
PFDA*	1.7	0.78		ug/kg	77.7	335-76-2	1
N-MeFOSAA*	13	0.78		ug/kg	77.7	2355-31-9	
EtFOSAA*	6.4	0.78		ug/kg	77.7	2991-50-6	
PFOS*	6.8	0.78		ug/kg	77.7	1763-23-1	1
PFOS-LN*	5.4	0.78		ug/kg	77.7	1763-23-1-LN	1
PFOS-BR*	1.3	0.78		ug/kg	77.7	1763-23-1-BR	1
PFUnDA*	Not detected	0.78		ug/kg	77.7	2058-94-8	1
PFNS*	Not detected	0.78		ug/kg	77.7	68259-12-1	1
PFDoDA*	2	0.78		ug/kg	77.7	307-55-1	1
PFDS*	Not detected	0.78		ug/kg	77.7	335-77-3	1
PFTrDA*	Not detected	0.78		ug/kg	77.7	72629-94-8	1
FOSA*	1.2	0.78		ug/kg	77.7	754-91-6	
PFTeDA*	Not detected	0.78		ug/kg	77.7	376-06-7	I1

X-Elevated reporting limit due to matrix interference

I-Matrix interference with internal standard

1-IS recovery <10%



Lab Sample ID: S23860.01 (continued)

Sample Tag: Biosolids

28 PFAs, Method: ASTM D7968-17M, Run Date: 05/22/21 09:04, Analyst: KCV (continued)

Parameter	Result	RL	MDL	Units	Dilution	CAS#	Flags
11Cl-PF3OUdS*	Not detected	0.78		ug/kg	77.7	763051-92-9	1
9CI-PF3ONS*	Not detected	0.78		ug/kg	77.7	756426-58-1	1
ADONA*	Not detected	0.78		ug/kg	77.7	919005-14-4	
HFPO-DA*	Not detected	0.78		ug/kg	77.7	13252-13-6	1

I-Matrix interference with internal standard

Merit Laboratories Login Checklist

Lab Set ID:S23860

Client:BIOTECHAGRO (Biotech Agronomics, Inc.)

Project: Flushing WWTP

Submitted: 05/05/2021 15:00 Login User: MMC

Attention: Don Popma

Address: Biotech Agronomics, Inc. 1651 Bevlah Highway Bevlah, MI 49617

Phone: 616-835-0100 FAX: Email: dpopma@biotechag.com

Selection	Description	Note
Sample Receiving		
01. X Yes No N/A	Samples are received at 4C +/- 2C Thermometer #	IR 4.0
02. X Yes No N/A	Received on ice/ cooling process begun	
03. Yes X No N/A	Samples shipped	
04. Yes X No N/A	Samples left in 24 hr. drop box	
05. Yes No X N/A	Are there custody seals/tape or is the drop box locked	
Chain of Custody		
06. X Yes No N/A	COC adequately filled out	
07. X Yes No N/A	COC signed and relinquished to the lab	
08. X Yes No N/A	Sample tag on bottles match COC	
09. Yes X No N/A	Subcontracting needed? Subcontacted to:	
Preservation		
10. X Yes No N/A	Do sample have correct chemical preservation	
11. Yes No X N/A	Completed pH checks on preserved samples? (no VOAs)	
12. Yes X No N/A	Did any samples need to be preserved in the lab?	
Bottle Conditions		
13. X Yes No N/A	All bottles intact	
14. X Yes No N/A	Appropriate analytical bottles are used	
15. X Yes No N/A	Merit bottles used	
16. X Yes No N/A	Sufficient sample volume received	
17. Yes X No N/A	Samples require laboratory filtration	
18. X Yes No N/A	Samples submitted within holding time	
19. Yes No X N/A	Do water VOC or TOX bottles contain headspace	

Corrective action for all exception	ns is to call the client and to	notify the project manager.
Client Review By:		Date:



2680 East Lansing Dr., East Lansing, MI 48823 Phone (517) 332-0167 Fax (517) 332-4034 www.meritlabs.com

o.c.	PAGE #	OF	1	Δ	2	5	6	8	
			- 1	beege	-	v	\mathbf{u}	\sim	

REPORT	ГТО	K		CH	IAIN (OF (CU	ST	OD	Y	RE	CO	RD												101C	ETC
									CONTACT NAME SAME																	
COMPANY BI	orech	Agra	onomics, Inc.	. Auto- Le fu	ma	2		C	ОМР	ANY			- 64	1			nuds.		J.C.					, q	11 to	. Top.
ADDRESS 16.	51 B	evlah	Hwy.	respondent to	./(·	945		1.00	DDRE			N		•			4.5	- A -		977	TV.			i og i di		1.5
CITY Beulah STATE ZIP 909617									СІТУ												6	7 7	STATE	ZI	PCODE	110
PHONE NO. 616	6-83	3500	FAX NO.	P.O. NO.				P	HON	E NO.						E-M	IAIL AE	DRES	3					10 21		1100
CITY Beulah PHONE NO. 616-835-0500 E-MAIL ADDRESS & PORMS & Diotech mg. com QUOTE NO. PROJECT NO./NAME Flushing wurth SAMPLER(S)-PLEASE PRINT/STENDAM! TURNAROUND TIME REQUIRED 11 DAY 22 DAYS 3 DAYS ASTANDARD 0THER _													1	IANA	YSI	S (AT	TACI	H LIS	TIF	MOR	E SPA	ACE	IS REQU	IRED)		
PROJECT NO./NAME	E	Fly	shing wurt	SAMPLER(S) - PL	EASE PRIN	IT/ST	389)	5	Po	זק	40	J	1										Certific	ations		
TURNAROUND	TIME RE	QUIRED [□1 DAY □2 DAYS □3 DAY	YS ASTANDA	ARD 🗆	ОТН	ER .						8								0 = 1			VAP		king Wate
DELIVERABLES	REQUIR	ED STI	D LEVEL LEVEL	LEVEL IV	EDD	□от	HEF	R					07										□ DoD Project	1 000	□ NPD	ES
	W=GROUN SL=SLUDG		WW=WASTEWATER S=SOI DRINKING WATER O=OIL W	L L=LIQUID 'P=WIPE A=A		SOLID WAS	ALC: UNKNOWN	terg.			iners vative		9				= In		-			11	□ Detro		□ New	York
MERIT LAB NO.			SAMPLE TAG, IDENTIFICATION-DESCRIPTION				# OF BOTTLES	NONE	HCI	H.SO.	NaOH	МеОН	2										□ Other Special	73.86	uctions	
23860.01	5/5	2:10p	biosolids				4	4					1			18	9 =	2191	υŢ	Яg	("		S. Jak	6×.		len.
	IE H I		e o má kacio	Standard	100	17.			3	W	100				nd:		1	1.	_ 1	4.8	li(g)		0x8 21		5.0	
										1	2	1		_		89	100				=10		SENION			
The state of		7 100	1 1 17 The HARD	_1 to _ = 8	وزورات	h_f			-11	m C	-			14.		y fai							- 9		pr - 1	10
									-	+	-	-	_	-	79.0	11 17/4			- 1						19	
			ne and to have took	e santi		Apr	-18		- 8	39-	-			- 11	-		1 (- 14	la Va			15	p 2	700	11123	
		114	5 St. D. A. L. Co. A. C. Co. A. C. Co. A. C. Co. A. C. C. Co. A. C.		-0.1	71.4	1		- 1	84	-		-		-			V.V		21 10			7369		V 31	- CUEIX
		71.1				-			+			sta-		-					-	-	land				<u></u>	- exciptor
			S CONTRACTOR OF THE STREET		171 70 111 VA		- 1		+	70	-			100					ΔÜ							1000
	100		1 1 1 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1	or ar cons	T ORE	Di .			+	1	1 3		\vdash				1.7		ngr					12/4		n de
e energi	ini l'a	Ter qu	a rime in the	is because it is	op di	b£.	-65	1	2		1.3	201		d	Her		mi	. 1	96	-3			(93.70	_ 4 _ 4	g1	11201
RELINQUISHED BY		Dos	or Po	Sampler 5-5	- PATE	3:0	IME 200	٦٢			SHED RE/OF		ZATION							Gr.	1	-4	8-1-12k	4 12	DATE	TIME
RECEIVED BY: SIGNATURE/ORGA			M Calcolo	5	5/21	Т	OC.		RECE	EIVED	BY:		ZATION		ia i	Jugi	T &	(1)	75.571	Bij	z K	171	noth Pat	Ji i i i i i	DATE	TIME
RELINQUISHED BY SIGNATURE/ORGA			lan grafit i rabna,	District Co.	DATE	T	IME	ŝ	SEAL	L NO.				SEAL I	INTACT	NOE		VITIALS	5 1	urja.	NOTES	S:	TEMP	ON ARE	IVAL	7
RECEIVED BY: SIGNATURE/ORGA	ANIZATION				DATE	Т	IME		SEAL	L NO.				SEAL I	INTACT	NOE		VITIALS	3						·	. 0