

Report ID: S25595.01(01) Generated on 07/08/2021

Report to

Attention: Don Popma Biotech Agronomics, Inc. 1651 Beulah Highway Beulah, MI 49617

Phone: 616-835-0100 FAX: Email: dpopma@biotechag.com Report produced by

Merit Laboratories, Inc. 2680 East Lansing Drive East Lansing, MI 48823

Phone: (517) 332-0167 FAX: (517) 332-6333

Contacts for report questions: John Laverty (johnlaverty@meritlabs.com) Barbara Ball (bball@meritlabs.com)

Report Summary

Lab Sample ID(s): S25595.01 Project: Armada WWTP Collected Date(s): 06/23/2021

Submitted Date/Time: 06/23/2021 16:05

Sampled by: Don Popma

P.O. #:

#### Table of Contents

Cover Page (Page 1)

General Report Notes (Page 2)

Report Narrative (Page 2)

Laboratory Certifications (Page 3)

Qualifier Descriptions (Page 3)

Glossary of Abbreviations (Page 3)

Method Summary (Page 4)

Sample Summary (Page 5)

Maya Murshak Technical Director

Naya Mushah



#### **General Report Notes**

Analytical results relate only to the samples tested, in the condition received by the laboratory.

Methods may be modified for improved performance.

Results reported on a dry weight basis where applicable.

'Not detected' indicates that parameter was not found at a level equal to or greater than the reporting limit (RL).

40 CFR Part 136 Table II Required Containers, Preservation Techniques and Holding Times for the Clean Water Act specify that samples

for acrolein and acrylonitrile need to be preserved at a pH in the range of 4 to 5 or if not preserved, analyzed within 3 days of sampling.

QA/QC corresponding to this analytical report is a separate document with the same Merit ID reference and is available upon request.

Full accreditation certificates are available upon request. Starred (\*) analytes are not NELAP accredited.

Samples are held by the lab for 30 days from the final report date unless a written request to hold longer is provided by the client.

Report shall not be reproduced except in full, without the written approval of Merit Laboratories, Inc.

Limits for drinking water samples, are listed as the MCL Limits (Maximum Contaminant Level Concentrations)

PFAS requirement: Section 9.3.8 of U.S. EPA Method 537.1 states "If the method analyte(s) found in the Field Sample is present in the

FRB at a concentration greater than 1/3 the MRL, then all samples collected with that FRB are invalid and must be recollected and reanalyzed."

Samples submitted without an accompanying FRB may not be acceptable for compliance purposes.

#### **Report Narrative**

There is no additional narrative for this analytical report



#### **Laboratory Certifications**

Authority	Certification ID
Michigan DEQ	#9956
DOD ELAP/ISO 17025	#69699
WBENC	#2005110032
Ohio VAP	#CL0002
Indiana DOH	#C-MI-07
New York NELAC	#11814
North Carolina DENR	#680
North Carolina DOH	#26702
Alaska CSLAP	#17-001
Pennsylvania DEP	#68-05884

#### **Qualifier Descriptions**

Qualifier	Description
!	Result is outside of stated limit criteria
В	Compound also found in associated method blank
E	Concentration exceeds calibration range
F	Analysis run outside of holding time
G	Estimated result due to extraction run outside of holding time
Н	Sample submitted and run outside of holding time
1	Matrix interference with internal standard
J	Estimated value less than reporting limit, but greater than MDL
L	Elevated reporting limit due to low sample amount
M	Result reported to MDL not RDL
0	Analysis performed by outside laboratory. See attached report.
R	Preliminary result
S	Surrogate recovery outside of control limits
Т	No correction for total solids
X	Elevated reporting limit due to matrix interference
Υ	Elevated reporting limit due to high target concentration
b	Value detected less than reporting limit, but greater than MDL
е	Reported value estimated due to interference
j	Analyte also found in associated method blank
p	Benzo(b)Fluoranthene and Benzo(k)Fluoranthene integrated as one peak.
X	Preserved from bulk sample

#### **Glossary of Abbreviations**

Abbreviation	Description
RL/RDL	Reporting Limit
MDL	Method Detection Limit
MS	Matrix Spike
MSD	Matrix Spike Duplicate
SW	EPA SW 846 (Soil and Wastewater) Methods
E	EPA Methods
SM	Standard Methods
LN	Linear
BR	Branched



#### **Method Summary**

Method Version

ASTM D7968-17M ASTM Method D7968 - 17 Modified (Isotopic Dilution)

SM2540B Standard Method 2540 B 2011

#### **Parameter Summary**

Parameter	Synonym	Cas #
PFBA	Perfluorobutanoic Acid	375-22-4
PFPeA	Perfluoropentanoic Acid	2706-90-3
4:2 FTSA	4:2 Fluorotelomer Sulfonic Acid	757124-72-4
PFHxA	Perfluorohexanoic Acid	307-24-4
PFBS	Perfluorobutane sulfonic Acid	375-73-5
PFHpA	Perfluoroheptanoic Acid	375-85-9
PFPeS	Perfluoropentane Sulfonic Acid	2706-91-4
6:2 FTSA	6:2 Fluorotelomer Sulfonic Acid	27619-97-2
PFOA	Perfluorooctanoic Acid	335-67-1
PFHxS	Perfluorohexane Sulfonic Acid	355-46-4
PFHxS-LN	Perfluorohexane Sulfonic Acid - LN	355-46-4-LN
PFHxS-BR	Perfluorohexane Sulfonic Acid - BR	355-46-4-BR
PFNA	Perfluorononanoic Acid	375-95-1
8:2 FTSA	8:2 Fluorotelomer Sulfonic Acid	39108-34-4
PFHpS	Perfluoroheptane Sulfonic Acid	375-92-8
PFDA	Perfluorodecanoic Acid	335-76-2
N-MeFOSAA	N-methyl perfluorooctanesulfonamidoacetic acid	2355-31-9
EtFOSAA	N-Ethyl Perfluorooctane Sulfonamidoacetic Acid	2991-50-6
PFOS	Perfluorooctane Sulfonic Acid	1763-23-1
PFOS-LN	Perfluorooctane Sulfonic Acid - LN	1763-23-1-LN
PFOS-BR	Perfluorooctane Sulfonic Acid - BR	1763-23-1-BR
PFUnDA	Perfluoroundecanoic Acid	2058-94-8
PFNS	Perfluorononane Sulfonic Acid	68259-12-1
PFDoDA	Perfluorododecanoic Acid	307-55-1
PFDS	Perfluorodecane Sulfonic Acid	335-77-3
PFTrDA	Perfluorotridecanoic Acid	72629-94-8
FOSA	Perfluorooctane Sulfonamide	754-91-6
PFTeDA	Perfluorotetradecanoic Acid	376-06-7
11CI-PF3OUdS	11-chloroeicosafluoro-3-oxaundecane-1-sulfonic acid	763051-92-9
9CI-PF3ONS	9-chlorohexadecafluoro-3-oxanone1-sulfonic acid	756426-58-1
ADONA	4,8-dioxa-3H-perfluorononanoic acid	919005-14-4
HFPO-DA	Hexafluoropropylene oxide dimer	13252-13-6



Sample Summary (1 samples)

Sample ID Sample Tag Matrix Collected Date/Time

S25595.01 Biosolids Sludge 06/23/21 14:10

Page 5 of 7



Lab Sample ID: S25595.01

Sample Tag: Biosolids

Collected Date/Time: 06/23/2021 14:10

Matrix: Sludge

COC Reference: 145921

#### Sample Containers

#	Туре	Preservative(s)	Refrigerated?	Arrival Temp. (C)	Thermometer #
1	15ml Centrifuge Tube	None	Yes	5.7	IR
1	250ml Plastic	None	Yes	5.7	IR

#### Extraction / Prep.

Parameter	Result	Method	Run Date	Analyst	Flags
Initial wt. (g) / Final wt. (g) / Volume (ml)*	12.08/7.03/10	ASTM D7968-17M	06/25/21 08:45	KCV	

#### Inorganics

Method: SM2540B, Run Date: 06/25/21 17:00, Analyst: ELR

Parameter	Result	RL	MDL	Units	Dilution	CAS#	Flags
Total Solids*	2.4	1		%	1		

#### Organics

28 PFAs, Method: ASTM D7968-17M, Run Date: 06/26/21 01:43, Analyst: KCV

Parameter	Result	RL	MDL	Units	Dilution	CAS#	Flags
PFBA*	Not detected	1.7		ug/kg	82.5	375-22-4	1
PFPeA*	Not detected	0.83		ug/kg	82.5	2706-90-3	
4:2 FTSA*	Not detected	0.83		ug/kg	82.5	757124-72-4	1
PFHxA*	1	0.83		ug/kg	82.5	307-24-4	
PFBS*	Not detected	0.83		ug/kg	82.5	375-73-5	
PFHpA*	Not detected	0.83		ug/kg	82.5	375-85-9	
PFPeS*	Not detected	0.83		ug/kg	82.5	2706-91-4	
6:2 FTSA*	1	0.83		ug/kg	82.5	27619-97-2	1
PFOA*	1.6	0.83		ug/kg	82.5	335-67-1	
PFHxS*	Not detected	0.83		ug/kg	82.5	355-46-4	
PFHxS-LN*	Not detected	0.83		ug/kg	82.5	355-46-4-LN	
PFHxS-BR*	Not detected	0.83		ug/kg	82.5	355-46-4-BR	
PFNA*	Not detected	0.83		ug/kg	82.5	375-95-1	
8:2 FTSA*	Not detected	0.83		ug/kg	82.5	39108-34-4	1
PFHpS*	Not detected	0.83		ug/kg	82.5	375-92-8	
PFDA*	8.8	0.83		ug/kg	82.5	335-76-2	
N-MeFOSAA*	5.8	0.83		ug/kg	82.5	2355-31-9	1
EtFOSAA*	3.1	0.83		ug/kg	82.5	2991-50-6	1
PFOS*	9.2	0.83		ug/kg	82.5	1763-23-1	
PFOS-LN*	8.2	0.83		ug/kg	82.5	1763-23-1-LN	
PFOS-BR*	Not detected	0.83		ug/kg	82.5	1763-23-1-BR	
PFUnDA*	1	0.83		ug/kg	82.5	2058-94-8	
PFNS*	Not detected	0.83		ug/kg	82.5	68259-12-1	
PFDoDA*	3.2	0.83		ug/kg	82.5	307-55-1	
PFDS*	1.4	0.83		ug/kg	82.5	335-77-3	
PFTrDA*	Not detected	0.83		ug/kg	82.5	72629-94-8	
FOSA*	1.8	0.83		ug/kg	82.5	754-91-6	
PFTeDA*	Not detected	0.83		ug/kg	82.5	376-06-7	
11CI-PF3OUdS*	Not detected	0.83		ug/kg	82.5	763051-92-9	
9CI-PF3ONS*	Not detected	0.83		ug/kg	82.5	756426-58-1	

I-Matrix interference with internal standard



#### Lab Sample ID: S25595.01 (continued)

Sample Tag: Biosolids

28 PFAs, Method: ASTM D7968-17M, Run Date: 06/26/21 01:43, Analyst: KCV (continued)

Parameter	Result	RL	MDL	Units	Dilution	CAS#	Flags
ADONA*	Not detected	0.83		ug/kg	82.5	919005-14-4	_
HFPO-DA*	Not detected	0.83		ug/kg	82.5	13252-13-6	1

I-Matrix interference with internal standard

### Merit Laboratories Login Checklist

Lab Set ID:S25595

Client:BIOTECHAGRO (Biotech Agronomics, Inc.)

Project: Armada WWTP

Submitted:06/23/2021 16:05 Login User: SRS

Attention: Don Popma

Address: Biotech Agronomics, Inc. 1651 Beulah Highway Beulah, MI 49617

Phone: 616-835-0100 FAX: Email: dpopma@biotechag.com

Selection	1			Description	Note
Sample I	Receiv	ing			
01. X	Yes	No	□ N/A	Samples are received at 4C +/- 2C Thermometer #	IR 5.7
02. <b>X</b>	Yes	No	□ N/A	Received on ice/ cooling process begun	
03.	Yes	X No	□ N/A	Samples shipped	
04.	Yes	<b>X</b> No	□ N/A	Samples left in 24 hr. drop box	
05.	Yes	No	X N/A	Are there custody seals/tape or is the drop box locked	
Chain of	Custo	dy			
06. <b>X</b>	Yes	No	N/A	COC adequately filled out	
07. <b>X</b>	Yes	No	N/A	COC signed and relinquished to the lab	
08. <b>X</b>	Yes	No	N/A	Sample tag on bottles match COC	
09.	Yes	X No	N/A	Subcontracting needed? Subcontacted to:	
Preserva	ation				
10.	Yes	No	X N/A	Do sample have correct chemical preservation	
11.	Yes	No	X N/A	Completed pH checks on preserved samples? (no VOAs)	
12.	Yes	X No	N/A	Did any samples need to be preserved in the lab?	
Bottle Co	onditio	ns			
13. <b>X</b>	Yes	No	N/A	All bottles intact	
14. <b>X</b>	Yes	No	N/A	Appropriate analytical bottles are used	
15. <b>X</b>	Yes	No	N/A	Merit bottles used	
16. <b>X</b>	Yes	No	N/A	Sufficient sample volume received	
17.	Yes	X No	N/A	Samples require laboratory filtration	
18. <b>X</b>	Yes	No	N/A	Samples submitted within holding time	
19.	Yes	No	X N/A	Do water VOC or TOX bottles contain headspace	

Corrective action for all	exceptions is to call the	client and to	notify the proje	ect manager.
Oliant Daview Dw			Data	
Client Review By:			Date:	



2680 East Lansing Dr., East Lansing, MI 48823
Phone (517) 332-0167
www.meritlabs.com

C.O.C. PAGE #\_\_\_\_\_

C.O.C. PAGE # OF	1	15	92	1
		4.)	71	_

REPOR	T TO		Laboratories, Inc.	СН	IAIN O	FC	US	TC	)D	Y RI	EC	OR	D										IN	VOI	CE	TO	
CONTACT NAME DOM PORMA										CONTACT NAME												SAME					
CONTACT NAME DON POPMED  COMPANY BID Tech Agronomics, Inc.  ADDRESS 1651 Beulah Hwy  CITY BILL ZIP FODE											COMPANY															ALTA.	
												li W	bey.			i in	ricol	ej (1)	12. , 2	inn	6,71171	i om	, gril	Calle	Cont.	000	
Beulah Beulah STATE ZIEGOE 17										CITY THE CONTROL IS NOT THE TOTAL OF THE RESERVE HEAVY													STATE ZIP CODE				
PHONE NO.	P.O. NO.					PHONE NO.							E-MAIL ADDRESS										12.0				
E-MAIL ADDRESS	door	QUOTE NO.	ANALYSIS								S (ATTACH LIST IF MORE SPACE IS REQUIRED)																
PROJECT NO./NAME Armada wwt SAMPLER(S)-PLEASE PRINT/SIGN NAME											(E/1)	Oll					8 30		5 50		280	T	fication		More	N Tari	
TURNAROUNI	O TIME RE	YS STANDARD □ OTHER _					396						*				1.10		- in	□ОН	O VAP	□ Dr	inkinç	y Water			
6			D □ LEVEL II □ LEVEL III						i i			. 7	1									□ Do[			PDES	n/3	
MATRIX GW=GROUNDWATER WW=WASTEWATER S=SOIL L=LIQUID SD=SOLID CODE: SL=SLUDGE DW=DRINKING WATER O=OIL WP=WIPE A=AIR W=WASTE										ntaine ervati			S D				7				194	Proje □ Det	ct Loc roit		ew Yo	rk	
MERIT LAB NO.	YÈ	AR 21	SAMPLE 1			# OF	TLES	NONE	HNO	H <sub>2</sub> SO <sub>4</sub>	MeOH	HER	PFAS						254 2 to 12		S (1000)	Oth	140 01 12 10	10,000	311	13/11	
FOR LAB USE ONLY	DATE	TIME					ш .	4	나 I	II Z	Ž	10						0						truction			
25545.61	6/23	2:10	Brosolia	-	b5 1	1 4	7	+		+		V			E 1 E 5		1111			14	11/3	03238	2 140				
	d'hann	antinidi	re Allamus Samalifi a	od blacata at	H Hb N	rickle			43/	Mo			1111		19			10 100	100			344 St	1.7103			3/	
	*					1	_		-		1 2		10.6	意味方法		(AS)				1133	1821 2	1 77.80.11	Ordina 180	1.1.1.11.126	2 3/1/18		
anoloni	J.	70 eon	vana Dálocha <b>s</b> no me		etebli	1011			igs	10	100		clea	D	ald v	RIP.		201		300	1 39	301		gum e	olaa	167	
															si di					1 018	300	dd bus	altab s	B ,737	06/0	is is	
		1814 7 30	ji mateorija at bobi vojig	Nyst ed 511	4	in idea			10					3.1	17 4 5				1 14		A 0 0	12.0	: / g/l 1	1073 (M) 12	Sign		
all states of	V. 1970	rate best	is exception addressed			N.	9		10	0.	130	200		100	3 12 15		OU.	t de la	1 (3.1)	88 0		buku -					
	Tirebonia.	CAS CARA	NOR A LOP AS XIDRISH						W					)(())		13 24						LOHO Kazas	30 e 71				
Amounts	less be	Marie y	a zaolise u i u sesiona a	no la cata							173	П				8 8		0 814	E Car	1 1		of be	10/07/5		nsak		
ary da	mohaw	azi ort	upa <b>10 it</b> elli mal isi hats	DEPOSIT STREET	1077/3	35 20		is f	181	33				188 4	le initial	.73	112		la so	1.11/16	b X	1321	Jepen	180, 10	201	Min	
	77.07.1		DAG OFFICE DAYS ON THE	00 101 (511)						10-17	1 1/1	П					31111			(2)		100000	101/11		(11331	3139	
	ana jid	al i en	a molloma gariere Ce	76 (A. 278 C. )	e syapita i	jih ji		85	٨	1 11			160	7	30%			0 9	61	11951	que	p vill	50 B 60	0.010	raali	12.1	
RELINQUISHED E SIGNATURE/ORG		Do	100	<b>L</b> ampler	DATE 123/21	TIME 4.0	E 6/2	11		QUISHE			TION								167	wint	Tis	DATE	ini	TIME	
RECEIVED BY: SIGNATURE/ORG		50	in South	4/	3 /21	160	F.	TF	RECEI	VED BY	<b>'</b> :					a de la	517		ofac	rana.	70	11.00	ron ii	DATE	er et	TIME	
RELINQUISHED E	BY:	0	Omn		DATE	TIMI		1000	SEAL					EAL IN		lete o	INITI	ALS	) gg	NO	TES:	TEI	MP. ON AF	RRIVAL _	100101	nung -	
SIGNATURE/ORG RECEIVED BY: SIGNATURE/ORG					DATE	TIMI	E	1 8	SEAL	NO.			S	YES DEAL IN	TACT	10 🗆	INITI	ALS		1		5:	)				