

Report ID: S27564.01(01) Generated on 09/16/2021

Report to

Attention: Jason Morris

Lenawee County Drain Commission 320 Springbrook Avenue, Suite 102

Adrian, MI 49221

Phone: 517-260-3401 FAX: Email: Jason.Morris@lenawee.mi.us

Addtional Contacts: Brad Buswell, Central Lenawee

Report produced by

Merit Laboratories, Inc. 2680 East Lansing Drive East Lansing, MI 48823

Phone: (517) 332-0167 FAX: (517) 332-6333

Contacts for report questions: John Laverty (johnlaverty@meritlabs.com) Barbara Ball (bball@meritlabs.com)

Report Summary

Lab Sample ID(s): S27564.01 Project: Rollin Woodstock WWTP Collected Date(s): 08/26/2021

Submitted Date/Time: 08/26/2021 15:00

Sampled by: Brad Buswell

P.O. #:

Table of Contents

Cover Page (Page 1)

General Report Notes (Page 2)

Report Narrative (Page 2)

Laboratory Certifications (Page 3)

Qualifier Descriptions (Page 3)

Glossary of Abbreviations (Page 3)

Method Summary (Page 4)

Sample Summary (Page 5)

Maya Murshak Technical Director

Naya Mushah



General Report Notes

Analytical results relate only to the samples tested, in the condition received by the laboratory.

Methods may be modified for improved performance.

Results reported on a dry weight basis where applicable.

'Not detected' indicates that parameter was not found at a level equal to or greater than the reporting limit (RL).

40 CFR Part 136 Table II Required Containers, Preservation Techniques and Holding Times for the Clean Water Act specify that samples

for acrolein and acrylonitrile need to be preserved at a pH in the range of 4 to 5 or if not preserved, analyzed within 3 days of sampling.

QA/QC corresponding to this analytical report is a separate document with the same Merit ID reference and is available upon request.

Full accreditation certificates are available upon request. Starred (*) analytes are not NELAP accredited.

Samples are held by the lab for 30 days from the final report date unless a written request to hold longer is provided by the client.

Report shall not be reproduced except in full, without the written approval of Merit Laboratories, Inc.

Limits for drinking water samples, are listed as the MCL Limits (Maximum Contaminant Level Concentrations)

PFAS requirement: Section 9.3.8 of U.S. EPA Method 537.1 states "If the method analyte(s) found in the Field Sample is present in the

FRB at a concentration greater than 1/3 the MRL, then all samples collected with that FRB are invalid and must be recollected and reanalyzed."

Samples submitted without an accompanying FRB may not be acceptable for compliance purposes.

Report Narrative

There is no additional narrative for this analytical report



Laboratory Certifications

Authority	Certification ID
Michigan DEQ	#9956
DOD ELAP/ISO 17025	#69699
WBENC	#2005110032
Ohio VAP	#CL0002
Indiana DOH	#C-MI-07
New York NELAC	#11814
North Carolina DENR	#680
North Carolina DOH	#26702
Alaska CSLAP	#17-001
Pennsylvania DEP	#68-05884

Qualifier Descriptions

Qualifier	Description
!	Result is outside of stated limit criteria
В	Compound also found in associated method blank
E	Concentration exceeds calibration range
F	Analysis run outside of holding time
G	Estimated result due to extraction run outside of holding time
Н	Sample submitted and run outside of holding time
1	Matrix interference with internal standard
J	Estimated value less than reporting limit, but greater than MDL
L	Elevated reporting limit due to low sample amount
M	Result reported to MDL not RDL
0	Analysis performed by outside laboratory. See attached report.
R	Preliminary result
S	Surrogate recovery outside of control limits
T	No correction for total solids
X	Elevated reporting limit due to matrix interference
Υ	Elevated reporting limit due to high target concentration
b	Value detected less than reporting limit, but greater than MDL
е	Reported value estimated due to interference
j	Analyte also found in associated method blank
p	Benzo(b)Fluoranthene and Benzo(k)Fluoranthene integrated as one peak.
х	Preserved from bulk sample

Glossary of Abbreviations

Abbreviation	Description
RL/RDL	Reporting Limit
MDL	Method Detection Limit
MS	Matrix Spike
MSD	Matrix Spike Duplicate
SW	EPA SW 846 (Soil and Wastewater) Methods
E	EPA Methods
SM	Standard Methods
LN	Linear
BR	Branched



Method Summary

Method Version

ASTM D7968-17M ASTM Method D7968 - 17 Modified (Isotopic Dilution)

SM2540B Standard Method 2540 B 2011

Parameter Summary

Parameter	Synonym	Cas#
PFBA	Perfluorobutanoic Acid	375-22-4
PFPeA	Perfluoropentanoic Acid	2706-90-3
4:2 FTSA	4:2 Fluorotelomer Sulfonic Acid	757124-72-4
PFHxA	Perfluorohexanoic Acid	307-24-4
PFBS	Perfluorobutane sulfonic Acid	375-73-5
PFHpA	Perfluoroheptanoic Acid	375-85-9
PFPeS	Perfluoropentane Sulfonic Acid	2706-91-4
6:2 FTSA	6:2 Fluorotelomer Sulfonic Acid	27619-97-2
PFOA	Perfluorooctanoic Acid	335-67-1
PFHxS	Perfluorohexane Sulfonic Acid	355-46-4
PFHxS-LN	Perfluorohexane Sulfonic Acid - LN	355-46-4-LN
PFHxS-BR	Perfluorohexane Sulfonic Acid - BR	355-46-4-BR
PFNA	Perfluorononanoic Acid	375-95-1
8:2 FTSA	8:2 Fluorotelomer Sulfonic Acid	39108-34-4
PFHpS	Perfluoroheptane Sulfonic Acid	375-92-8
PFDA	Perfluorodecanoic Acid	335-76-2
N-MeFOSAA	N-methyl perfluorooctanesulfonamidoacetic acid	2355-31-9
EtFOSAA	N-Ethyl Perfluorooctane Sulfonamidoacetic Acid	2991-50-6
PFOS	Perfluorooctane Sulfonic Acid	1763-23-1
PFOS-LN	Perfluorooctane Sulfonic Acid - LN	1763-23-1-LN
PFOS-BR	Perfluorooctane Sulfonic Acid - BR	1763-23-1-BR
PFUnDA	Perfluoroundecanoic Acid	2058-94-8
PFNS	Perfluorononane Sulfonic Acid	68259-12-1
PFDoDA	Perfluorododecanoic Acid	307-55-1
PFDS	Perfluorodecane Sulfonic Acid	335-77-3
PFTrDA	Perfluorotridecanoic Acid	72629-94-8
FOSA	Perfluorooctane Sulfonamide	754-91-6
PFTeDA	Perfluorotetradecanoic Acid	376-06-7
11CI-PF3OUdS	11-chloroeicosafluoro-3-oxaundecane-1-sulfonic acid	763051-92-9
9CI-PF3ONS	9-chlorohexadecafluoro-3-oxanone1-sulfonic acid	756426-58-1
ADONA	4,8-dioxa-3H-perfluorononanoic acid	919005-14-4
HFPO-DA	Hexafluoropropylene oxide dimer	13252-13-6



Sample Summary (1 samples)

Sample ID Sample Tag Matrix Collected Date/Time

S27564.01 Sludge Solid 08/26/21 12:20



Lab Sample ID: S27564.01

Sample Tag: Sludge

Collected Date/Time: 08/26/2021 12:20

Matrix: Solid

COC Reference: 143115

Sample Containers

#	Туре	Preservative(s)	Refrigerated?	Arrival Temp. (C)	Thermometer #
1	15ml Centrifuge Tube	None	Yes	4.3	IR
1	250ml Plastic	None	Yes	4.3	IR

Extraction / Prep.

Parameter	Result	Method	Run Date	Analyst	Flags
Initial wt. (g) / Final wt. (g) / Volume (ml)*	9.32/7.01/10	ASTM D7968-17M	09/11/21 16:15	KCV	

Inorganics

Method: SM2540B, Run Date: 08/27/21 18:00, Analyst: ELR

Parameter	Result	RL	MDL	Units	Dilution	CAS#	Flags
Total Solids*	6.4	1		%	1		

Organics

28 PFAs, Method: ASTM D7968-17M, Run Date: 09/12/21 23:57, Analyst: KCV

Parameter	Result	RL	MDL	Units	Dilution	CAS#	Flags
PFBA*	Not detected	1.4		ug/kg	67.6	375-22-4	
PFPeA*	3.6	0.68		ug/kg	67.6	2706-90-3	
4:2 FTSA*	Not detected	0.68		ug/kg	67.6	757124-72-4	1
PFHxA*	4.5	0.68		ug/kg	67.6	307-24-4	
PFBS*	3.3	0.68		ug/kg	67.6	375-73-5	
PFHpA*	1	0.68		ug/kg	67.6	375-85-9	
PFPeS*	Not detected	0.68		ug/kg	67.6	2706-91-4	
6:2 FTSA*	Not detected	0.68		ug/kg	67.6	27619-97-2	1
PFOA*	20	0.68		ug/kg	67.6	335-67-1	
PFHxS*	0.79	0.68		ug/kg	67.6	355-46-4	
PFHxS-LN*	Not detected	0.68		ug/kg	67.6	355-46-4-LN	
PFHxS-BR*	Not detected	0.68		ug/kg	67.6	355-46-4-BR	
PFNA*	1.1	0.68		ug/kg	67.6	375-95-1	
8:2 FTSA*	1.4	0.68		ug/kg	67.6	39108-34-4	1
PFHpS*	Not detected	0.68		ug/kg	67.6	375-92-8	
PFDA*	15	0.68		ug/kg	67.6	335-76-2	
N-MeFOSAA*	45	0.68		ug/kg	67.6	2355-31-9	
EtFOSAA*	31	0.68		ug/kg	67.6	2991-50-6	
PFOS*	23	0.68		ug/kg	67.6	1763-23-1	
PFOS-LN*	18	0.68		ug/kg	67.6	1763-23-1-LN	
PFOS-BR*	4.3	0.68		ug/kg	67.6	1763-23-1-BR	
PFUnDA*	1.1	0.68		ug/kg	67.6	2058-94-8	
PFNS*	Not detected	0.68		ug/kg	67.6	68259-12-1	
PFDoDA*	4.4	0.68		ug/kg	67.6	307-55-1	
PFDS*	7.2	0.68		ug/kg	67.6	335-77-3	
PFTrDA*	Not detected	0.68		ug/kg	67.6	72629-94-8	
FOSA*	3.6	0.68		ug/kg	67.6	754-91-6	
PFTeDA*	1.3	0.68		ug/kg	67.6	376-06-7	
11CI-PF3OUdS*	Not detected	0.68		ug/kg	67.6	763051-92-9	
9CI-PF3ONS*	Not detected	0.68		ug/kg	67.6	756426-58-1	

I-Matrix interference with internal standard



Lab Sample ID: S27564.01 (continued)

Sample Tag: Sludge

28 PFAs, Method: ASTM D7968-17M, Run Date: 09/12/21 23:57, Analyst: KCV (continued)

		, -	1110119 0 01 1 1 1 1				
Parameter	Result	RL	MDL	Units	Dilution	CAS#	Flags
ADONA*	Not detected	0.68		ug/kg	67.6	919005-14-	4
HFPO-DA*	Not detected	0.68		ua/ka	67.6	13252-13-6	

Merit Laboratories Login Checklist

Lab Set ID:S27564

Client: LENAWEE (Lenawee County Drain Commission)

Project: Rollin Woodstock WWTP

Submitted: 08/26/2021 15:00 Login User: MMC

Attention: Jason Morris

Address: Lenawee County Drain Commission 320 Springbrook Avenue, Suite 102 Adrian, MI 49221

Phone: 517-260-3401 FAX: Email: Jason.Morris@lenawee.mi.us

Selection				Description	Note									
Sam	ple Recei	ving												
01.	X Yes	No	□ N/A	Samples are received at 4C +/- 2C Thermometer #	IR 4.3									
02.	X Yes	No	□ N/A	Received on ice/ cooling process begun										
03.	Yes	X No	N/A	amples shipped										
04.	Yes	X No	N/A	Samples left in 24 hr. drop box										
05.	Yes	No	X N/A	Are there custody seals/tape or is the drop box locked										
Chai	n of Cust	ody												
06.	X Yes	No	N/A	COC adequately filled out										
07.	X Yes	No	N/A	COC signed and relinquished to the lab										
08.	X Yes	No	N/A	Sample tag on bottles match COC										
09.	Yes	X No	N/A	Subcontracting needed? Subcontacted to:										
Pres	ervation													
10.	X Yes	No	N/A	Do sample have correct chemical preservation	_									
11.	Yes	No	X N/A	Completed pH checks on preserved samples? (no VOAs)										
12.	Yes	X No	N/A	Did any samples need to be preserved in the lab?										
Bottl	e Conditi	ons												
13.	X Yes	No												
14.	X Yes	No	N/A	Appropriate analytical bottles are used										
15.	X Yes	No	N/A	Merit bottles used										
16.	X Yes	No	□ N/A	Sufficient sample volume received										
17.	Yes	X No	□ N/A	Samples require laboratory filtration										
18.	X Yes	No	□ N/A	Samples submitted within holding time										
19.	Yes	No	X N/A	Do water VOC or TOX bottles contain headspace										
_		_												
Corr	ective acti	on for all	exceptions	s is to call the client and to notify the project manager.										
Clicr	t Review	Rv.		Date:										



Merit 2680 East Lansing Dr., East Lansing, MI 48823 Phone (517) 332-0167 Fax (517) 332-4034 www.meritlabs.com

C.O.C. PAGE #	OF_	1/2/15
		143115

REPOR	ТТО		Laboratories, Inc.	CHAIN	I OF	CU	ST	OD	Y	REC	COF	RD									I	NVO	ICE	TO
CONTACT NAME	Jason	Mo	rest					CONTA	CT N	AME										×	□SAMI	i		
		0 (1 0000 00	no no : 655				COMP	ANY		-	-					7							
ADDRESS	nawe	<u> </u>	brook Avenue,	(La 10))			ADDRE	SS								-			F		F		.4.
CITY	1	PEINA	brook Avenue,	STATE ZIP	CODE	` '		CITY		- 1										11	STATE	ZIP COD)E	
PHONE NO.	drian		FAX NO.	P.O. NO.	492	<u>d 1</u>	-	PHONE	E NO.						E-MAIL	ADDRE	SS							
E MAIL ADDDECC	260-34 Mor		enawee.mi.us	QUOTE NO.			<u> </u>	e e e	ioni			A	VAL	/SIS	(ATTA	CH LI	ST IF	MOR	E SP	ACE	IS REQUIR	ED)	16.3	ale T
PROJECT NO./NAM	E Woods	tock	WWTP	SAMPLERIS) - PLEASE I			ME				1 0				1						Certificat		Orinkino	a Water
rurnaroune	TIME REC	QUIRED	□1 DAY □2 DAYS □3 DAY	S STANDARD	ОТІ	HER .	_														□DoD		NPDES	
DELIVERABLE	S REQUIRI	ED ST	D LEVEL LEVEL [LEVEL IV DEDI	0 0	THEF	۹										12	6.4	214		Project L			
	GW=GROUN SL=SLUDG		WW=WASTEWATER S=SOIL DRINKING WATER O=OIL W	L=LIQUID S P=WIPE A=AIR	D=SOLI W=WAS					ners		FAS									□ Detroit		New Yo	rk
MERIT LAB NO. FOR LAB USE ONLY	YE. DATE	AR TIME	SAMPLE TA IDENTIFICATION-DES		MATRIX	# OF BOTTLES	NONE	HC	H ₂ SO ₂	NaOH	MeOH	6									☐ Other _ Special I	nstructio	ons	
27564.01	8/26/21	12:20	Sludge		4	4	L					X			de	и 5			T		100	1 (1	W 13	1
de la			3			J. Fiss		ż	1	1		рин			. By	1 3	-	Gr.	Frai	16	L -2 88 -21	1.48 .		J _X
										10	5.0	List	9 1	1		Ha			2.77		- bower	76 nm		TO:
			E, - F		ible ,	-14		4	1			olan									ege .			2-2
									1				.78	1			16						onsie	fer-
					izester	15.4			1		11/10		. 11-	de de	9/9				i lon	6	SD K o	7.00	- 70	No.
				The British R	nu 82	orms		1	T		17/1			18	o V	hi vita	3 TX		(r 2)	iT	n tsed		- 105	21
30700								1	T							160/163	2.1		1 PX	展.	Taylor 27	- PULLY	0.00.08	LHC1
					1		T									- In					b	and the second	Lagran	1612
			The state of the s	Tag S				1	1		bh	26 i C				11 21						tour etc.	-5/45	, már
						1.79	1		1			it its	S. 0	7		100	10	+			72.10		110	714
, sost		Licky J.	or a display of the first of the	the are in a	ribb	8 . 8		La?	1	lie.		189	ybe	ta.	N ₁	resi		(1.3)	Air		1-121-		The B	2
RELINQUISHED E SIGNATURE/ORG		BB	ll ?	Sampler 8/2	6/21	TIME 150	0	SIGN	IATUR			ATION			Fi			ls i	7 1	3	nit()	DAT	V 5524	TIME
RECEIVED BY: SIGNATURE/ORG	ANIZATION	n I v	M alcal	> 8/26/	211	500	0		EIVED		GANIZ	ATION		d ho	9	gric	d	Jr.			11 2 2	DAT	E.	TIME
RELINQUISHED É SIGNATURE/ORG			ricapat 2 - Name Lou, N	DAT	E	TIME	910	SEAL	NO.	yle			EAL IN		NO 🗆	INITIA	LS	Farily	NOTE	S:	TEMP. O	N ARRIVAL	(1-	>
RECEIVED BY: SIGNATURE/ORG				DAT	E	TIME		SEAL	_ NO.			5	EAL IN		NO 🗆	INITIA	LS						4.3	7