

Report ID: S24164.01(01) Generated on 05/26/2021

Report to

Attention: Don Popma Biotech Agronomics, Inc. 1651 Bevlah Highway Bevlah, MI 49617

Phone: 616-835-0100 FAX: Email: dpopma@biotechag.com

Report produced by

Merit Laboratories, Inc. 2680 East Lansing Drive East Lansing, MI 48823

Phone: (517) 332-0167 FAX: (517) 332-6333

Contacts for report questions: John Laverty (johnlaverty@meritlabs.com) Barbara Ball (bball@meritlabs.com)

Report Summary

Lab Sample ID(s): S24164.01 Project: Howell TWP WWTP Collected Date(s): 05/13/2021

Submitted Date/Time: 05/13/2021 14:40

Sampled by: Don Popma

P.O. #:

#### **Table of Contents**

Cover Page (Page 1)

General Report Notes (Page 2)

Report Narrative (Page 2)

Laboratory Certifications (Page 3)

Qualifier Descriptions (Page 3)

Glossary of Abbreviations (Page 3)

Method Summary (Page 4)

Sample Summary (Page 5)

Maya Murshak Technical Director

Naya Mushah



### **General Report Notes**

Analytical results relate only to the samples tested, in the condition received by the laboratory.

Methods may be modified for improved performance.

Results reported on a dry weight basis where applicable.

'Not detected' indicates that parameter was not found at a level equal to or greater than the reporting limit (RL).

40 CFR Part 136 Table II Required Containers, Preservation Techniques and Holding Times for the Clean Water Act specify that samples

for acrolein and acrylonitrile need to be preserved at a pH in the range of 4 to 5 or if not preserved, analyzed within 3 days of sampling.

QA/QC corresponding to this analytical report is a separate document with the same Merit ID reference and is available upon request.

Full accreditation certificates are available upon request. Starred (\*) analytes are not NELAP accredited.

Samples are held by the lab for 30 days from the final report date unless a written request to hold longer is provided by the client.

Report shall not be reproduced except in full, without the written approval of Merit Laboratories, Inc.

Limits for drinking water samples, are listed as the MCL Limits (Maximum Contaminant Level Concentrations)

PFAS requirement: Section 9.3.8 of U.S. EPA Method 537.1 states "If the method analyte(s) found in the Field Sample is present in the

FRB at a concentration greater than 1/3 the MRL, then all samples collected with that FRB are invalid and must be recollected and reanalyzed."

Samples submitted without an accompanying FRB may not be acceptable for compliance purposes.

#### **Report Narrative**

There is no additional narrative for this analytical report



## **Laboratory Certifications**

Authority	Certification ID
Michigan DEQ	#9956
DOD ELAP/ISO 17025	#69699
WBENC	#2005110032
Ohio VAP	#CL0002
Indiana DOH	#C-MI-07
New York NELAC	#11814
North Carolina DENR	#680
North Carolina DOH	#26702
Alaska CSLAP	#17-001
Pennsylvania DEP	#68-05884

### **Qualifier Descriptions**

Qualifier	Description
!	Result is outside of stated limit criteria
В	Compound also found in associated method blank
E	Concentration exceeds calibration range
F	Analysis run outside of holding time
G	Estimated result due to extraction run outside of holding time
Н	Sample submitted and run outside of holding time
1	Matrix interference with internal standard
J	Estimated value less than reporting limit, but greater than MDL
L	Elevated reporting limit due to low sample amount
M	Result reported to MDL not RDL
0	Analysis performed by outside laboratory. See attached report.
R	Preliminary result
S	Surrogate recovery outside of control limits
Т	No correction for total solids
X	Elevated reporting limit due to matrix interference
Υ	Elevated reporting limit due to high target concentration
b	Value detected less than reporting limit, but greater than MDL
е	Reported value estimated due to interference
j	Analyte also found in associated method blank
р	Benzo(b)Fluoranthene and Benzo(k)Fluoranthene integrated as one peak.
x	Preserved from bulk sample

## **Glossary of Abbreviations**

Abbreviation	Description
RL/RDL	Reporting Limit
MDL	Method Detection Limit
MS	Matrix Spike
MSD	Matrix Spike Duplicate
SW	EPA SW 846 (Soil and Wastewater) Methods
E	EPA Methods
SM	Standard Methods
LN	Linear
BR	Branched



## **Method Summary**

Method Version

ASTM D7968-17M ASTM Method D7968 - 17 Modified (Isotopic Dilution)

SM2540B Standard Method 2540 B 2011

### **Parameter Summary**

Parameter	Synonym	Cas #
PFBA	Perfluorobutanoic Acid	375-22-4
PFPeA	Perfluoropentanoic Acid	2706-90-3
4:2 FTSA	4:2 Fluorotelomer Sulfonic Acid	757124-72-4
PFHxA	Perfluorohexanoic Acid	307-24-4
PFBS	Perfluorobutane sulfonic Acid	375-73-5
PFHpA	Perfluoroheptanoic Acid	375-85-9
PFPeS	Perfluoropentane Sulfonic Acid	2706-91-4
6:2 FTSA	6:2 Fluorotelomer Sulfonic Acid	27619-97-2
PFOA	Perfluorooctanoic Acid	335-67-1
PFHxS	Perfluorohexane Sulfonic Acid	355-46-4
PFHxS-LN	Perfluorohexane Sulfonic Acid - LN	355-46-4-LN
PFHxS-BR	Perfluorohexane Sulfonic Acid - BR	355-46-4-BR
PFNA	Perfluorononanoic Acid	375-95-1
8:2 FTSA	8:2 Fluorotelomer Sulfonic Acid	39108-34-4
PFHpS	Perfluoroheptane Sulfonic Acid	375-92-8
PFDA	Perfluorodecanoic Acid	335-76-2
N-MeFOSAA	N-methyl perfluorooctanesulfonamidoacetic acid	2355-31-9
EtFOSAA	N-Ethyl Perfluorooctane Sulfonamidoacetic Acid	2991-50-6
PFOS	Perfluorooctane Sulfonic Acid	1763-23-1
PFOS-LN	Perfluorooctane Sulfonic Acid - LN	1763-23-1-LN
PFOS-BR	Perfluorooctane Sulfonic Acid - BR	1763-23-1-BR
PFUnDA	Perfluoroundecanoic Acid	2058-94-8
PFNS	Perfluorononane Sulfonic Acid	68259-12-1
PFDoDA	Perfluorododecanoic Acid	307-55-1
PFDS	Perfluorodecane Sulfonic Acid	335-77-3
PFTrDA	Perfluorotridecanoic Acid	72629-94-8
FOSA	Perfluorooctane Sulfonamide	754-91-6
PFTeDA	Perfluorotetradecanoic Acid	376-06-7
11CI-PF3OUdS	11-chloroeicosafluoro-3-oxaundecane-1-sulfonic acid	763051-92-9
9CI-PF3ONS	9-chlorohexadecafluoro-3-oxanone1-sulfonic acid	756426-58-1
ADONA	4,8-dioxa-3H-perfluorononanoic acid	919005-14-4
HFPO-DA	Hexafluoropropylene oxide dimer	13252-13-6



Sample Summary (1 samples)

Sample ID Sample Tag Matrix Collected Date/Time

S24164.01 Biosolids Sludge 05/13/21 09:30

Page 5 of 7



### Lab Sample ID: S24164.01

Sample Tag: Biosolids

Collected Date/Time: 05/13/2021 09:30

Matrix: Sludge

COC Reference: 137665

### Sample Containers

#	Туре	Preservative(s)	Refrigerated?	Arrival Temp. (C)	Thermometer #
1	15ml Centrifuge Tube	None	Yes	5.1	IR
1	250ml Plastic	None	Yes	5.1	IR

### Extraction / Prep.

Parameter	Result	Method	Run Date	Analyst	Flags
Initial wt. (g) / Final wt. (g) / Volume (ml)*	13.11/7.08/10	ASTM D7968-17M	05/21/21 11:00	KCV	

### Inorganics

Method: SM2540B, Run Date: 05/13/21 17:30, Analyst: ELR

Parameter	Result	RL	MDL	Units	Dilution	CAS#	Flags
Total Solids*	4 4	1		%	1		

#### Organics

28 PFAs, Method: ASTM D7968-17M, Run Date: 05/22/21 12:20, Analyst: KCV

Parameter	Result	RL	MDL	Units	Dilution	CAS#	Flags
PFBA*	Not detected	4.1		ug/kg	37.7	375-22-4	IX
PFPeA*	2.4	0.38		ug/kg	37.7	2706-90-3	1
4:2 FTSA*	Not detected	0.38		ug/kg	37.7	757124-72-4	1
PFHxA*	3.5	0.38		ug/kg	37.7	307-24-4	1
PFBS*	2.5	0.38		ug/kg	37.7	375-73-5	
PFHpA*	0.45	0.38		ug/kg	37.7	375-85-9	1
PFPeS*	Not detected	0.38		ug/kg	37.7	2706-91-4	
6:2 FTSA*	Not detected	0.38		ug/kg	37.7	27619-97-2	1
PFOA*	9.5	0.38		ug/kg	37.7	335-67-1	1
PFHxS*	Not detected	0.38		ug/kg	37.7	355-46-4	
PFHxS-LN*	Not detected	0.38		ug/kg	37.7	355-46-4-LN	
PFHxS-BR*	Not detected	0.38		ug/kg	37.7	355-46-4-BR	
PFNA*	2.2	0.38		ug/kg	37.7	375-95-1	
8:2 FTSA*	Not detected	0.38		ug/kg	37.7	39108-34-4	1
PFHpS*	Not detected	0.38		ug/kg	37.7	375-92-8	
PFDA*	15	0.38		ug/kg	37.7	335-76-2	1
N-MeFOSAA*	6.5	0.38		ug/kg	37.7	2355-31-9	
EtFOSAA*	3.8	0.38		ug/kg	37.7	2991-50-6	
PFOS*	14	0.38		ug/kg	37.7	1763-23-1	
PFOS-LN*	13	0.38		ug/kg	37.7	1763-23-1-LN	
PFOS-BR*	1.7	0.38		ug/kg	37.7	1763-23-1-BR	
PFUnDA*	1.4	0.38		ug/kg	37.7	2058-94-8	1
PFNS*	Not detected	0.38		ug/kg	37.7	68259-12-1	
PFDoDA*	3	0.38		ug/kg	37.7	307-55-1	1
PFDS*	1.2	0.38		ug/kg	37.7	335-77-3	
PFTrDA*	Not detected	0.38		ug/kg	37.7	72629-94-8	1
FOSA*	1.7	0.38		ug/kg	37.7	754-91-6	
PFTeDA*	Not detected	0.38		ug/kg	37.7	376-06-7	l1
11CI-PF3OUdS*	Not detected	0.38		ug/kg	37.7	763051-92-9	

I-Matrix interference with internal standard X-Elevated reporting limit due to matrix interference

1-IS recovery <10%



## Lab Sample ID: S24164.01 (continued)

Sample Tag: Biosolids

28 PFAs, Method: ASTM D7968-17M, Run Date: 05/22/21 12:20, Analyst: KCV (continued)

Parameter	Result	RL	MDL	Units	Dilution	CAS#	Flags
9CI-PF3ONS*	Not detected	0.38		ug/kg	37.7	756426-58-1	
ADONA*	Not detected	0.38		ug/kg	37.7	919005-14-4	1
HFPO-DA*	Not detected	0.38		ug/kg	37.7	13252-13-6	1

I-Matrix interference with internal standard

## Merit Laboratories Login Checklist

Lab Set ID:S24164

Client:BIOTECHAGRO (Biotech Agronomics, Inc.)

Project: Howell TWP WWTP

Submitted:05/13/2021 14:40 Login User: SRS

Attention: Don Popma

Address: Biotech Agronomics, Inc. 1651 Bevlah Highway Bevlah, MI 49617

Phone: 616-835-0100 FAX: Email: dpopma@biotechag.com

Selection		Description	Note
Sample Receiving			
01. X Yes No	□ N/A	Samples are received at 4C +/- 2C Thermometer #	IR 5.1
02. X Yes No	□ N/A	Received on ice/ cooling process begun	
03. Yes X No	□ N/A	Samples shipped	
04. Yes X No	□ N/A	Samples left in 24 hr. drop box	
05. Yes No	X N/A	Are there custody seals/tape or is the drop box locked	
Chain of Custody			
06. <b>X</b> Yes No	□ N/A	COC adequately filled out	
07. X Yes No	□ N/A	COC signed and relinquished to the lab	
08. X Yes No	□ N/A	Sample tag on bottles match COC	
09. Yes X No	□ N/A	Subcontracting needed? Subcontacted to:	
Preservation			
10. Yes No	X N/A	Do sample have correct chemical preservation	
11. Yes No	X N/A	Completed pH checks on preserved samples? (no VOAs)	
12. Yes X No	□ N/A	Did any samples need to be preserved in the lab?	
Bottle Conditions			
13. <b>X</b> Yes No	□ N/A	All bottles intact	
14. <b>X</b> Yes No	□ N/A	Appropriate analytical bottles are used	
15. <b>X</b> Yes No	□ N/A	Merit bottles used	
16. X Yes No	□ N/A	Sufficient sample volume received	
17. Yes X No	□ N/A	Samples require laboratory filtration	
18. X Yes No	□ N/A	Samples submitted within holding time	
19. Yes No	X N/A	Do water VOC or TOX bottles contain headspace	

Corrective action for	or all exceptions is to	call the client and to	notify the project m	nanager.
Client Review By:			Date:	

ì		4		S
	Laboratories	INICI	N Non	
	, Inc.	Y	-	
		8	P	26

2680 East Lansing Dr., East Lansing, MI 48823
Phone (517) 332-0167 Fax (517) 332-4034
vww.meritlabs.com

RECEIVED BY: SIGNATURE/ORGANIZATION	RELINQUISHED BY: SIGNATURE/ORGANIZATION	RECEIVED BY: SIGNATURE/ORGANIZATION	RELINQUISHED BY: SIGNATURE/ORGANIZATION	THE STATE OF THE S									51/5 10.191162	LAB NO. DATE	SL=SLL	MATRIX GW=GROUNDWATER	DELIVERABI ES REQUIRED	TURNAROUND TIME REQUIRED ☐ 1 DAY	PROJECT NO./NAME	E-MAIL ADDRESS d pape	00/0 -5 E8 . 717 ON BNOHE	Beulah	ADDRESS /65/	COMPANY BIOTE	CONTACT NAME $\mathcal{D}_{6}$	REPORT TO
	0	V	0~				148						9:304	E TIME			ED XSTD	QUIRED [	owe !	na 6 6		4		ch Agronomics, Inc	n Popmed	M
		ankink	D		Sec.			SW THE SW A					Biosolids	SAMPLE IAG IDENTIFICATION-DESCRIPTION	DW=DRINKING WATER O=OIL	WW=WASTEWATER S=		□1 DAY □2 DAYS □3 DAYS	Howell Twp wwth	popmad biotechagicing	FAX NO.					Laboratories, inc.
DATE	DATE	5/13/21	Sampler J. 13. DATE	120 P 1 100 P				MALESCALE SER DES			ALCOHOLD NEED TO ALCOHOLD			ESCRIPTION	WIPE A=AIR	IL L=LIQUID SD=	□LEVEL IV □EDD	TANDARD	SAMPLER(S) - PLEASE PHATISION HAME	QUOTE NO.	P.O. NO.	STATE ZIP 294	200 day 200 com			CHAIN
TIME	TIME	1440	2,400					Sell III				9	4 4 59	# OF BOTTLE	STE	SD=SOLID	OTHER	OTHER _	TISIO MANAME			9617				CHAIN OF CUSTODY RECORD
SEAL INTACT INITIALS  YES NO	SEAL NO.	SIGNATURE/ORGANIZATION	RELINQUISHED BY: SIGNATURE/ORGANIZATION					A TOWN AND A STREET	N 1978					HCI HNO <sub>3</sub> H <sub>2</sub> SO <sub>4</sub> NaOH MeOH OTHER	1					ANALYSIS (ATT)	PHONE NO.	СІТҮ	ADDRESS	COMPANY	CONTACT NAME	
	SEAL INTACT YES O NOO	SEAL INTACT INITIALS	TION	27 / 00 / 14									<i>y</i>	<i>F</i>	FA	5 1	79	76.	8		E-MAII		La most pg bar			
				The state of the state of				1 E E E	Taxab and the same of the same	3,	5 11 5		100.57 100.016		100					ACH LIST IF MORE	E-MAIL ADDRESS		K Buth .			
5. 1	NOTES: TEMP. ON ARRIVAL	-	Ł	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1				A ST TO THE STATE OF A TOP	All the control of th	of such dings they got the	11 TO 12 TO 12 TO 15 TO			Special Instructions	Detroit New York	ocat	□ DoD □ NPDES	VAR	S	ANALYSIS (ATTACH LIST IF MORE SPACE IS REQUIRED)		STATE ZIP CODE			DISAME	INVOICE TO