

Report ID: S23636.01(01) Generated on 05/19/2021

Report to

Attention: Jason Freeman

City of Chelsea

305 S. Main St., Suite 100

Chelsea, MI 48118

Phone: - FAX:

Email: JFreeman@city-chelsea.org

Addtional Contacts: Doug Ervin, Cory Davis

Report Summary

Lab Sample ID(s): S23636.01

Project: Biosolids PFAS

Collected Date(s): 04/28/2021

Submitted Date/Time: 04/28/2021 15:00

Sampled by: Unknown

P.O. #:

Table of Contents

Cover Page (Page 1)

General Report Notes (Page 2)

Report Narrative (Page 2)

Laboratory Certifications (Page 3)

Qualifier Descriptions (Page 3)

Glossary of Abbreviations (Page 3)

Naya Mushah

Method Summary (Page 4)

Sample Summary (Page 5)

Report produced by

Merit Laboratories, Inc. 2680 East Lansing Drive

East Lansing, MI 48823

Phone: (517) 332-0167 FAX: (517) 332-6333

Contacts for report questions:

John Laverty (johnlaverty@meritlabs.com)

Barbara Ball (bball@meritlabs.com)

Maya Murshak Technical Director



General Report Notes

Analytical results relate only to the samples tested, in the condition received by the laboratory.

Methods may be modified for improved performance.

Results reported on a dry weight basis where applicable.

'Not detected' indicates that parameter was not found at a level equal to or greater than the reporting limit (RL).

40 CFR Part 136 Table II Required Containers, Preservation Techniques and Holding Times for the Clean Water Act specify that samples

for acrolein and acrylonitrile need to be preserved at a pH in the range of 4 to 5 or if not preserved, analyzed within 3 days of sampling.

QA/QC corresponding to this analytical report is a separate document with the same Merit ID reference and is available upon request.

Full accreditation certificates are available upon request. Starred (*) analytes are not NELAP accredited.

Samples are held by the lab for 30 days from the final report date unless a written request to hold longer is provided by the client.

Report shall not be reproduced except in full, without the written approval of Merit Laboratories, Inc.

Limits for drinking water samples, are listed as the MCL Limits (Maximum Contaminant Level Concentrations)

PFAS requirement: Section 9.3.8 of U.S. EPA Method 537.1 states "If the method analyte(s) found in the Field Sample is present in the

FRB at a concentration greater than 1/3 the MRL, then all samples collected with that FRB are invalid and must be recollected and reanalyzed."

Samples submitted without an accompanying FRB may not be acceptable for compliance purposes.

Report Narrative

There is no additional narrative for this analytical report



Laboratory Certifications

Authority	Certification ID
Michigan DEQ	#9956
DOD ELAP/ISO 17025	#69699
WBENC	#2005110032
Ohio VAP	#CL0002
Indiana DOH	#C-MI-07
New York NELAC	#11814
North Carolina DENR	#680
North Carolina DOH	#26702
Alaska CSLAP	#17-001
Pennsylvania DEP	#68-05884

Qualifier Descriptions

Qualifier	Description
!	Result is outside of stated limit criteria
В	Compound also found in associated method blank
E	Concentration exceeds calibration range
F	Analysis run outside of holding time
G	Estimated result due to extraction run outside of holding time
Н	Sample submitted and run outside of holding time
1	Matrix interference with internal standard
J	Estimated value less than reporting limit, but greater than MDL
L	Elevated reporting limit due to low sample amount
M	Result reported to MDL not RDL
0	Analysis performed by outside laboratory. See attached report.
R	Preliminary result
S	Surrogate recovery outside of control limits
Т	No correction for total solids
X	Elevated reporting limit due to matrix interference
Υ	Elevated reporting limit due to high target concentration
b	Value detected less than reporting limit, but greater than MDL
е	Reported value estimated due to interference
j	Analyte also found in associated method blank
р	Benzo(b)Fluoranthene and Benzo(k)Fluoranthene integrated as one peak.
x	Preserved from bulk sample

Glossary of Abbreviations

Abbreviation	Description
RL/RDL	Reporting Limit
MDL	Method Detection Limit
MS	Matrix Spike
MSD	Matrix Spike Duplicate
SW	EPA SW 846 (Soil and Wastewater) Methods
E	EPA Methods
SM	Standard Methods
LN	Linear
BR	Branched

Generated on 05/19/2021

Report ID: S23636.01(01)



Method Summary

Method Version

ASTM D7968-17M ASTM Method D7968 - 17 Modified (Isotopic Dilution)

SM2540B Standard Method 2540 B 2011

Parameter Summary

Parameter	Synonym	Cas #
PFBA	Perfluorobutanoic Acid	375-22-4
PFPeA	Perfluoropentanoic Acid	2706-90-3
4:2 FTSA	4:2 Fluorotelomer Sulfonic Acid	757124-72-4
PFHxA	Perfluorohexanoic Acid	307-24-4
PFBS	Perfluorobutane sulfonic Acid	375-73-5
PFHpA	Perfluoroheptanoic Acid	375-85-9
PFPeS	Perfluoropentane Sulfonic Acid	2706-91-4
6:2 FTSA	6:2 Fluorotelomer Sulfonic Acid	27619-97-2
PFOA	Perfluorooctanoic Acid	335-67-1
PFHxS	Perfluorohexane Sulfonic Acid	355-46-4
PFHxS-LN	Perfluorohexane Sulfonic Acid - LN	355-46-4-LN
PFHxS-BR	Perfluorohexane Sulfonic Acid - BR	355-46-4-BR
PFNA	Perfluorononanoic Acid	375-95-1
8:2 FTSA	8:2 Fluorotelomer Sulfonic Acid	39108-34-4
PFHpS	Perfluoroheptane Sulfonic Acid	375-92-8
PFDA	Perfluorodecanoic Acid	335-76-2
N-MeFOSAA	N-methyl perfluorooctanesulfonamidoacetic acid	2355-31-9
EtFOSAA	N-Ethyl Perfluorooctane Sulfonamidoacetic Acid	2991-50-6
PFOS	Perfluorooctane Sulfonic Acid	1763-23-1
PFOS-LN	Perfluorooctane Sulfonic Acid - LN	1763-23-1-LN
PFOS-BR	Perfluorooctane Sulfonic Acid - BR	1763-23-1-BR
PFUnDA	Perfluoroundecanoic Acid	2058-94-8
PFNS	Perfluorononane Sulfonic Acid	68259-12-1
PFDoDA	Perfluorododecanoic Acid	307-55-1
PFDS	Perfluorodecane Sulfonic Acid	335-77-3
PFTrDA	Perfluorotridecanoic Acid	72629-94-8
FOSA	Perfluorooctane Sulfonamide	754-91-6
PFTeDA	Perfluorotetradecanoic Acid	376-06-7
11CI-PF3OUdS	11-chloroeicosafluoro-3-oxaundecane-1-sulfonic acid	763051-92-9
9CI-PF3ONS	9-chlorohexadecafluoro-3-oxanone1-sulfonic acid	756426-58-1
ADONA	4,8-dioxa-3H-perfluorononanoic acid	919005-14-4
HFPO-DA	Hexafluoropropylene oxide dimer	13252-13-6



Sample Summary (1 samples)

Sample ID Sample Tag Matrix Collected Date/Time

S23636.01 Biosolids Sludge 04/28/21 08:00

Report to City of Chelsea Page 5 of 7
Project: Biosolids PFAS



Lab Sample ID: S23636.01

Sample Tag: Biosolids

Collected Date/Time: 04/28/2021 08:00

Matrix: Sludge

COC Reference: 132780

Sample Containers

#	Type	Preservative(s)	Refrigerated?	Arrival Temp. (C)	Thermometer #
1	250ml Plastic	None	Yes	4.0	IR
1	15ml Centrifuge Tube	None	Yes	4.0	IR

Extraction / Prep.

Parameter	Result	Method	Run Date	Analyst	Flags
Initial wt. (g) / Final wt. (g) / Volume (ml)*	9.36/6.78/10	ASTM D7968-17M	05/17/21 14:45	KCV	

Inorganics

Method: SM2540B, Run Date: 04/29/21 14:45, Analyst: ELR

Parameter	Result	RL	MDL	Units	Dilution	CAS#	Flags
Total Solids*	4.3	1		%	1		

Organics

28 PFAs, Method: ASTM D7968-17M, Run Date: 05/18/21 02:51, Analyst: KCV

Parameter	Result	RL	MDL	Units	Dilution	CAS#	Flags
PFBA*	2.8	1.8		ug/kg	90.1	375-22-4	1
PFPeA*	2.6	0.9		ug/kg	90.1	2706-90-3	
4:2 FTSA*	Not detected	0.9		ug/kg	90.1	757124-72-4	1
PFHxA*	3.3	0.9		ug/kg	90.1	307-24-4	
PFBS*	1.5	0.9		ug/kg	90.1	375-73-5	
PFHpA*	Not detected	0.9		ug/kg	90.1	375-85-9	
PFPeS*	Not detected	0.9		ug/kg	90.1	2706-91-4	
6:2 FTSA*	1.2	0.9		ug/kg	90.1	27619-97-2	1
PFOA*	5.4	0.9		ug/kg	90.1	335-67-1	
PFHxS*	Not detected	1.2		ug/kg	90.1	355-46-4	Χ
PFHxS-LN*	Not detected	0.9		ug/kg	90.1	355-46-4-LN	
PFHxS-BR*	Not detected	0.9		ug/kg	90.1	355-46-4-BR	
PFNA*	0.92	0.9		ug/kg	90.1	375-95-1	
8:2 FTSA*	Not detected	0.9		ug/kg	90.1	39108-34-4	1
PFHpS*	Not detected	0.9		ug/kg	90.1	375-92-8	
PFDA*	6.2	0.9		ug/kg	90.1	335-76-2	
N-MeFOSAA*	9	0.9		ug/kg	90.1	2355-31-9	
EtFOSAA*	6.1	0.9		ug/kg	90.1	2991-50-6	
PFOS*	14	0.9		ug/kg	90.1	1763-23-1	
PFOS-LN*	12	0.9		ug/kg	90.1	1763-23-1-LN	
PFOS-BR*	2.1	0.9		ug/kg	90.1	1763-23-1-BR	
PFUnDA*	Not detected	0.9		ug/kg	90.1	2058-94-8	
PFNS*	Not detected	0.9		ug/kg	90.1	68259-12-1	
PFDoDA*	2.2	0.9		ug/kg	90.1	307-55-1	
PFDS*	Not detected	0.9		ug/kg	90.1	335-77-3	
PFTrDA*	Not detected	0.9		ug/kg	90.1	72629-94-8	
FOSA*	1.2	0.9		ug/kg	90.1	754-91-6	
PFTeDA*	0.9	0.9		ug/kg	90.1	376-06-7	
11Cl-PF3OUdS*	Not detected	0.9		ug/kg	90.1	763051-92-9	

I-Matrix interference with internal standard

X-Elevated reporting limit due to matrix interference



Lab Sample ID: S23636.01 (continued)

Sample Tag: Biosolids

28 PFAs, Method: ASTM D7968-17M, Run Date: 05/18/21 02:51, Analyst: KCV (continued)

zorrzej mourourzerm z	rood irm, itali Batol oorion	,	7 mary our reor (oomanaoa,			
Parameter	Result	RL	MDL	Units	Dilution	CAS#	Flags
9CI-PF3ONS*	Not detected	0.9		ug/kg	90.1	756426-58-1	
ADONA*	Not detected	0.9		ug/kg	90.1	919005-14-4	
HFPO-DA*	Not detected	0.9		ua/ka	90.1	13252-13-6	

Merit Laboratories Login Checklist

Lab Set ID:S23636

Client: CHELSEA (City of Chelsea)

Project: Biosolids PFAS

Submitted: 04/28/2021 15:00 Login User: REJ

Attention: Jason Freeman Address: City of Chelsea 305 S. Main St., Suite 100 Chelsea, MI 48118

Phone: - FAX:

Email: JFreeman@city-chelsea.org

Selection		Description	Note
Sample Receivin	g		
01. X Yes	No N/A	Samples are received at 4C +/- 2C Thermometer #	IR 4.0
02. X Yes	No N/A	Received on ice/ cooling process begun	
03. Yes 🔀	No N/A	Samples shipped	
04. Yes	No N/A	Samples left in 24 hr. drop box	
05. Yes	No X N/A	Are there custody seals/tape or is the drop box locked	
Chain of Custody	/		
06. X Yes	No N/A	COC adequately filled out	
07. X Yes	No N/A	COC signed and relinquished to the lab	
08. X Yes	No N/A	Sample tag on bottles match COC	
09. Yes 🔀	No N/A	Subcontracting needed? Subcontacted to:	
Preservation			
10. X Yes	No N/A	Do sample have correct chemical preservation	
11. Yes	No X N/A	Completed pH checks on preserved samples? (no VOAs)	
12. Yes 🔀	No N/A	Did any samples need to be preserved in the lab?	
Bottle Conditions	5		
13. X Yes	No N/A	All bottles intact	
14. X Yes	No N/A	Appropriate analytical bottles are used	
15. X Yes	No N/A	Merit bottles used	
16. X Yes	No N/A	Sufficient sample volume received	
17. Yes 🔀	No N/A	Samples require laboratory filtration	
18. X Yes	No N/A	Samples submitted within holding time	
19. Yes	No X N/A	Do water VOC or TOX bottles contain headspace	

Corrective action f	or all exceptions is to	call the client and to	notify the project manager
			_
Client Review By:			Date:

Merit 2680 East Lansing Dr., East Lansing, MI 48823
Phone (517) 332-0167 Fax (517) 332-4034
www.meritlabs.com

C.O.C. PAGE #	OF	
C.O.C. PAGE #	OF	<u> </u>

132780

REPORT TO Laboratories, Inc. CHAIN OF CUS																								INVOICE TO		
The control of the co										CONTACT NAME														=		
COMPANY	OKELSEA WWTP									COMPANY ADDRESS																
ADDRESS										3 7-(4)	l e	9.3			, 1.		p ad	6 84		1 1	7 - H	h r	- I	Ope		
STATE ZIP CODE									CITY MEDICAL CONTROL OF THE CONTROL												STATE	ZIP CODI	i	ı		
PHONE NO.					P.O. NO.				PHONE NO.								SS									
PROJECT NO./NAME Biosolids PFAS SAMPLER(S) - PLEASE PRINT/SIGN NAME OF THE PROJECT NO.									ALJ D			AN	VALY	SIS (A	TTAC	CH LI	STIF	MOR	E SP	ACE	IS REQUII	RED)	j 1			
PROJECT NO./NAME	Siosoli	ds f	PAS FORMS FORMS	SAMPLER(S) - PL	TO THE STATE OF TH		ΜE		Sil	- 1	z fel	2 1 2	Ę ja	948. 4	E 150		g ^k , m	1975 1975			Certifica ☐ OHIO \	tions ⁄AP □D	rinking	g Water		
TURNAROUND			□1 DAY □2 DAYS □3 DA								_										□ DoD	□N	PDES	. %		
				LEVEL IV			۱ <u> </u>										111.7	E and			Project l	ocations		k 2		
MATRIX GW=GROUNDWATER WW=WASTEWATER S=SOIL L=LIQUID SD=SOLID CODE: SL=SLUDGE DW=DRINKING WATER O=OIL WP=WIPE A=AIR W=WASTE									ontain eserva	tives	1.	EX				Hina de I		nab	,44	OHE.	☐ Detroit☐ Other☐	□N	ew Yo	rk		
MERIT LAB NO.	YEAR DATE TIME		SAMPLE T IDENTIFICATION-DES				NONE	HCI HNO ₃ H ₂ SO ₄			OTHER	9									Special Instructions			100		
23636-01		8:00	Biosolids		5	4	4					X		7		5 4	ikar	in it	(3		D y been		Ja 7			
	in the co	- 1,5 114	processor the process	Able - 20	9: .4530	3000				. (1	\perp	F F. L.		(bo	e L	á 5	81.4	Te-	11.	er C		l ac-	45	W		
								CI		1		L=	h i	y bette	of the last	35.5	la Pr	PH2	11 1	10.00	Tan speed	10 1	1 (1)	1111		
		2 7 2 1 K	21 A	, 3 i 184 - 1 Mg	at Lam-	1	1		glon	1,		gri s	v -	yΑ.	, i		Type 1	57		garat.	nisti. Le	a April VI	di	146		
															1			V- ,5	på Viga		i on i	. Fr ==		, de		
	1 8	3 1 1 19	gering dan in the Color of State		l ama	lue.					d, i	70.	. ,1		9	ji.	k la	1957	tημ	. Jar	N 31	X II I	Zh.	1		
er i ga i ta		ruged is	, c e	, zan eliza	es a Se			u),e		w,		G.	1 10	410	18/2	1	ήħ.				11	talon d	1 1			
	2-1		and the second second	v resetes	127					14 July 1										17	1000					
and the			v son vi nasasiastar		110								- 64	101			e de		ix ⁶ Y - A			3115	e te es	, w		
1 100 3	Ti. (17)	e, je	· your first in	att in the	yes M			, ic		p 1		[x. 4]		100		1025	· Pett		12 10	W		14-4		17		
	1.65				3 3 3 3 3 3 3		54									116,3	1142	10	Progr							
. Assert	za Jidi	W.	n for the states of	Why we saw "	r ng shaki	1.0		9		į įstie	u li	ER.	· Addic		(v)	vile f	. 1	1 91	Hill	Macri	r cffin	400 -	1º	I.		
RELINQUISHED BY: SIGNATURE/ORGA		1	at som] Sampler	28/21 e	TIME 5	0		NQUIS			TION						,/Y.	(· ·			DATE	18.4	TIME		
RECEIVED BY: SIGNATURE/ORGA	/	Bol	206	A W	4/28/2 C	TIME,	1	REC	EIVED I	BY:								i, njest		0 11	uni A 7	DATE		TIME		
RELINQUISHED BY SIGNATURE/ORGA		151	Ba	4	128/2,	157			L NO.	Ų.	Sa. D		YES [NC		INITIA		1,117	NOTE	S:	TEMP.	ON ARRIVAL .		Lab.		
RECEIVED BY: SIGNATURE/ORGA	NIZATION	1	PLEASE NOTE: SIGNIN	IG ACKNOWLE	USTU DGES ADHE	BENG			L NO.	SSA	MPI F		YES C	NC		INITIA Y ON		RSF	SIDE	0 2	7,0	-		Rev. 5.18.12		