

Report ID: S33960.01(01) Generated on 03/31/2022

Report to

Attention: Don Popma Biotech Agronomics, Inc. 1651 Beulah Highway Beulah, MI 49617

Phone: 616-835-0100 FAX: Email: dpopma@biotechag.com Report produced by

Merit Laboratories, Inc. 2680 East Lansing Drive East Lansing, MI 48823

Phone: (517) 332-0167 FAX: (517) 332-6333

Contacts for report questions: John Laverty (johnlaverty@meritlabs.com) Barbara Ball (bball@meritlabs.com)

Report Summary

Lab Sample ID(s): S33960.01 Project: St Johns WWTP Collected Date(s): 03/17/2022

Submitted Date/Time: 03/17/2022 14:08

Sampled by: Don Popma

P.O. #:

Table of Contents

Cover Page (Page 1)

General Report Notes (Page 2)

Report Narrative (Page 2)

Laboratory Certifications (Page 3)

Qualifier Descriptions (Page 3)

Glossary of Abbreviations (Page 3)

Method Summary (Page 4)

Sample Summary (Page 5)

Maya Murshak Technical Director

Naya Mushah



General Report Notes

Analytical results relate only to the samples tested, in the condition received by the laboratory.

Methods may be modified for improved performance.

Results reported on a dry weight basis where applicable.

'Not detected' indicates that parameter was not found at a level equal to or greater than the reporting limit (RL).

When MDL results are provided, then 'Not detected' indicates that parameter was not found at a level equal to or greater than the MDL.

40 CFR Part 136 Table II Required Containers, Preservation Techniques and Holding Times for the Clean Water Act specify that samples

for acrolein and acrylonitrile need to be preserved at a pH in the range of 4 to 5 or if not preserved, analyzed within 3 days of sampling.

QA/QC corresponding to this analytical report is a separate document with the same Merit ID reference and is available upon request.

Full accreditation certificates are available upon request. Starred (*) analytes are not NELAP accredited.

Samples are held by the lab for 30 days from the final report date unless a written request to hold longer is provided by the client.

Report shall not be reproduced except in full, without the written approval of Merit Laboratories, Inc.

Limits for drinking water samples, are listed as the MCL Limits (Maximum Contaminant Level Concentrations)

PFAS requirement: Section 9.3.8 of U.S. EPA Method 537.1 states "If the method analyte(s) found in the Field Sample is present in the

FRB at a concentration greater than 1/3 the MRL, then all samples collected with that FRB are invalid and must be recollected and reanalyzed."

Samples submitted without an accompanying FRB may not be acceptable for compliance purposes.

Wisconsin PFAs analysis: MDL = LOD; RL = LOQ. LOD and LOQ are adjusted for dilution.

Report Narrative

There is no additional narrative for this analytical report



Laboratory Certifications

Authority	Certification ID
Michigan DEQ	#9956
DOD ELAP/ISO 17025	#69699
WBENC	#2005110032
Ohio VAP	#CL0002
Indiana DOH	#C-MI-07
New York NELAC	#11814
North Carolina DENR	#680
North Carolina DOH	#26702
Alaska CSLAP	#17-001
Pennsylvania DEP	#68-05884
Wisconsin DNR	FID# 399147320

Qualifier Descriptions

Qualifier	Description
!	Result is outside of stated limit criteria
В	Compound also found in associated method blank
E	Concentration exceeds calibration range
F	Analysis run outside of holding time
G	Estimated result due to extraction run outside of holding time
Н	Sample submitted and run outside of holding time
1	Matrix interference with internal standard
J	Estimated value less than reporting limit, but greater than MDL
L	Elevated reporting limit due to low sample amount
M	Result reported to MDL not RDL
0	Analysis performed by outside laboratory. See attached report.
R	Preliminary result
S	Surrogate recovery outside of control limits
Т	No correction for total solids
X	Elevated reporting limit due to matrix interference
Υ	Elevated reporting limit due to high target concentration
b	Value detected less than reporting limit, but greater than MDL
е	Reported value estimated due to interference
j	Analyte also found in associated method blank
р	Benzo(b)Fluoranthene and Benzo(k)Fluoranthene integrated as one peak.
x	Preserved from bulk sample

Glossary of Abbreviations

Appreviation	Description
RL/RDL	Reporting Limit
MDL	Method Detection Limit
MS	Matrix Spike
MSD	Matrix Spike Duplicate
SW	EPA SW 846 (Soil and Wastewater) Methods
E	EPA Methods
SM	Standard Methods
LN	Linear
BR	Branched



Method Summary

Method Version

ASTM D7968-17M ASTM Method D7968 - 17 Modified (Isotopic Dilution)

SM2540B Standard Method 2540 B 2015

Parameter Summary

Parameter	Synonym	Cas #
PFBA	Perfluorobutanoic Acid	375-22-4
PFPeA	Perfluoropentanoic Acid	2706-90-3
4:2 FTSA	4:2 Fluorotelomer Sulfonic Acid	757124-72-4
PFHxA	Perfluorohexanoic Acid	307-24-4
PFBS	Perfluorobutane sulfonic Acid	375-73-5
PFHpA	Perfluoroheptanoic Acid	375-85-9
PFPeS	Perfluoropentane Sulfonic Acid	2706-91-4
6:2 FTSA	6:2 Fluorotelomer Sulfonic Acid	27619-97-2
PFOA	Perfluorooctanoic Acid	335-67-1
PFHxS	Perfluorohexane Sulfonic Acid	355-46-4
PFHxS-LN	Perfluorohexane Sulfonic Acid - LN	355-46-4-LN
PFHxS-BR	Perfluorohexane Sulfonic Acid - BR	355-46-4-BR
PFNA	Perfluorononanoic Acid	375-95-1
8:2 FTSA	8:2 Fluorotelomer Sulfonic Acid	39108-34-4
PFHpS	Perfluoroheptane Sulfonic Acid	375-92-8
PFDA	Perfluorodecanoic Acid	335-76-2
N-MeFOSAA	N-methyl perfluorooctanesulfonamidoacetic acid	2355-31-9
EtFOSAA	N-Ethyl Perfluorooctane Sulfonamidoacetic Acid	2991-50-6
PFOS	Perfluorooctane Sulfonic Acid	1763-23-1
PFOS-LN	Perfluorooctane Sulfonic Acid - LN	1763-23-1-LN
PFOS-BR	Perfluorooctane Sulfonic Acid - BR	1763-23-1-BR
PFUnDA	Perfluoroundecanoic Acid	2058-94-8
PFNS	Perfluorononane Sulfonic Acid	68259-12-1
PFDoDA	Perfluorododecanoic Acid	307-55-1
PFDS	Perfluorodecane Sulfonic Acid	335-77-3
PFTrDA	Perfluorotridecanoic Acid	72629-94-8
FOSA	Perfluorooctane Sulfonamide	754-91-6
PFTeDA	Perfluorotetradecanoic Acid	376-06-7
11CI-PF3OUdS	11-chloroeicosafluoro-3-oxaundecane-1-sulfonic acid	763051-92-9
9CI-PF3ONS	9-chlorohexadecafluoro-3-oxanone1-sulfonic acid	756426-58-1
ADONA	4,8-dioxa-3H-perfluorononanoic acid	919005-14-4
HFPO-DA	Hexafluoropropylene oxide dimer	13252-13-6



Sample Summary (1 samples)

Sample ID Sample Tag Matrix Collected Date/Time

S33960.01 Biosolids Sludge 03/17/22 13:15



Lab Sample ID: S33960.01

Sample Tag: Biosolids

Collected Date/Time: 03/17/2022 13:15

Matrix: Sludge

COC Reference: 146616

Sample Containers

#	Туре	Preservative(s)	Refrigerated?	Arrival Temp. (C)	Thermometer #
1	15ml Centrifuge Tube	None	Yes	5.3	IR
1	250ml Plastic	None	Yes	5.3	IR

Extraction / Prep.

Parameter	Result	Method	Run Date	Analyst	Flags	
Initial wt. (g) / Final wt. (g) / Volume (ml)*	9.22/6.97/10	ASTM D7968-17M	03/25/22 10:00	KCV		

Inorganics

Method: SM2540B, Run Date: 03/18/22 14:19, Analyst: MAM

Parameter	Result	RL	MDL	Units	Dilution	CAS#	Flags
Total Solids*	8.3	1		%	1		

Organics

28 PFAs, Method: ASTM D7968-17M, Run Date: 03/25/22 23:03, Analyst: KCV

Parameter	Result	RL	MDL	Units	Dilution	CAS#	Flags
PFBA*	Not detected	2.1		ug/kg	53.5	375-22-4	IX
PFPeA*	Not detected	0.54		ug/kg	53.5	2706-90-3	1
4:2 FTSA*	Not detected	0.54		ug/kg	53.5	757124-72-4	1
PFHxA*	1	0.54		ug/kg	53.5	307-24-4	1
PFBS*	0.75	0.54		ug/kg	53.5	375-73-5	
PFHpA*	Not detected	0.54		ug/kg	53.5	375-85-9	
PFPeS*	Not detected	0.54		ug/kg	53.5	2706-91-4	
6:2 FTSA*	Not detected	0.54		ug/kg	53.5	27619-97-2	1
PFOA*	Not detected	0.54		ug/kg	53.5	335-67-1	
PFHxS*	Not detected	0.54		ug/kg	53.5	355-46-4	
PFHxS-LN*	Not detected	0.54		ug/kg	53.5	355-46-4-LN	
PFHxS-BR*	Not detected	0.54		ug/kg	53.5	355-46-4-BR	
PFNA*	Not detected	0.54		ug/kg	53.5	375-95-1	
8:2 FTSA*	Not detected	0.54		ug/kg	53.5	39108-34-4	1
PFHpS*	Not detected	0.54		ug/kg	53.5	375-92-8	
PFDA*	0.58	0.54		ug/kg	53.5	335-76-2	1
N-MeFOSAA*	7.4	0.54		ug/kg	53.5	2355-31-9	1
EtFOSAA*	4.1	0.54		ug/kg	53.5	2991-50-6	
PFOS*	3.8	0.54		ug/kg	53.5	1763-23-1	1
PFOS-LN*	2.6	0.54		ug/kg	53.5	1763-23-1-LN	1
PFOS-BR*	1.2	0.54		ug/kg	53.5	1763-23-1-BR	1
PFUnDA*	0.54	0.54		ug/kg	53.5	2058-94-8	1
PFNS*	Not detected	0.54		ug/kg	53.5	68259-12-1	1
PFDoDA*	1.3	0.54		ug/kg	53.5	307-55-1	I1
PFDS*	Not detected	0.54		ug/kg	53.5	335-77-3	1
PFTrDA*	0.8	0.54		ug/kg	53.5	72629-94-8	I1
FOSA*	0.75	0.54		ug/kg	53.5	754-91-6	
PFTeDA*	Not detected	0.54		ug/kg	53.5	376-06-7	I1
11CI-PF3OUdS*	Not detected	0.54		ug/kg	53.5	763051-92-9	1

I-Matrix interference with internal standard X-Elevated reporting limit due to matrix interference 1-IS recovery <10%



Lab Sample ID: S33960.01 (continued)

Sample Tag: Biosolids

28 PFAs, Method: ASTM D7968-17M, Run Date: 03/25/22 23:03, Analyst: KCV (continued)

Parameter	Result	RL	MDL	Units	Dilution	CAS#	Flags
9CI-PF3ONS*	Not detected	0.54		ug/kg	53.5	756426-58-1	1
ADONA*	Not detected	0.54		ug/kg	53.5	919005-14-4	
HFPO-DA*	Not detected	0.54		ug/kg	53.5	13252-13-6	

I-Matrix interference with internal standard

Merit Laboratories Login Checklist

Lab Set ID:S33960

Client:BIOTECHAGRO (Biotech Agronomics, Inc.)

Project: St Johns WWTP

Submitted: 03/17/2022 14:08 Login User: JRM

Attention: Don Popma

Address: Biotech Agronomics, Inc. 1651 Beulah Highway Beulah, MI 49617

Phone: 616-835-0100 FAX: Email: dpopma@biotechag.com

Selection			Description	Note
Sample Rec	eiving			
01. X Ye	s No	□ N/A	Samples are received at 4C +/- 2C Thermometer #	IR 5.3
02. X Ye	s No	□ N/A	Received on ice/ cooling process begun	
03. Ye	s X No	□ N/A	Samples shipped	
04. Ye	s X No	□ N/A	Samples left in 24 hr. drop box	
05. Ye	s No	X N/A	Are there custody seals/tape or is the drop box locked	
Chain of Cu	stody			
06. X Ye	s No	□ N/A	COC adequately filled out	
07. X Ye	s No	□ N/A	COC signed and relinquished to the lab	
08. X Ye	s No	□ N/A	Sample tag on bottles match COC	
09. Ye	s 🗓 No	□ N/A	Subcontracting needed? Subcontacted to:	
Preservation	1			
10. X Ye	s No	□ N/A	Do sample have correct chemical preservation	
11. Ye	s No	X N/A	Completed pH checks on preserved samples? (no VOAs)	
12. Ye	s X No	□ N/A	Did any samples need to be preserved in the lab?	
Bottle Cond	itions			
13. X Ye	s No	□ N/A	All bottles intact	
14. X Ye	s No	□ N/A	Appropriate analytical bottles are used	
15. X Ye	s No	N/A	Merit bottles used	
16. X Ye	s No	N/A	Sufficient sample volume received	
17. Ye	s X No	□ N/A	Samples require laboratory filtration	
18. X Ye	s No	□ N/A	Samples submitted within holding time	
19. Ye	s No	X N/A	Do water VOC or TOX bottles contain headspace	

Corrective action fo	r all exceptions is	to call the client	and to notify t	he project manaç	ger.
Client Review By: _			Date:_		_



2680 East Lansing Dr., East Lansing, MI 48823 Phone (517) 332-0167 Fax (517) 332-4034 www.meritlabs.com

C.O.C. PAGE #	OF	1	Λ	2	6	1	8
		- 1	Sup.				U

REPORT TO Laboratories, Inc. CHAIN OF CUS																								INVOICE TO		
A .											CONTACT NAME SAM															
COMPANY BIOTECK AGRONOMICS, INC ADDRESS 1651 Beulah Hwy CITY A STATE ZIP CODE											COMPANY ADDRESS															
ADDRESS 1651 Beulah Hwy											diy	v be	viso	91 9	1 12	in.		uln	yeş	oittu	in ri	la in	fetral te	ning.		
Beulah STATE ZIP CODE 17										CITY mil gambled isolandoe se le ta de la constante de la cons													STATE ZIP CODE			
616 S	835-6	0100	FAX NO.	P.O. NO.		PHONE NO.								AAIL A	DDRES	SS	Lind	nier milit om	de carell	ZIRBAU						
E-MAIL ADDRESS Opopma @ biotechag.com QUOTE NO.								ANALYSIS (ATTACH LIST IF MORE SPACE IS REC														IS REQUIR	ED)	A Thirte		
PROJECT NO./NAM				SAMPLER(S) LEASE P			ΛΕ	88	191	WF 78	0 21	la i	ALE -		Ч	62	ogsi	b r	3v	r Es	(3)	Certificati	ons	limes; d		
TURNAROUND TIME REQUIRED 1 DAY 2 DAYS 3 DAYS STANDARD 0 OTHER _												FAS							- 1	110 3	M.E.	□ OHIO VA		rinking Water		
DELIVERABLES	S REQUIRI	ED ST	D LEVEL LEVEL	LEVEL IV EDD	0.	THER	٦					9						la .	deg	105	1.0	□ DoD		PDES		
MATRIX GW=GROUNDWATER WW=WASTEWATER S=SOIL L=LIQUID SD=SOLID CODE: SL=SLUDGE DW=DRINKING WATER O=OIL WP=WIPE A=AIR W=WASTE										iners ative	E1015), January	396		121)	noi-	alte	on i	85	r ro	T	23	Project Lo ☐ Detroit	□ New York			
MERIT LAB NO.	YE. DATE	AR 22	SAMPLE TO IDENTIFICATION-DES	AG SCRIPTION	MATRIX	# OF BOTTLES	NONE	HCI	H,SO,	NaOH	МеОН		-			DR 3.34	10.11	D SECTION AND ADDRESS OF THE PARTY OF THE PA	11.553			☐ Other _ Special In	struction	ns		
33960.01	3/17	1;15°p	biosolids		bs		1				- 0	X	T	1	- 17	1191	NOO.	herr	8 1	0	or	1) 130/8	(O ba	ilan(2)		
	4 1	11.12	committee! Samin-	ij Sf - i redli bisi		his	-	rest	i lui	(a)		7 17	1/4	od i		811	ia'			1 12	5.65 FI	day an ad	Late 1 is	an wax		
										Q.	1	1	, left	89	2016	980	uha	rm.	á i	m	3 32	dietario	d	o selfero		
a end in	and letter	1 1 537.1		e e en la ser Eleme	180	- 4	3	elle	ma	h	. (gh.		J	- 1	yrd	bal.	ary:	mus so	1951	etar - C		
															NJe		E - 17	i-je-	d-16	bilq		110	A .801	rate in		
sir Teacy		v 1150		to a garage (1 1 - 60 0)	als)	. , .		1 12	9946	16.61	013			0.42	12	nde		to	ore i	bh	g y		100	Sun ple		
REPAR	1 102	(1998)	Lardon Ist mich	agrut skyr, a fign	21	20		01	AT -		196		1009	lo u	Mari	day	SHE	1.5	64			5. ad l	is a Mi	ALC SI		
00 VS8	Tur, t	967 77 718 	gerak (malaki enggo Kalamar basa k	a, par amang	0.00					128	44			121			1.16	eri ka				beough 1	og soder	- Marie		
200 101	18. 1		a ngitoon ook amaati	make realize the acti	,00	n d			w	8	db.	- 0		101	07.2	L V	10	eg) (S		a Cyr	(Ge	arbary.	, mage	3689-		
g clapys.	ni pena s		rus, Permata zulan base	rependent of d	GW.	146		1 8		55	b r	,		dia	ARY.		- 35	AL PA		dyst.	263	NL I PU	2 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -	AR M		
			A STATE OF A THERM	S. L. S. CHENTS LINE		-0									-											
tymes.	me fil	Ask (#.	u whom youngenite.	ach rest france	10.	- 25		12	qì,	33	t l	1113	or.	di i	III.	10	gri	38	1 98	MQ	146	- Klamin	Proj. 148 3	PRE SEELS		
RELINQUISHED BY: SIGNATURE/ORGANIZATION RECEIVED BY: TIME J DATE TIME TIME TIME TIME																										
SIGNATURE/ORGANIZATION JOHanna Nurray 3/17/22 1408											GANIZ	ATION		NITAG			MITTA	- 40		NOT	C.	TEMP CO		CLIAN :		
RELINQUISHED BY: SIGNATURE/ORGANIZATION RECEIVED BY: DATE TIME TIME										Man	T	5111111	SEAL I		NO		NITIAL		Die I	NOTE	5:	5.3	ARRIVAL _			
RECEIVED BY: DATE TIME SIGNATURE/ORGANIZATION													SEAL I		NO		NITIAL	3				2.9	*			