

August 10, 2021

Gun Lake Casino 1123 129th Ave Wayland, MI 49348

RE: WTTP (PFAS) Order No.: 2107744

Dear Mr. Don Row: Guide to reading Lab Result

Prein&Newhof Laboratory received 1 sample(s) on 7/14/2021 on your behalf. Your test results are provided in your Prein&Newhof Laboratory analytical report. Please carefully review your analytical report, noting the following.

There were no problems with the analytical events associated with this report unless noted in the Case Narrative.

Any analyte that exceeds the client provided permit level are noted on the report with an "*" in the Qual field. Quality control data is within laboratory defined or method specified acceptance limits except if noted.

When testing for PFHxS, PFOA, PFOS, MeFOSAA, and EtFOSAA results include both branched and linear isotopes. We extract a Method Blank and analyze it with the preparation batch. Method Blank analytes are within the Reporting Limit (RL).

To learn more about interpreting your Lab Report, follow the link above to view our "Guide to Reading Lab Results". If you have any concerns about your test results or need additional help, please call: 616-364-7600 or email me: sbylsma@preinnewhof.com.

We use EPA Approved Methods for all regulated parameters. EPA Lab #: MI000014

Thank you for your business.

Sincerely,

Steve Bylsma

Str.m. Ogla

Laboratory Manager



Analytical Report

(consolidated)

WO#: **2107744**Date Reported: **8/10/2021**

 CLIENT:
 Gun Lake Casino
 Collection Date:
 7/14/2021 8:20:00 AM

 Project:
 WTTP (PFAS)
 Received Date:
 7/14/2021 12:40:00 PM

Lab ID:2107744-01Matrix:BIOSOLIDSClient Sample ID:SludgeSampled By:Don R.

Analyses Result RL Qual Units DF Date Analyzed

Qualifiers:

< Not Detected at the Reporting Limit
MCL Maximum Contaminant Level

RL Reporting Limit

H Holding times for preparation or analysis exceeded

PL Permit Limit



Report ID: S26215.01(01) Generated on 08/10/2021

Report to

Attention: Stephen Bylsma Prein & Newhof 3260 Evergreen Drive NE Grand Rapids, MI 49525

Phone: 616-364-7600 FAX: Email: SBylsma@preinnewhof.com Report produced by

Merit Laboratories, Inc. 2680 East Lansing Drive East Lansing, MI 48823

Phone: (517) 332-0167 FAX: (517) 332-6333

Contacts for report questions: John Laverty (johnlaverty@meritlabs.com) Barbara Ball (bball@meritlabs.com)

Report Summary

Lab Sample ID(s): S26215.01

Project: Monitoring

Collected Date(s): 07/14/2021

Submitted Date/Time: 07/15/2021 10:15

Sampled by: Unknown

P.O. #:

Table of Contents

Cover Page (Page 1)

General Report Notes (Page 2)

Report Narrative (Page 2)

Laboratory Certifications (Page 3)

Qualifier Descriptions (Page 3)

Glossary of Abbreviations (Page 3)

Method Summary (Page 4)

Sample Summary (Page 5)

Maya Mushah

Maya Murshak Technical Director



General Report Notes

Analytical results relate only to the samples tested, in the condition received by the laboratory.

Methods may be modified for improved performance.

Results reported on a dry weight basis where applicable.

'Not detected' indicates that parameter was not found at a level equal to or greater than the reporting limit (RL).

40 CFR Part 136 Table II Required Containers, Preservation Techniques and Holding Times for the Clean Water Act specify that samples

for acrolein and acrylonitrile need to be preserved at a pH in the range of 4 to 5 or if not preserved, analyzed within 3 days of sampling.

QA/QC corresponding to this analytical report is a separate document with the same Merit ID reference and is available upon request.

Full accreditation certificates are available upon request. Starred (*) analytes are not NELAP accredited.

Samples are held by the lab for 30 days from the final report date unless a written request to hold longer is provided by the client.

Report shall not be reproduced except in full, without the written approval of Merit Laboratories, Inc.

Limits for drinking water samples, are listed as the MCL Limits (Maximum Contaminant Level Concentrations)

PFAS requirement: Section 9.3.8 of U.S. EPA Method 537.1 states "If the method analyte(s) found in the Field Sample is present in the

FRB at a concentration greater than 1/3 the MRL, then all samples collected with that FRB are invalid and must be recollected and reanalyzed."

Samples submitted without an accompanying FRB may not be acceptable for compliance purposes.

Report Narrative

There is no additional narrative for this analytical report



Laboratory Certifications

Authority	Certification ID
Michigan DEQ	#9956
DOD ELAP/ISO 17025	#69699
WBENC	#2005110032
Ohio VAP	#CL0002
Indiana DOH	#C-MI-07
New York NELAC	#11814
North Carolina DENR	#680
North Carolina DOH	#26702
Alaska CSLAP	#17-001
Pennsylvania DEP	#68-05884

Qualifier Descriptions

Qualifier	Description
1	Result is outside of stated limit criteria
В	Compound also found in associated method blank
E	Concentration exceeds calibration range
F	Analysis run outside of holding time
G	Estimated result due to extraction run outside of holding time
Н	Sample submitted and run outside of holding time
1	Matrix interference with internal standard
J	Estimated value less than reporting limit, but greater than MDL
L	Elevated reporting limit due to low sample amount
M	Result reported to MDL not RDL
0	Analysis performed by outside laboratory. See attached report.
R	Preliminary result
S	Surrogate recovery outside of control limits
T	No correction for total solids
X	Elevated reporting limit due to matrix interference
Υ	Elevated reporting limit due to high target concentration
b	Value detected less than reporting limit, but greater than MDL
е	Reported value estimated due to interference
j	Analyte also found in associated method blank
p	Benzo(b)Fluoranthene and Benzo(k)Fluoranthene integrated as one peak.
X	Preserved from bulk sample

Glossary of Abbreviations

Abbreviation	Description
RL/RDL	Reporting Limit
MDL	Method Detection Limit
MS	Matrix Spike
MSD	Matrix Spike Duplicate
SW	EPA SW 846 (Soil and Wastewater) Methods
E	EPA Methods
SM	Standard Methods
LN	Linear
BR	Branched



Method Summary

Method Version

ASTM D7968-17M

SM2540B

ASTM Method D7968 - 17 Modified (Isotopic Dilution)

Standard Method 2540 B 2011

Parameter Summary

Parameter	Synonym	Cas#
PFBA	Perfluorobutanoic Acid	375-22-4
PFPeA	Perfluoropentanoic Acid	2706-90-3
4:2 FTSA	4:2 Fluorotelomer Sulfonic Acid	757124-72-4
PFHxA	Perfluorohexanoic Acid	307-24-4
PFBS	Perfluorobutane sulfonic Acid	375-73-5
PFHpA	Perfluoroheptanoic Acid	375-85-9
PFPeS	Perfluoropentane Sulfonic Acid	2706-91-4
6:2 FTSA	6:2 Fluorotelomer Sulfonic Acid	27619-97-2
PFOA	Perfluorooctanoic Acid	335-67-1
PFHxS	Perfluorohexane Sulfonic Acid	355-46-4
PFHxS-LN	Perfluorohexane Sulfonic Acid - LN	355-46-4-LN
PFHxS-BR	Perfluorohexane Sulfonic Acid - BR	355-46-4-BR
PFNA	Perfluorononanoic Acid	375-95-1
8:2 FTSA	8:2 Fluorotelomer Sulfonic Acid	39108-34-4
PFHpS	Perfluoroheptane Sulfonic Acid	375-92-8
PFDA	Perfluorodecanoic Acid	335-76-2
N-MeFOSAA	N-methyl perfluorooctanesulfonamidoacetic acid	2355-31-9
EtFOSAA	N-Ethyl Perfluorooctane Sulfonamidoacetic Acid	2991-50-6
PFOS	Perfluorooctane Sulfonic Acid	1763-23-1
PFOS-LN	Perfluorooctane Sulfonic Acid - LN	1763-23-1-LN
PFOS-BR	Perfluorooctane Sulfonic Acid - BR	1763-23-1-BR
PFUnDA	Perfluoroundecanoic Acid	2058-94-8
PFNS	Perfluorononane Sulfonic Acid	68259-12-1
PFDoDA	Perfluorododecanoic Acid	307-55-1
PFDS	Perfluorodecane Sulfonic Acid	335-77-3
PFTrDA	Perfluorotridecanoic Acid	72629-94-8
FOSA	Perfluorooctane Sulfonamide	754-91-6
PFTeDA	Perfluorotetradecanoic Acid	376-06-7
11CI-PF3OUdS	11-chloroeicosafluoro-3-oxaundecane-1-sulfonic acid	763051-92-9
9CI-PF3ONS	9-chlorohexadecafluoro-3-oxanone1-sulfonic acid	756426-58-1
ADONA	4,8-dioxa-3H-perfluorononanoic acid	919005-14-4
HFPO-DA	Hexafluoropropylene oxide dimer	13252-13-6



Sample Summary (1 samples)

Sample ID Sample Tag

S26215.01 2107744-01A Sludge

Matrix

Collected Date/Time

Biosolids 07/14/21 08:20



Lab Sample ID: \$26215.01

Sample Tag: 2107744-01A Sludge Collected Date/Time: 07/14/2021 08:20

Matrix: Biosolids COC Reference: 702

Sample Containers

#	Type	Preservative(s)	Refrigerated?	Arrival Temp. (C)	Thermometer #
1	 15ml Centrifuge Tube 	None	Yes	5.9	IR
1	250ml Plastic	None	Yes	5.9	IR

Extraction / Prep.

 Parameter
 Result
 Method
 Run Date
 Analyst
 Flags

 Initial wt. (g) / Final wt. (g) / Volume (ml)*
 10.50/7.09/10
 ASTM D7968-17M
 08/06/21 11:49
 JGH

Inorganics

Method: SM2540B, Run Date: 07/16/21 08:30, Analyst: ELR

Parameter	Result	RL	MDL	Units	Dilution	CAS#	Flags	
Total Solids*	5.3	4		0/	- A			

Organics

28 PFAs, Method: ASTM D7968-17M, Run Date: 08/09/21 23:32, Analyst: JGH

Parameter	Result	RL	MDL	Units	Dilution	CAS#	Flags
PFBA*	Not detected	1.1		ug/kg	55.3	375-22-4	
PFPeA*	Not detected	0.55		ug/kg	55.3	2706-90-3	
4:2 FTSA*	Not detected	0.55		ug/kg	55.3	757124-72-4	E.
PFHxA*	Not detected	0.55		ug/kg	55.3	307-24-4	
PFBS*	Not detected	0.55		ug/kg	55.3	375-73-5	
PFHpA*	Not detected	0.55		ug/kg	55.3	375-85-9	
PFPeS*	Not detected	0.55		ug/kg	55.3	2706-91-4	
6:2 FTSA*	Not detected	0.55		ug/kg	55.3	27619-97-2	Ti .
PFOA*	Not detected	0.55		ug/kg	55.3	335-67-1	
PFHxS*	Not detected	0.55		ug/kg	55.3	355-46-4	
PFHxS-LN*	Not detected	0.55		ug/kg	55.3	355-46-4-LN	
PFHxS-BR*	Not detected	0.55		ug/kg	55.3	355-46-4-BR	
PFNA*	Not detected	0.55		ug/kg	55.3	375-95-1	
3:2 FTSA*	Not detected	0.55		ug/kg	55.3	39108-34-4	Ť
PFHpS*	Not detected	0.55		ug/kg	55.3	375-92-8	
PFDA*	Not detected	0.55		ug/kg	55.3	335-76-2	
I-MeFOSAA*	Not detected	0.55		ug/kg	55.3	2355-31-9	
EtFOSAA*	Not detected	0.55		ug/kg	55.3	2991-50-6	
PFOS*	Not detected	0.55		ug/kg	55.3	1763-23-1	
PFOS-LN*	Not detected	0.55		ug/kg	55.3	1763-23-1-LN	
PFOS-BR*	Not detected	0.55		ug/kg	55.3	1763-23-1-BR	
PFUnDA*	Not detected	0.55		ug/kg	55.3	2058-94-8	
PFNS*	Not detected	0.55		ug/kg	55.3	68259-12-1	
PFDoDA*	Not detected	0.55		ug/kg	55.3	307-55-1	
PFDS*	Not detected	0.55		ug/kg	55.3	335-77-3	
PFTrDA*	Not detected	0.55		ug/kg	55.3	72629-94-8	
OSA*	Not detected	0.55		ug/kg	55.3	754-91-6	
PFTeDA*	Not detected	0.55		ug/kg	55.3	376-06-7	
1CI-PF3OUdS*	Not detected	0.55		ug/kg	55.3	763051-92-9	
CI-PF3ONS*	Not detected	0.55		ug/kg	55.3	756426-58-1	

I-Matrix interference with internal standard



Lab Sample ID: \$26215.01 (continued)Sample Tag: 2107744-01A Sludge

28 PFAs, Method: ASTM D7968-17M, Run Date: 08/09/21 23:32, Analyst: JGH (continued)

Parameter	Result	RL	MDL	Units	Dilution	CAS#	Flags
ADONA*	Not detected	0.55		ug/kg	55.3	919005-14-4	
HFPO-DA*	Not detected	0.55		ug/kg	55.3	13252-13-6	

Merit Laboratories Login Checklist

Lab Set ID:S26215

Client:MISCPFC (Southwest Barry County Sewer Authority)

Project: Monitoring

Submitted: 07/15/2021 10:15 Login User: MMC

Attention: Stephen Bylsma Address: Prein & Newhof 3260 Evergreen Drive NE Grand Rapids, MI 49525

Phone: 616-364-7600

FAX: Email: SBylsma@preinnewhof.com

					1
Selecti	ion			Description	Note
Sampl	le Recei	ving			T.
01.	X Yes	□No	□ N/A	Samples are received at 4C +/- 2C Thermometer #	IR 5.9
02.	X Yes	□No	□ N/A	Received on ice/ cooling process begun	
03,	X Yes	□No	□ N/A	Samples shipped	UPS
04.	Yes	X No	□ N/A	Samples left in 24 hr. drop box	
05.	X Yes	No	□ N/A	Are there custody seals/tape or is the drop box locked	
Chain	of Custo	ody			
06.	X Yes	□No	□ N/A	COC adequately filled out	
07.	X Yes	□No	□ N/A	COC signed and relinquished to the lab	
08.	X Yes	No	☐ N/A	Sample tag on bottles match COC	
09.	Yes	X No	☐ N/A	Subcontracting needed? Subcontacted to:	
Preser	vation				
10.	X Yes	□No	□ N/A	Do sample have correct chemical preservation	
11. [Yes	□No	X N/A	Completed pH checks on preserved samples? (no VOAs)	
12. [Yes	X No	☐ N/A	Did any samples need to be preserved in the lab?	
Bottle	Conditio	ons			
13. [X Yes	□No	☐ N/A	All bottles intact	
14. [X Yes	□No	□ N/A	Appropriate analytical bottles are used	
15. [X Yes	□No	□ N/A	Merit bottles used	
16. [X Yes	□No	□ N/A	Sufficient sample volume received	
17. [Yes	X No	□ N/A	Samples require laboratory filtration	
18.	X Yes	□No	□ N/A	Samples submitted within holding time	
19. [Yes	No	X N/A	Do water VOC or TOX bottles contain headspace	

Corrective action for all exceptions is to call the	he client and to notify the project manager.
Client Review By:	Date:

Preinselvel Newhof

CHAIN OF CUSTODY RECORD OMEGA COCID 702

Omega COCID 702 PAGE 1 OF

ADDRESS
Prein&Newhof Laboratory
3260 Evergreen Dr NE
Grand Rapids, MI 49525

TEL: (616) 364-7600 FAX: (616) 364-4222 Website: www.preinnewhof.com

sbylsma e praincembatican

SUB CONTR	SUB CONTRATOR Merit Labs		COMPANY:			SPECTA	SPECIAL INSTRUCTIONS - COMMENTS:		
ADDRESS:									
CITY, STATE, ZIP	d12 3								
PHONE		FAX	EMAIL:				ANALY FICAL PARAMETERS		
ACCOUNT #						DFX8.8			
TEX 4	ITEM = SAMPLEID	Clert Sample ID	Bottle Type	MATRIX	DAYE COLLECTED	NUMBER OF CONTAINERS		COMBENTS Aferhand Preserved Weights HOT Sample Notation Additional Sample Description.	
1 21(1 2107744-01A Sludge	Sludge		Biosolids	7/14/2021 8:20:00 AM 2	2		26215.01	

ASTM mcMod 07968

Reinquished By Date: Time: Received By: Date: Time: Page: Time: Post LAB USE ONLY Reinquished By WPS Time: Received By: Time: Time: FOR LAB USE ONLY TAT: Standard Improved By: Note: RUSH requests will incur surcharged. Anempt 10 Cool? Anempt 10 Cool?	Relinquished By:	Date:	Time	Received By:	Date:	Time:	REPORT TRANSMITTAL DESIRED:
The part of surples Received By M. Miles 2nd BD 2nd	Relinquished By	Date:	Time:	Received By:	Date:	Time	
Standard Note: RUSH requests will incur surchanged			- 1	£ 4	No.	1	FOR LAB USE ONLY
Standard Comments Note: RUSH requests will incur stresherged	Relinquished By Co			KECCHOEL THE CHICAGES	7/15/21	615	
	TAT	Standar	=	Next BD 🗀 2nd BD 🗀	3rd Bf		Tiples
				Note; RUSH requests will incur sur	rchargest		

PREIN & NEWHOF

3260 Evergreen Dr NE Grand Rapids, MI 49525

t: 616-364-7600 f: 616-364-4222

Client Gun Lake Casino

Project WTTP

Send Results to Don Row donald.row@gunlakecasino.com

Sampler

Don Row donald.row@gunlakecasino.com

5-Dien	9									2
	Received for Laboratory By: Name/Date/Time	Received By: Name/Date/Time					×	PFAS	Preservative	Analysis Requested
12:40/		¥:36 cm					Sludge (Biosolids)	Sample Description		
14-41		do Som 7/4/21 8:30 cm				×	8:20AM	Time		
M Trysy	Relinquished By: Name/Date/Time	Name/Date/Time					7/14/2021	Date		
1	ished By:	and By:					トトトロー	Lab Sample ID		