

Report ID: S25608.01(01) Generated on 07/08/2021

Report to

Attention: David Cook

Global Environmental Consulting

223 W. Michigan Ave. Clinton, MI 49236

Phone: 517-456-6881 FAX: Email: gec223@earthlink.net

Addtional Contacts: Doug Ervin

Report Summary

Lab Sample ID(s): S25608.01-S25608.02

Project: Bedford WWTP

Collected Date(s): 06/23/2021

Submitted Date/Time: 06/24/2021 13:50

Sampled by: David Cook

P.O. #: D1745

Table of Contents

Cover Page (Page 1)

General Report Notes (Page 2)

Report Narrative (Page 2)

Laboratory Certifications (Page 3)

Qualifier Descriptions (Page 3)

Glossary of Abbreviations (Page 3)

Method Summary (Page 4)

Sample Summary (Page 5)

Report produced by

Merit Laboratories, Inc. 2680 East Lansing Drive East Lansing, MI 48823

Phone: (517) 332-0167 FAX: (517) 332-6333

Contacts for report questions:

John Laverty (johnlaverty@meritlabs.com)
Barbara Ball (bball@meritlabs.com)

Maya Murshak Technical Director

Naya Mushah



General Report Notes

Analytical results relate only to the samples tested, in the condition received by the laboratory.

Methods may be modified for improved performance.

Results reported on a dry weight basis where applicable.

'Not detected' indicates that parameter was not found at a level equal to or greater than the reporting limit (RL).

40 CFR Part 136 Table II Required Containers, Preservation Techniques and Holding Times for the Clean Water Act specify that samples

for acrolein and acrylonitrile need to be preserved at a pH in the range of 4 to 5 or if not preserved, analyzed within 3 days of sampling.

QA/QC corresponding to this analytical report is a separate document with the same Merit ID reference and is available upon request.

Full accreditation certificates are available upon request. Starred (*) analytes are not NELAP accredited.

Samples are held by the lab for 30 days from the final report date unless a written request to hold longer is provided by the client.

Report shall not be reproduced except in full, without the written approval of Merit Laboratories, Inc.

Limits for drinking water samples, are listed as the MCL Limits (Maximum Contaminant Level Concentrations)

PFAS requirement: Section 9.3.8 of U.S. EPA Method 537.1 states "If the method analyte(s) found in the Field Sample is present in the

FRB at a concentration greater than 1/3 the MRL, then all samples collected with that FRB are invalid and must be recollected and reanalyzed."

Samples submitted without an accompanying FRB may not be acceptable for compliance purposes.

Report Narrative

There is no additional narrative for this analytical report



Laboratory Certifications

Authority	Certification ID
Michigan DEQ	#9956
DOD ELAP/ISO 17025	#69699
WBENC	#2005110032
Ohio VAP	#CL0002
Indiana DOH	#C-MI-07
New York NELAC	#11814
North Carolina DENR	#680
North Carolina DOH	#26702
Alaska CSLAP	#17-001
Pennsylvania DEP	#68-05884

Qualifier Descriptions

Qualifier	Description
!	Result is outside of stated limit criteria
В	Compound also found in associated method blank
E	Concentration exceeds calibration range
F	Analysis run outside of holding time
G	Estimated result due to extraction run outside of holding time
Н	Sample submitted and run outside of holding time
1	Matrix interference with internal standard
J	Estimated value less than reporting limit, but greater than MDL
L	Elevated reporting limit due to low sample amount
M	Result reported to MDL not RDL
0	Analysis performed by outside laboratory. See attached report.
R	Preliminary result
S	Surrogate recovery outside of control limits
Т	No correction for total solids
X	Elevated reporting limit due to matrix interference
Υ	Elevated reporting limit due to high target concentration
b	Value detected less than reporting limit, but greater than MDL
е	Reported value estimated due to interference
j	Analyte also found in associated method blank
p	Benzo(b)Fluoranthene and Benzo(k)Fluoranthene integrated as one peak.
X	Preserved from bulk sample

Glossary of Abbreviations

Abbreviation	Description
RL/RDL	Reporting Limit
MDL	Method Detection Limit
MS	Matrix Spike
MSD	Matrix Spike Duplicate
SW	EPA SW 846 (Soil and Wastewater) Methods
E	EPA Methods
SM	Standard Methods
LN	Linear
BR	Branched



Method Summary

Method Version

ASTM D7968-17M ASTM Method D7968 - 17 Modified (Isotopic Dilution)

SM2540B Standard Method 2540 B 2011

Parameter Summary

Parameter	Synonym	Cas #
PFBA	Perfluorobutanoic Acid	375-22-4
PFPeA	Perfluoropentanoic Acid	2706-90-3
4:2 FTSA	4:2 Fluorotelomer Sulfonic Acid	757124-72-4
PFHxA	Perfluorohexanoic Acid	307-24-4
PFBS	Perfluorobutane sulfonic Acid	375-73-5
PFHpA	Perfluoroheptanoic Acid	375-85-9
PFPeS	Perfluoropentane Sulfonic Acid	2706-91-4
6:2 FTSA	6:2 Fluorotelomer Sulfonic Acid	27619-97-2
PFOA	Perfluorooctanoic Acid	335-67-1
PFHxS	Perfluorohexane Sulfonic Acid	355-46-4
PFHxS-LN	Perfluorohexane Sulfonic Acid - LN	355-46-4-LN
PFHxS-BR	Perfluorohexane Sulfonic Acid - BR	355-46-4-BR
PFNA	Perfluorononanoic Acid	375-95-1
8:2 FTSA	8:2 Fluorotelomer Sulfonic Acid	39108-34-4
PFHpS	Perfluoroheptane Sulfonic Acid	375-92-8
PFDA	Perfluorodecanoic Acid	335-76-2
N-MeFOSAA	N-methyl perfluorooctanesulfonamidoacetic acid	2355-31-9
EtFOSAA	N-Ethyl Perfluorooctane Sulfonamidoacetic Acid	2991-50-6
PFOS	Perfluorooctane Sulfonic Acid	1763-23-1
PFOS-LN	Perfluorooctane Sulfonic Acid - LN	1763-23-1-LN
PFOS-BR	Perfluorooctane Sulfonic Acid - BR	1763-23-1-BR
PFUnDA	Perfluoroundecanoic Acid	2058-94-8
PFNS	Perfluorononane Sulfonic Acid	68259-12-1
PFDoDA	Perfluorododecanoic Acid	307-55-1
PFDS	Perfluorodecane Sulfonic Acid	335-77-3
PFTrDA	Perfluorotridecanoic Acid	72629-94-8
FOSA	Perfluorooctane Sulfonamide	754-91-6
PFTeDA	Perfluorotetradecanoic Acid	376-06-7
11CI-PF3OUdS	11-chloroeicosafluoro-3-oxaundecane-1-sulfonic acid	763051-92-9
9CI-PF3ONS	9-chlorohexadecafluoro-3-oxanone1-sulfonic acid	756426-58-1
ADONA	4,8-dioxa-3H-perfluorononanoic acid	919005-14-4
HFPO-DA	Hexafluoropropylene oxide dimer	13252-13-6



Sample Summary (2 samples)

Sample ID	Sample Tag	Matrix	Collected Date/Time
S25608.01	Sludge Solids	Sludge	06/23/21 12:00
S25608.02	Sludge Liquid	Wastewater	06/23/21 12:15



Lab Sample ID: S25608.01

Sample Tag: Sludge Solids

Collected Date/Time: 06/23/2021 12:00

Matrix: Sludge

COC Reference: 146707

Sample Containers

#	Туре	Preservative(s)	Refrigerated?	Arrival Temp. (C)	Thermometer #
1	15ml Centrifuge Tube	None	Yes	2.7	IR
1	250ml Plastic	None	Yes	2.7	IR

Extraction / Prep.

Parameter	Result	Method	Run Date	Analyst	Flags
Initial wt. (g) / Final wt. (g) / Volume (ml)*	8.32/7.04/10	ASTM D7968-17M	06/25/21 08:45	KCV	

Inorganics

Method: SM2540B, Run Date: 06/29/21 14:15, Analyst: ELR

Parameter	Result	RL	MDL	Units	Dilution	CAS#	Flags	
Total Solids*	25	1		%	1			

Dilution

Organics

28 PFAs, Method: ASTM D7968-17M, Run Date: 06/26/21 02:03, Analyst: KCV

Parameter	Result	RL	MDL	Units	Dilution	CAS#	Flags
PFBA*	Not detected	0.63		ug/kg	31.3	375-22-4	
PFPeA*	2.1	0.31		ug/kg	31.3	2706-90-3	
4:2 FTSA*	Not detected	0.31		ug/kg	31.3	757124-72-4	1
PFHxA*	5.8	0.31		ug/kg	31.3	307-24-4	
PFBS*	0.57	0.31		ug/kg	31.3	375-73-5	
PFHpA*	0.51	0.31		ug/kg	31.3	375-85-9	
PFPeS*	Not detected	0.31		ug/kg	31.3	2706-91-4	
6:2 FTSA*	Not detected	0.31		ug/kg	31.3	27619-97-2	1
PFOA*	3.6	0.31		ug/kg	31.3	335-67-1	
PFHxS*	Not detected	0.31		ug/kg	31.3	355-46-4	
PFHxS-LN*	Not detected	0.31		ug/kg	31.3	355-46-4-LN	
PFHxS-BR*	Not detected	0.31		ug/kg	31.3	355-46-4-BR	
PFNA*	0.33	0.31		ug/kg	31.3	375-95-1	
8:2 FTSA*	Not detected	0.31		ug/kg	31.3	39108-34-4	1
PFHpS*	Not detected	0.31		ug/kg	31.3	375-92-8	
PFDA*	2.7	0.31		ug/kg	31.3	335-76-2	
N-MeFOSAA*	8.2	0.31		ug/kg	31.3	2355-31-9	
EtFOSAA*	2.4	0.31		ug/kg	31.3	2991-50-6	
PFOS*	3.5	0.31		ug/kg	31.3	1763-23-1	
PFOS-LN*	2.9	0.31		ug/kg	31.3	1763-23-1-LN	
PFOS-BR*	0.54	0.31		ug/kg	31.3	1763-23-1-BR	
PFUnDA*	1	0.31		ug/kg	31.3	2058-94-8	1
PFNS*	Not detected	0.31		ug/kg	31.3	68259-12-1	
PFDoDA*	1.5	0.31		ug/kg	31.3	307-55-1	1
PFDS*	Not detected	0.31		ug/kg	31.3	335-77-3	
PFTrDA*	Not detected	0.31		ug/kg	31.3	72629-94-8	1
FOSA*	1.1	0.31		ug/kg	31.3	754-91-6	
PFTeDA*	Not detected	0.31		ug/kg	31.3	376-06-7	
11Cl-PF3OUdS*	Not detected	0.31		ug/kg	31.3	763051-92-9	
9CI-PF3ONS*	Not detected	0.31		ug/kg	31.3	756426-58-1	

I-Matrix interference with internal standard



Lab Sample ID: S25608.01 (continued)

Sample Tag: Sludge Solids

28 PFAs, Method: ASTM D7968-17M, Run Date: 06/26/21 02:03, Analyst: KCV (continued)

	,	,	. ,					
Parameter	Result	RL	MDL	Units	Dilution	CAS#	Flags	
ADONA*	Not detected	0.31		ug/kg	31.3	919005-14-4		
HFPO-DA*	Not detected	0.31		ug/kg	31.3	13252-13-6		



Lab Sample ID: S25608.02

Sample Tag: Sludge Liquid

Collected Date/Time: 06/23/2021 12:15

Matrix: Wastewater COC Reference: 146707

Sample Containers

#	Туре	Preservative(s)	Refrigerated?	Arrival Temp. (C)	Thermometer #
1	15ml Centrifuge Tube	None	Yes	2.7	IR
1	250ml Plastic	None	Yes	2.7	IR

Extraction / Prep.

Parameter	Result	Method	Run Date	Analyst	Flags
Initial wt. (g) / Final wt. (g) / Volume (ml)*	9.12/7.13/10	ASTM D7968-17M	06/25/21 08:45	KCV	

Inorganics

Method: SM2540B, Run Date: 06/29/21 14:15, Analyst: ELR

Parameter	Result	RL	MDL	Units	Dilution	CAS#	Flags
Total Solids	12	1		%	1		

Organics

28 PFAs, Method: ASTM D7968-17M, Run Date: 06/26/21 02:22, Analyst: KCV

Parameter	Result	RL	MDL	Units	Dilution	CAS#	Flags
PFBA*	Not detected	4.2		ug/kg	419	375-22-4	
PFPeA*	Not detected	2.1		ug/kg	419	2706-90-3	
4:2 FTSA*	Not detected	2.1		ug/kg	419	757124-72-4	1
PFHxA*	2.6	2.1		ug/kg	419	307-24-4	
PFBS*	Not detected	2.1		ug/kg	419	375-73-5	
PFHpA*	Not detected	2.1		ug/kg	419	375-85-9	
PFPeS*	Not detected	2.1		ug/kg	419	2706-91-4	
6:2 FTSA*	Not detected	2.1		ug/kg	419	27619-97-2	1
PFOA*	Not detected	2.1		ug/kg	419	335-67-1	
PFHxS*	Not detected	2.1		ug/kg	419	355-46-4	
PFHxS-LN*	Not detected	2.1		ug/kg	419	355-46-4-LN	
PFHxS-BR*	Not detected	2.1		ug/kg	419	355-46-4-BR	
PFNA*	Not detected	2.1		ug/kg	419	375-95-1	
8:2 FTSA*	Not detected	2.1		ug/kg	419	39108-34-4	1
PFHpS*	Not detected	2.1		ug/kg	419	375-92-8	
PFDA*	5.9	2.1		ug/kg	419	335-76-2	
N-MeFOSAA*	29	2.1		ug/kg	419	2355-31-9	
EtFOSAA*	9.2	2.1		ug/kg	419	2991-50-6	1
PFOS*	9.6	2.1		ug/kg	419	1763-23-1	
PFOS-LN*	7.1	2.1		ug/kg	419	1763-23-1-LN	
PFOS-BR*	Not detected	2.1		ug/kg	419	1763-23-1-BR	
PFUnDA*	2.8	2.1		ug/kg	419	2058-94-8	1
PFNS*	Not detected	2.1		ug/kg	419	68259-12-1	
PFDoDA*	4.8	2.1		ug/kg	419	307-55-1	1
PFDS*	Not detected	2.1		ug/kg	419	335-77-3	
PFTrDA*	2.3	2.1		ug/kg	419	72629-94-8	1
FOSA*	Not detected	2.1		ug/kg	419	754-91-6	
PFTeDA*	Not detected	2.1		ug/kg	419	376-06-7	
11CI-PF3OUdS*	Not detected	2.1		ug/kg	419	763051-92-9	
9CI-PF3ONS*	Not detected	2.1		ug/kg	419	756426-58-1	

I-Matrix interference with internal standard



Lab Sample ID: S25608.02 (continued)

Sample Tag: Sludge Liquid

28 PFAs, Method: ASTM D7968-17M, Run Date: 06/26/21 02:22, Analyst: KCV (continued)

Parameter	Result	RL	MDL	Units	Dilution	CAS#	Flags					
ADONA*	Not detected	2.1		ug/kg	419	919005-14-	4					
HFPO-DA*	Not detected	2.1		ug/kg	419	13252-13-6						

Merit Laboratories Login Checklist

Lab Set ID:S25608

Client: GLOBAL02 (Global Environmental Consulting)

Project: Bedford WWTP

Submitted:06/24/2021 13:50 Login User: REJ

Attention: David Cook

Address: Global Environmental Consulting 223 W. Michigan Ave. Clinton, MI 49236

Phone: 517-456-6881 FAX: Email: gec223@earthlink.net

Selectio	n			Description	Note
Sample	Receiv	ring			
01.	₹ Yes	No	☐ N/A	Samples are received at 4C +/- 2C Thermometer #	IR 2.7
02.	₹ Yes	No	□ N/A	Received on ice/ cooling process begun	
03.	Yes	X No	□ N/A	Samples shipped	
04.	Yes	X No	□ N/A	Samples left in 24 hr. drop box	
05.	Yes	No	X N/A	Are there custody seals/tape or is the drop box locked	
Chain o	of Custo	ody			
06. 2	₹ Yes	No	N/A	COC adequately filled out	
07.	₹ Yes	No	□ N/A	COC signed and relinquished to the lab	
08.	Yes	No	□ N/A	Sample tag on bottles match COC	
09.	Yes	X No	□ N/A	Subcontracting needed? Subcontacted to:	
Preserv	ation				
10.	₹ Yes	No	□ N/A	Do sample have correct chemical preservation	
11.	Yes	☐ No	X N/A	Completed pH checks on preserved samples? (no VOAs)	
12.	Yes	X No	□ N/A	Did any samples need to be preserved in the lab?	
Bottle C	Conditio	ons			
13.	₹ Yes	No	□ N/A	All bottles intact	
14.	₹ Yes	No	N/A	Appropriate analytical bottles are used	
15. 2	₹ Yes	☐ No	N/A	Merit bottles used	
16.	₹ Yes	No	N/A	Sufficient sample volume received	
17.	Yes	X No	□ N/A	Samples require laboratory filtration	
18.	₹ Yes	☐ No	□ N/A	Samples submitted within holding time	
19.	Yes	☐ No	X N/A	Do water VOC or TOX bottles contain headspace	

Corrective action f	or all exceptions is to	call the client and to	o notify the project r	nanager.
Client Review By:			Date:	



2680 East Lansing Dr., East Lansing, MI 48823 Phone (517) 332-0167 Fax (517) 332-4034 www.meritlabs.com

O.C. PAGE #	OF	1	4	6	7		7	
-------------	----	---	---	---	---	--	---	--

REPORT	TO		Laboratories, Inc.	CHAIN		CU	ST	OD	Y RE	COI	RD									11	1001	CE	ТО
CONTACT NAME DAVID Cook					CONTACT NAME A & S																		
COMPANY C-5C					COMPANY																		
ADDRESS 72	2 1	1 10	11-1- Ave	and have never	1	-15.	A	DDRE	SS	D	-1	71	15		Ja C					THE PLANE		r ⁰	= -
CITY Clarko	×^		10 again 1 C	STATE ZIP CC	SE2	36	C	CITY	0 .					H 35	10.7	0	- 2	ly ₁ N	S	TATE	ZIP CODE		, u. c.
PHONE NO. 51745	668	81	FAX NO.	P.O. NO.	,,,			PHONE	NO.					E-MAIL A	ADDRES	SS			-1			102	
E-MAIL ADDRESS	6/2	7 7 (R)	earthInk, net	QUOTE NO. DI74	5		1	ion	loths	- 101	Α	NALY	'SIS	(ATTAC	CH LIS	STIFI	MOR	E SPA	CE IS	REQUIRE	AERI(C	- In	Je.
PROJECT NO./NAME				SAMPLER(S) - PLEASE PR	INT/SIG	NAW.	AE-	5								- 1				ertificatio			, 1
TURNAROUND TI	ME REQ	UIRED [□1 DAY □2 DAYS □3 DAY	YS STANDARD D	OTH	IER .	1			¥	08	,								OHIO VAF			vvater
DELIVERABLES R	EQUIRE	D 🗆 STI	D LEVEL LEVEL	□ LEVEL IV □ EDD	□ O	THER	١				3					1. :	£ 187			roject Lo	- mai 1		
	GROUND SLUDGE		WW=WASTEWATER S=SOI DRINKING WATER O=OIL W		SOLIC SOLIC	44.	1941		ntainei		X	2 I (1				16.4	* .		. 17	Detroit	□ Nev	v York	<
MERIT LAB NO. FOR LAB USE ONLY	YEA DATE	R TIME	SAMPLE T. IDENTIFICATION-DES		MATRIX	# OF BOTTLES	NONE	HO.	H ₂ SO ₄	МеОН	10									Other pecial Ins	truction	3	
			Sludge Sol	ds	BC	y	V				À			Pil	4.)	1.24	J 4	()	P.] :	der a	D. Fara	vc =	(4) -
25608.0161	12312	1215	Sludge Light	rd	SL	4	4		Ψ'		У	. 7	a ‡		3.1					1 1 5 5	- 1° +1	l _i I	
									-3	- 17		- V-1	-F	1		1	E #1			or p ¹		Υ,	Tr I
anopus :	i un		2. 1 1. 20 Mar 10 J	· · · · · · · · · · · · · · · · · · ·					10)	- 1	-1 -							4		Vila	_	П	
														J- "				A B					,
sidueo	b ig	1 / 100	ns transfations	s ny sajitji al		158			25	1,45		11			115-		. 1		- 4		anna .	furt	
naiysis ===	1 - 11	157703	bescullian	g, are of the ori		176		T	0	177		25		112	7.0				Ty-	. 15/5		11.	
20 VETI	/ ¹ D			n i ji kari y		11.11								10							1 1 2 2	445-4	
- 2000 A	211	b 1 2		ar is an olfan r	0.0	1 5			nt	N	er: 10		11			p 1 1	2.71	de de		chir in	PER B		- 1
. days.	m = 4 (P)	F1	giorni di Timor de Maria	the state of the state of	r (fa)s	1.15	2.51		131	1		1	-354		- 3		-11					- 1	
	25191	l I a	1.77 July 11 11 11 11 11	- ', 652 1 '2					14.												. "		
.eseylen	or Hell	Ki i 78	g kidan ganga K	gh and issued	bb	1	18.	91		4	1465	1.1	- 17		i feet.	1 947	('s)	3/1/4	165.18	ditte tr	94.3	s Jisku s	i. \$
RELINQUISHED BY:	ZATION (h. 0	Sampler 6/23/2/		TIME			NQUISHE ATURE/C		ZATION						117	1 413	il v	nell Ti	DATE	te di	TIME
RECEIVED BY: SIGNATURE/ORGANIZ		A	E and a second	6/23/21 DATE		TIME			IVED BY ATURE/O		ZATION			a grand	E.I. 50	r Pi	1,16	- (-)	121	n ¹ este ti	DATE	u du	TIME
RELINQUISHED BY: SIGNATURE/ORGANIZ		1	6	6/24/21 DATE	15	TIME		SEAL	NO.	17-3		SEAL IN		NO 🗆	INITIAL	S	: pl=	NOTES	:	TEMP, ON	ARRIVAL	10.17	0
RECEIVED BY: SIGNATURE/ORGANIZ		10		0/24/21 DATE	135	100		SEAL				SEAL IN		NO 🗆	INITIAL				2				,
			PLEASE NOTE: SIGNIN	IG ACKNOWLEDGES A	ADHER	RENC	E TO	O ME	RIT'S	SAMPL	E ACC	CEPTA	NCE	POLIC	Y ON F	REVE	RSE S	SIDE					Rev. 5.18.12