

Report ID: S23664.01(01) Generated on 05/18/2021

Report to

Attention: Bruce Royce City of Midland WWTP 333 W. Ellsworth St. Midland, MI 48640

Phone: 989-837-3503 FAX: Email: broyce@midland-mi.org

Addtional Contacts: Doug Ervin

Report produced by

Merit Laboratories, Inc. 2680 East Lansing Drive East Lansing, MI 48823

Phone: (517) 332-0167 FAX: (517) 332-6333

Contacts for report questions:

John Laverty (johnlaverty@meritlabs.com)

Barbara Ball (bball@meritlabs.com)

Report Summary

Lab Sample ID(s): S23664.01 Project: PFAS Biosolids Collected Date(s): 04/28/2021

Submitted Date/Time: 04/29/2021 10:15

Sampled by: Unknown

P.O. #:

#### **Table of Contents**

Cover Page (Page 1)

General Report Notes (Page 2)

Report Narrative (Page 2)

Laboratory Certifications (Page 3)

Qualifier Descriptions (Page 3)

Glossary of Abbreviations (Page 3)

Method Summary (Page 4)

Sample Summary (Page 5)

Maya Murshak Technical Director

Naya Mushah



### **General Report Notes**

Analytical results relate only to the samples tested, in the condition received by the laboratory.

Methods may be modified for improved performance.

Results reported on a dry weight basis where applicable.

'Not detected' indicates that parameter was not found at a level equal to or greater than the reporting limit (RL).

40 CFR Part 136 Table II Required Containers, Preservation Techniques and Holding Times for the Clean Water Act specify that samples

for acrolein and acrylonitrile need to be preserved at a pH in the range of 4 to 5 or if not preserved, analyzed within 3 days of sampling.

QA/QC corresponding to this analytical report is a separate document with the same Merit ID reference and is available upon request.

Full accreditation certificates are available upon request. Starred (\*) analytes are not NELAP accredited.

Samples are held by the lab for 30 days from the final report date unless a written request to hold longer is provided by the client.

Report shall not be reproduced except in full, without the written approval of Merit Laboratories, Inc.

Limits for drinking water samples, are listed as the MCL Limits (Maximum Contaminant Level Concentrations)

PFAS requirement: Section 9.3.8 of U.S. EPA Method 537.1 states "If the method analyte(s) found in the Field Sample is present in the

FRB at a concentration greater than 1/3 the MRL, then all samples collected with that FRB are invalid and must be recollected and reanalyzed."

Samples submitted without an accompanying FRB may not be acceptable for compliance purposes.

#### **Report Narrative**

There is no additional narrative for this analytical report



## **Laboratory Certifications**

Authority	Certification ID
Michigan DEQ	#9956
DOD ELAP/ISO 17025	#69699
WBENC	#2005110032
Ohio VAP	#CL0002
Indiana DOH	#C-MI-07
New York NELAC	#11814
North Carolina DENR	#680
North Carolina DOH	#26702
Alaska CSLAP	#17-001
Pennsylvania DEP	#68-05884

### **Qualifier Descriptions**

Qualifier	Description
!	Result is outside of stated limit criteria
В	Compound also found in associated method blank
E	Concentration exceeds calibration range
F	Analysis run outside of holding time
G	Estimated result due to extraction run outside of holding time
Н	Sample submitted and run outside of holding time
1	Matrix interference with internal standard
J	Estimated value less than reporting limit, but greater than MDL
L	Elevated reporting limit due to low sample amount
М	Result reported to MDL not RDL
0	Analysis performed by outside laboratory. See attached report.
R	Preliminary result
S	Surrogate recovery outside of control limits
Т	No correction for total solids
X	Elevated reporting limit due to matrix interference
Υ	Elevated reporting limit due to high target concentration
b	Value detected less than reporting limit, but greater than MDL
е	Reported value estimated due to interference
j	Analyte also found in associated method blank
р	Benzo(b)Fluoranthene and Benzo(k)Fluoranthene integrated as one peak.
x	Preserved from bulk sample

## **Glossary of Abbreviations**

Abbreviation	Description
RL/RDL	Reporting Limit
MDL	Method Detection Limit
MS	Matrix Spike
MSD	Matrix Spike Duplicate
SW	EPA SW 846 (Soil and Wastewater) Methods
E	EPA Methods
SM	Standard Methods
LN	Linear
BR	Branched



## **Method Summary**

Method Version

ASTM D7968-17M ASTM Method D7968 - 17 Modified (Isotopic Dilution)

SM2540B Standard Method 2540 B 2011

### **Parameter Summary**

Parameter	Synonym	Cas#
PFBA	Perfluorobutanoic Acid	375-22-4
PFPeA	Perfluoropentanoic Acid	2706-90-3
4:2 FTSA	4:2 Fluorotelomer Sulfonic Acid	757124-72-4
PFHxA	Perfluorohexanoic Acid	307-24-4
PFBS	Perfluorobutane sulfonic Acid	375-73-5
PFHpA	Perfluoroheptanoic Acid	375-85-9
PFPeS	Perfluoropentane Sulfonic Acid	2706-91-4
6:2 FTSA	6:2 Fluorotelomer Sulfonic Acid	27619-97-2
PFOA	Perfluorooctanoic Acid	335-67-1
PFHxS	Perfluorohexane Sulfonic Acid	355-46-4
PFHxS-LN	Perfluorohexane Sulfonic Acid - LN	355-46-4-LN
PFHxS-BR	Perfluorohexane Sulfonic Acid - BR	355-46-4-BR
PFNA	Perfluorononanoic Acid	375-95-1
8:2 FTSA	8:2 Fluorotelomer Sulfonic Acid	39108-34-4
PFHpS	Perfluoroheptane Sulfonic Acid	375-92-8
PFDA	Perfluorodecanoic Acid	335-76-2
N-MeFOSAA	N-methyl perfluorooctanesulfonamidoacetic acid	2355-31-9
EtFOSAA	N-Ethyl Perfluorooctane Sulfonamidoacetic Acid	2991-50-6
PFOS	Perfluorooctane Sulfonic Acid	1763-23-1
PFOS-LN	Perfluorooctane Sulfonic Acid - LN	1763-23-1-LN
PFOS-BR	Perfluorooctane Sulfonic Acid - BR	1763-23-1-BR
PFUnDA	Perfluoroundecanoic Acid	2058-94-8
PFNS	Perfluorononane Sulfonic Acid	68259-12-1
PFDoDA	Perfluorododecanoic Acid	307-55-1
PFDS	Perfluorodecane Sulfonic Acid	335-77-3
PFTrDA	Perfluorotridecanoic Acid	72629-94-8
FOSA	Perfluorooctane Sulfonamide	754-91-6
PFTeDA	Perfluorotetradecanoic Acid	376-06-7
11CI-PF3OUdS	11-chloroeicosafluoro-3-oxaundecane-1-sulfonic acid	763051-92-9
9CI-PF3ONS	9-chlorohexadecafluoro-3-oxanone1-sulfonic acid	756426-58-1
ADONA	4,8-dioxa-3H-perfluorononanoic acid	919005-14-4
HFPO-DA	Hexafluoropropylene oxide dimer	13252-13-6



Sample Summary (1 samples)

Sample ID Sample Tag Matrix Collected Date/Time

S23664.01 Midland WWTP - Biosolids Storage

04/28/21 10:00

Sludge

Page 5 of 7



Lab Sample ID: S23664.01

Sample Tag: Midland WWTP - Biosolids Storage

Collected Date/Time: 04/28/2021 10:00

Matrix: Sludge

COC Reference: 137356

#### Sample Containers

#	Туре	Preservative(s)	Refrigerated?	Arrival Temp. (C)	I hermometer #
2	15ml Centrifuge Tube	None	Yes	4.8	IR
2	250ml Plastic	None	Yes	4.8	IR

#### Extraction / Prep.

Parameter	Result	Method	Run Date	Analyst	Flags
Initial wt. (g) / Final wt. (g) / Volume (ml)*	8.45/6.88/10	ASTM D7968-17M	04/29/21 14:00	KCV	

#### Inorganics

Method: SM2540B, Run Date: 04/29/21 18:20, Analyst: ELR

Parameter	Result	RL	MDL	Units	Dilution	CAS#	Flags
Total Solids*	6.7	1		%	1		

#### Organics

28 PFAs, Method: ASTM D7968-17M, Run Date: 04/30/21 01:21, Analyst: KCV

Parameter	Result	RL	MDL	Units	Dilution	CAS#	Flags
PFBA*	Not detected	1.9		ug/kg	95.1	375-22-4	
PFPeA*	1.7	0.95		ug/kg	95.1	2706-90-3	
4:2 FTSA*	Not detected	0.95		ug/kg	95.1	757124-72-4	1
PFHxA*	3.5	0.95		ug/kg	95.1	307-24-4	
PFBS*	Not detected	0.95		ug/kg	95.1	375-73-5	
PFHpA*	Not detected	0.95		ug/kg	95.1	375-85-9	
PFPeS*	Not detected	0.95		ug/kg	95.1	2706-91-4	
6:2 FTSA*	Not detected	0.95		ug/kg	95.1	27619-97-2	1
PFOA*	1.7	0.95		ug/kg	95.1	335-67-1	
PFHxS*	Not detected	0.95		ug/kg	95.1	355-46-4	
PFHxS-LN*	Not detected	0.95		ug/kg	95.1	355-46-4-LN	
PFHxS-BR*	Not detected	0.95		ug/kg	95.1	355-46-4-BR	
PFNA*	Not detected	0.95		ug/kg	95.1	375-95-1	
8:2 FTSA*	Not detected	0.95		ug/kg	95.1	39108-34-4	1
PFHpS*	Not detected	0.95		ug/kg	95.1	375-92-8	
PFDA*	5.2	0.95		ug/kg	95.1	335-76-2	
N-MeFOSAA*	30	0.95		ug/kg	95.1	2355-31-9	
EtFOSAA*	12	0.95		ug/kg	95.1	2991-50-6	
PFOS*	9.9	0.95		ug/kg	95.1	1763-23-1	
PFOS-LN*	8	0.95		ug/kg	95.1	1763-23-1-LN	
PFOS-BR*	2	0.95		ug/kg	95.1	1763-23-1-BR	
PFUnDA*	Not detected	0.95		ug/kg	95.1	2058-94-8	1
PFNS*	Not detected	0.95		ug/kg	95.1	68259-12-1	
PFDoDA*	2.9	0.95		ug/kg	95.1	307-55-1	1
PFDS*	1.2	0.95		ug/kg	95.1	335-77-3	
PFTrDA*	Not detected	0.95		ug/kg	95.1	72629-94-8	1
FOSA*	2.6	0.95		ug/kg	95.1	754-91-6	
PFTeDA*	Not detected	0.95		ug/kg	95.1	376-06-7	
11CI-PF3OUdS*	Not detected	0.95		ug/kg	95.1	763051-92-9	
9CI-PF3ONS*	Not detected	0.95		ug/kg	95.1	756426-58-1	

I-Matrix interference with internal standard



Lab Sample ID: S23664.01 (continued)

Sample Tag: Midland WWTP - Biosolids Storage

28 PFAs, Method: ASTM D7968-17M, Run Date: 04/30/21 01:21, Analyst: KCV (continued)

	<u> </u>						
Parameter	Result	RL	MDL	Units	Dilution	CAS#	Flags
ADONA*	Not detected	0.95		ug/kg	95.1	919005-14-4	
HFPO-DA*	Not detected	0.95		ug/kg	95.1	13252-13-6	

## **Merit Laboratories Login Checklist**

Lab Set ID:S23664

Client: MISCPFC (City of Midland WWTP)

Project: PFAS Biosolids

Submitted: 04/29/2021 10:15 Login User: SRS

Attention: Bruce Royce

Address: City of Midland WWTP 333 W. Ellsworth St. Midland, MI 48640

Phone: 989-837-3503 FAX: Email: broyce@midland-mi.org

Selection	Description	Note
Sample Receiving		
01. X Yes No N/A	Samples are received at 4C +/- 2C Thermometer #	IR 4.8
02. X Yes No N/A	Received on ice/ cooling process begun	
03. X Yes No N/A	Samples shipped	UPS
04. Yes X No N/A	Samples left in 24 hr. drop box	
05. X Yes No N/A	Are there custody seals/tape or is the drop box locked	
Chain of Custody		
06. X Yes No N/A	COC adequately filled out	
07. X Yes No N/A	COC signed and relinquished to the lab	
08. X Yes No N/A	Sample tag on bottles match COC	
09. Yes X No N/A	Subcontracting needed? Subcontacted to:	
Preservation		
10. Yes No XN/A	Do sample have correct chemical preservation	
11. Yes No XN/A	Completed pH checks on preserved samples? (no VOAs)	
12. Yes X No N/A	Did any samples need to be preserved in the lab?	
Bottle Conditions		
13. X Yes No N/A	All bottles intact	
14. X Yes No N/A	Appropriate analytical bottles are used	
15. X Yes No N/A	Merit bottles used	
16. X Yes No N/A	Sufficient sample volume received	
17. Yes X No N/A	Samples require laboratory filtration	
18. X Yes No N/A	Samples submitted within holding time	
19. Yes No XN/A	Do water VOC or TOX bottles contain headspace	

Corrective action for	all exceptions is to	call the client ar	nd to notify t	he project mar	nager.
Client Deview By			Data		
Client Review By:			Date:_		



2680 East Lansing Dr., East Lansing, MI 48823
Phone (517) 332-0167 Fax (517) 332-4034

www.meritlabs.com

C.O.C. PAGE #	OF	. 1	2	7	2	5	0
			$\mathcal{C}$	- (	J	$\mathbf{O}$	U

REPORT TO Laboratories, Inc. CHAIN OF CU	STODY RECORD	INVOICE TO
CONTACT NAME BRUCE ROYCE	CONTACT NAME BRUCE ROYCE	SAME
COMPANY CITY OF MIDLAND WWTP	COMPANY CITY OF MIDCAND WWTF	a nality, and no scien the
ADDRESS with a second problem to be designed to be	ADDRESS 333 W. EUSWORTH	To contigent cellstate foot
CITY STATE ZIP CODE	CITY MIDLAND	STATE ZIP CODE 640
PHONE NO. P.O. NO.	PHONE NO. E-MAIL ADDRESS	Parada Sa Santas Haciley
E-MAIL ADDRESS Shore @ Midland - Mi. Drg QUOTE NO.	ANALYSIS (ATTACH LIST IF MORE SPACE	E IS REQUIRED)
E-MAIL ADDRESS Shote & Midland-Mi. org QUOTE NO.  PROJECT NO./NAME PFAS BIOSOLIDS SAMPLER(S) - PLEASE PRINT/SIGN NAM	E	Certifications
TURNAROUND TIME REQUIRED 1 DAY 2 DAYS 3 DAYS STANDARD 0 OTHER	3	☐ OHIO VAP ☐ Drinking Water
DELIVERABLES REQUIRED STD LEVEL II LEVEL III LEVEL IV EDD OTHEF	20 00 00 00 00 00 00 00 00 00 00 00 00 0	□ DoD □ NPDES
MATRIX GW=GROUNDWATER WW=WASTEWATER S=SOIL L=LIQUID SD=SOLID CODE: SL=SLUDGE DW=DRINKING WATER O=OIL WP=WIPE A=AIR W=WASTE	# Containers & M	Project Locations  ☐ Detroit ☐ New York
MERIT YEAR SAMPLE TAG LAB NO. FOR LAB USE ONLY DATE TIME  DATE TIME  SAMPLE TAG IDENTIFICATION-DESCRIPTION  SAMPLE TAG  DESCRIPTION  SAMPLE TAG  SAMPL	NONE HEI HEI NACH HOS, HISO, OTHER	☐ Other Special Instructions
23CeC4.0154.28.21 10:00am MIDIANO WWTP-BIOSOLIOS STORAGE SD 2	CO) Recorded S	Chain of Custody of
24.28.21 10:009m Mioupup WWTP-BIDSOUD STORAGE (29mm) 50 6	A selection of the sele	Few ac Amandiosius v. A
C C C C C C C C C C C C C C C C C C C	o de la contrata del contrata de la contrata del contrata de la contrata del contrata de la contrata de la contrata de la contrata del contrata de la contrata del contrata de la contrata del contrata	or the chain at custody of
and an experience of 3 news or suspected one real of the state of the	and the state of t	groone sé tecta volgica?
	Medical control of the control of th	diamin's a constant
A figure 1 to 1 t		data o overa terre zorona 8
applies and sample coordinate to be addressed and the logical and the	Tectal of our col mart femo activity of	been no libra (14/18/21)
applicable (TALL III - Applead X IV, etc.) A separate de mant a past be		TOURS PROJECTLY EXCELLED.
		roll busines mort bretonia
The series of the words red in the stage of each of the words with the first words.	Odate packages are wereness as a lateral to it at it was die	Unit (genomostosila hans)
The second step which that the self the second one works	85 mm o Mirmir and arise or and and area moderno and a second	किलाव राष्ट्राच्या सुरक्षित करा है ।
s. de tops et toes, data flagoring, esté or apay lest bin ou head.	on older the chain of everydy con vest line to be a	Ladine to corrective
RELINQUISHED BY: SIGNATURE/ORGANIZATION RUCK Wall Y-28-21 10:00	RELINQUISHED BY: SIGNATURE/ORGANIZATION	
RECEIVED BY: SIGNATURE/ORGANIZATION  TIME  TIME	RECEIVED BY: SIGNATURE/ORGANIZATION	DATE TIME
RELINQUISHED BY: SIGNATURE/ORGANIZATION () TIME SIGNATURE/ORGANIZATION () SIGNATURE/ORGANIZATION	SEAL NO. SEAL INTACT INITIALS NOTES:	TEMP. ON ARRIVAL
RECEIVED BY: SIGNATURE/ORGANIZATION  TIME  4/29/21   TIME	SEAL NO. SEAL INTACT INITIALS  YES NO  E TO MERIT'S SAMPLE ACCEPTANCE POLICY ON REVERSE SIDE	48