

Report ID: S25609.01(01) Generated on 07/08/2021

Report to

Attention: David Cook

Global Environmental Consulting

223 W. Michigan Ave. Clinton, MI 49236

Phone: 517-456-6881 FAX: Email: gec223@earthlink.net

Addtional Contacts: Doug Ervin

Report Summary

Lab Sample ID(s): S25609.01

Project: River Ridge

Collected Date(s): 06/23/2021

Submitted Date/Time: 06/24/2021 13:50

Sampled by: David Cook

P.O. #: D1744

Table of Contents

Cover Page (Page 1)

General Report Notes (Page 2)

Report Narrative (Page 2)

Laboratory Certifications (Page 3)

Qualifier Descriptions (Page 3)

Glossary of Abbreviations (Page 3)

Method Summary (Page 4)

Sample Summary (Page 5)

Report produced by

Merit Laboratories, Inc. 2680 East Lansing Drive East Lansing, MI 48823

Phone: (517) 332-0167 FAX: (517) 332-6333

Contacts for report questions:

John Laverty (johnlaverty@meritlabs.com)
Barbara Ball (bball@meritlabs.com)

Maya Murshak Technical Director

Naya Mushah



General Report Notes

Analytical results relate only to the samples tested, in the condition received by the laboratory.

Methods may be modified for improved performance.

Results reported on a dry weight basis where applicable.

'Not detected' indicates that parameter was not found at a level equal to or greater than the reporting limit (RL).

40 CFR Part 136 Table II Required Containers, Preservation Techniques and Holding Times for the Clean Water Act specify that samples

for acrolein and acrylonitrile need to be preserved at a pH in the range of 4 to 5 or if not preserved, analyzed within 3 days of sampling.

QA/QC corresponding to this analytical report is a separate document with the same Merit ID reference and is available upon request.

Full accreditation certificates are available upon request. Starred (*) analytes are not NELAP accredited.

Samples are held by the lab for 30 days from the final report date unless a written request to hold longer is provided by the client.

Report shall not be reproduced except in full, without the written approval of Merit Laboratories, Inc.

Limits for drinking water samples, are listed as the MCL Limits (Maximum Contaminant Level Concentrations)

PFAS requirement: Section 9.3.8 of U.S. EPA Method 537.1 states "If the method analyte(s) found in the Field Sample is present in the

FRB at a concentration greater than 1/3 the MRL, then all samples collected with that FRB are invalid and must be recollected and reanalyzed."

Samples submitted without an accompanying FRB may not be acceptable for compliance purposes.

Report Narrative

There is no additional narrative for this analytical report



Laboratory Certifications

Authority	Certification ID
Michigan DEQ	#9956
DOD ELAP/ISO 17025	#69699
WBENC	#2005110032
Ohio VAP	#CL0002
Indiana DOH	#C-MI-07
New York NELAC	#11814
North Carolina DENR	#680
North Carolina DOH	#26702
Alaska CSLAP	#17-001
Pennsylvania DEP	#68-05884

Qualifier Descriptions

Qualifier	Description
!	Result is outside of stated limit criteria
В	Compound also found in associated method blank
E	Concentration exceeds calibration range
F	Analysis run outside of holding time
G	Estimated result due to extraction run outside of holding time
Н	Sample submitted and run outside of holding time
I	Matrix interference with internal standard
J	Estimated value less than reporting limit, but greater than MDL
L	Elevated reporting limit due to low sample amount
M	Result reported to MDL not RDL
0	Analysis performed by outside laboratory. See attached report.
R	Preliminary result
S	Surrogate recovery outside of control limits
Т	No correction for total solids
X	Elevated reporting limit due to matrix interference
Υ	Elevated reporting limit due to high target concentration
b	Value detected less than reporting limit, but greater than MDL
е	Reported value estimated due to interference
j	Analyte also found in associated method blank
р	Benzo(b)Fluoranthene and Benzo(k)Fluoranthene integrated as one peak.
x	Preserved from bulk sample

Glossary of Abbreviations

Abbreviation	Description
RL/RDL	Reporting Limit
MDL	Method Detection Limit
MS	Matrix Spike
MSD	Matrix Spike Duplicate
SW	EPA SW 846 (Soil and Wastewater) Methods
E	EPA Methods
SM	Standard Methods
LN	Linear
BR	Branched



Method Summary

Method Version

ASTM D7968-17M ASTM Method D7968 - 17 Modified (Isotopic Dilution)

SM2540B Standard Method 2540 B 2011

Parameter Summary

Parameter	Synonym	Cas #
PFBA	Perfluorobutanoic Acid	375-22-4
PFPeA	Perfluoropentanoic Acid	2706-90-3
4:2 FTSA	4:2 Fluorotelomer Sulfonic Acid	757124-72-4
PFHxA	Perfluorohexanoic Acid	307-24-4
PFBS	Perfluorobutane sulfonic Acid	375-73-5
PFHpA	Perfluoroheptanoic Acid	375-85-9
PFPeS	Perfluoropentane Sulfonic Acid	2706-91-4
6:2 FTSA	6:2 Fluorotelomer Sulfonic Acid	27619-97-2
PFOA	Perfluorooctanoic Acid	335-67-1
PFHxS	Perfluorohexane Sulfonic Acid	355-46-4
PFHxS-LN	Perfluorohexane Sulfonic Acid - LN	355-46-4-LN
PFHxS-BR	Perfluorohexane Sulfonic Acid - BR	355-46-4-BR
PFNA	Perfluorononanoic Acid	375-95-1
8:2 FTSA	8:2 Fluorotelomer Sulfonic Acid	39108-34-4
PFHpS	Perfluoroheptane Sulfonic Acid	375-92-8
PFDA	Perfluorodecanoic Acid	335-76-2
N-MeFOSAA	N-methyl perfluorooctanesulfonamidoacetic acid	2355-31-9
EtFOSAA	N-Ethyl Perfluorooctane Sulfonamidoacetic Acid	2991-50-6
PFOS	Perfluorooctane Sulfonic Acid	1763-23-1
PFOS-LN	Perfluorooctane Sulfonic Acid - LN	1763-23-1-LN
PFOS-BR	Perfluorooctane Sulfonic Acid - BR	1763-23-1-BR
PFUnDA	Perfluoroundecanoic Acid	2058-94-8
PFNS	Perfluorononane Sulfonic Acid	68259-12-1
PFDoDA	Perfluorododecanoic Acid	307-55-1
PFDS	Perfluorodecane Sulfonic Acid	335-77-3
PFTrDA	Perfluorotridecanoic Acid	72629-94-8
FOSA	Perfluorooctane Sulfonamide	754-91-6
PFTeDA	Perfluorotetradecanoic Acid	376-06-7
11CI-PF3OUdS	11-chloroeicosafluoro-3-oxaundecane-1-sulfonic acid	763051-92-9
9CI-PF3ONS	9-chlorohexadecafluoro-3-oxanone1-sulfonic acid	756426-58-1
ADONA	4,8-dioxa-3H-perfluorononanoic acid	919005-14-4
HFPO-DA	Hexafluoropropylene oxide dimer	13252-13-6



Sample Summary (1 samples)

Sample ID Sample Tag Matrix Collected Date/Time

 S25609.01
 Sludge River Ridge
 Sludge
 06/23/21 10:30



Lab Sample ID: S25609.01

Sample Tag: Sludge River Ridge Collected Date/Time: 06/23/2021 10:30

Matrix: Sludge

COC Reference: 146705

Sample Containers

	#	Туре	Preservative(s)	Refrigerated?	Arrival Temp. (C)	Thermometer #
•	1	15ml Centrifuge Tube	None	Yes	2.7	IR
	1	250ml Plastic	None	Yes	2.7	IR

Extraction / Prep.

Parameter	Result	Method	Run Date	Analyst	Flags
Initial wt. (g) / Final wt. (g) / Volume (ml)*	9.50/6.83/10	ASTM D7968-17M	06/25/21 08:45	KCV	

Inorganics

Method: SM2540B, Run Date: 06/29/21 14:15, Analyst: ELR

Parameter	Result	RL	MDL	Units	Dilution	CAS#	Flags
Total Solids*	2.5	1		%	1		

Dilution

Organics

28 PFAs, Method: ASTM D7968-17M, Run Date: 06/26/21 02:42, Analyst: KCV

Parameter	Result	RL	MDL	Units	Dilution	CAS#	Flags
PFBA*	Not detected	3		ug/kg	150	375-22-4	
PFPeA*	Not detected	1.5		ug/kg	150	2706-90-3	
4:2 FTSA*	Not detected	1.5		ug/kg	150	757124-72-4	1
PFHxA*	Not detected	1.5		ug/kg	150	307-24-4	
PFBS*	Not detected	1.5		ug/kg	150	375-73-5	
PFHpA*	Not detected	1.5		ug/kg	150	375-85-9	
PFPeS*	Not detected	1.5		ug/kg	150	2706-91-4	
6:2 FTSA*	Not detected	1.5		ug/kg	150	27619-97-2	1
PFOA*	2.7	1.5		ug/kg	150	335-67-1	
PFHxS*	Not detected	1.5		ug/kg	150	355-46-4	
PFHxS-LN*	Not detected	1.5		ug/kg	150	355-46-4-LN	
PFHxS-BR*	Not detected	1.5		ug/kg	150	355-46-4-BR	
PFNA*	Not detected	1.5		ug/kg	150	375-95-1	
8:2 FTSA*	Not detected	1.5		ug/kg	150	39108-34-4	1
PFHpS*	Not detected	1.5		ug/kg	150	375-92-8	
PFDA*	3.8	1.5		ug/kg	150	335-76-2	
N-MeFOSAA*	6.3	1.5		ug/kg	150	2355-31-9	1
EtFOSAA*	1.5	1.5		ug/kg	150	2991-50-6	1
PFOS*	6.7	1.5		ug/kg	150	1763-23-1	
PFOS-LN*	5.8	1.5		ug/kg	150	1763-23-1-LN	
PFOS-BR*	Not detected	1.5		ug/kg	150	1763-23-1-BR	
PFUnDA*	Not detected	1.5		ug/kg	150	2058-94-8	
PFNS*	Not detected	1.5		ug/kg	150	68259-12-1	
PFDoDA*	Not detected	1.5		ug/kg	150	307-55-1	
PFDS*	Not detected	1.5		ug/kg	150	335-77-3	
PFTrDA*	Not detected	1.5		ug/kg	150	72629-94-8	
FOSA*	Not detected	1.5		ug/kg	150	754-91-6	
PFTeDA*	Not detected	1.5		ug/kg	150	376-06-7	
11CI-PF3OUdS*	Not detected	1.5		ug/kg	150	763051-92-9	
9CI-PF3ONS*	Not detected	1.5		ug/kg	150	756426-58-1	

I-Matrix interference with internal standard



Lab Sample ID: S25609.01 (continued)

Sample Tag: Sludge River Ridge

28 PFAs, Method: ASTM D7968-17M, Run Date: 06/26/21 02:42, Analyst: KCV (continued)

		- ,	. ,				
Parameter	Result	RL	MDL	Units	Dilution	CAS#	Flags
ADONA*	Not detected	1.5		ug/kg	150	919005-14-4	4
HFPO-DA*	Not detected	1.5		ug/kg	150	13252-13-6	

Merit Laboratories Login Checklist

Lab Set ID:S25609

Client: GLOBAL02 (Global Environmental Consulting)

Project: River Ridge

Submitted: 06/24/2021 13:50 Login User: REJ

Attention: David Cook

Address: Global Environmental Consulting 223 W. Michigan Ave. Clinton, MI 49236

Phone: 517-456-6881 FAX: Email: gec223@earthlink.net

Selec	tion			Description	Note								
Samp	ole Recei	ving											
01.	X Yes	No	N/A	Samples are received at 4C +/- 2C Thermometer #	IR 2.7								
02.	X Yes	No	N/A	Received on ice/ cooling process begun									
03.	Yes	X No	N/A	Samples shipped									
04.	Yes	X No	N/A	Samples left in 24 hr. drop box									
05.	Yes	No	X N/A	Are there custody seals/tape or is the drop box locked									
Chaiı	n of Custo	ody											
06.	X Yes	No	N/A	COC adequately filled out									
07.	X Yes	No	N/A	COC signed and relinquished to the lab									
08.	X Yes	No	N/A	Sample tag on bottles match COC									
09.	Yes	X No	□ N/A	Subcontracting needed? Subcontacted to:									
Prese	ervation												
10.	X Yes	No	N/A	Do sample have correct chemical preservation									
11.	Yes	No	X N/A	Completed pH checks on preserved samples? (no VOAs)									
12.	Yes	X No	□ N/A	Did any samples need to be preserved in the lab?									
Bottle	e Conditi	ons											
13.	X Yes	No	N/A	All bottles intact									
14.	X Yes	No	N/A	Appropriate analytical bottles are used									
15.	X Yes	No	N/A	Merit bottles used									
16.	X Yes	No	N/A	Sufficient sample volume received									
17.	Yes	X No	□ N/A	Samples require laboratory filtration									
18.	X Yes	No	N/A	Samples submitted within holding time									
19.	Yes	No	X N/A	Do water VOC or TOX bottles contain headspace									

Page 1 of 1

Corrective action for all exceptions is to call the client and to notify the project manager.

Client Review By: _____ Date:_

Merit 2680 East Lansing Dr., East Lansing, MI 48823 Phone (517) 332-0167 Fax (517) 332-4034 www.meritlabs.com

C.O.C. PAGE #	OF	
---------------	----	--

146705

REPOR	т то		Laboratories, Inc.		CHAIN	I OF	CU	ST	יםס	Y RE	CO	RD										INVO	ICE	ТО
CONTACT NAME	Sound	Cool	1		2	MALE I		CONTACT NAME A 5 5																
COMPANY C	EC			- MAS-			411	C	OMPA	NY		300.00	,				Τ,				1,10	_		y ⁻¹
ADDRESS 22	3 1/	mi	chism Au	P	विद्	gl egf	. 115		DDRES	SS		5-	-1	74	14		a s			1 1	de r		. Sahal	
CITY CITY	nton		<u> </u>	7153 F.	STATE ZIP C	452	36	С	ITY .	T.				ar 17	- ,-2		11'4		H		STATE	ZIP COD	E	
PHONE NO.	45668	-81	FAX NO.	P.O.	NO.				HONE	NO.				, I 1994	E-MAI	ADDRE	SS						1 14"	
E-MAIL ADDRESS	FEC 22	2300	anthlinkine	t Que	OTE NO. 0/7	44			lect		10	Α	NAL	/SIS	(ATTA	ACH LI	ST IF	MOF	RE SP	ACE	IS REQUIF	RED)	M D	retu -
PROJECT NO./NAM				SAN	MPLER(S) PLEASE P	RINT/SI			/			7 1		7	9.5	c			- 1		Certifica	tions		444
I			□1 DAY □2 DAYS		DSTANDARD		HFR	1			,	- 8	١								□ OHIO V	AP 🗆 🗅	rinkinç	g Water
			D DLEVEL II DLE					R				- 0									□DoD	_ N	IPDES	
	GW=GROUN		WW=WASTEWATER			D=SOL			# Cor	ntainer	s &	In					2.0		7.		Project L	ocations.	,	
CODE: 1999	SL=SLUDGI	E DW=I	ORINKING WATER O	OIL WP=W	IPE A=AIR	W=WA	STE			ervativ		15									☐ Detroit		lew Yo	rk
MERIT LAB NO.	YE		S/ IDENTIFICAT	AMPLE TAG	PTION	MATRIX	# OF BOTTLES	NONE	HOS	H ₂ SO ₄	MeOH	6					-			1	☐ Other Special I		ne	dint -
FOR LAB USE ONLY	DATE	TIME				SL	1	Z		1 2	2 0	V	SALES AND ADDRESS OF THE PARTY						70		Special I	TISTI dette	110	
25609.01	6/23/21	1030	Sludge	KIVEN	Kirche &	PL	1	X				1				7			1 1		3 3 - 2 - 1 7			-
Dolai			1. N. 1. 1. 2. D. C.	ilin.i	112 - 4-1	1 1	100	\vdash	10:	(100)				74		+			Ą		Taga			
						+	-	H	+					-	-	-	+							
21305.37	-		L 25 B 190	150	id Proteinolis	-	+		-	+					+	+			lista		,1			
						+	-	\vdash	-	+		\vdash		-		+	+					-		
Sichaec		1979		Ul Kood stall	- 4'	1 . 1	1000	\vdash	- k	1							+			D _	7 1 X	17 10 17 17	- <u>1900</u> - 100 - 100	
STAVEST SCHOOL			7	me są.	F-	-		H	1	100	Lique.	-			, i g		+			la ra	. The same	100	963	
6119	-						-	Н	- 44	-	194	+-		e la il	+	+	1	7			11.17	1,11 0	ed_us	100
20000		7111	r tomas ir			1 700		\vdash	K.		7								200 344	74		7.1		ř.
27(6)		146		1.15.60				\vdash	10			T TI	Ja Cl			-					- Ul	700(-)		
			1 - 1		30-		+	H	1				da	1 1	7			8 1	les has l	7.11	100		S LOS	E I
3500	Will I I		- Manua (1111)	Red come.	. A M 1		Acc.						2.0	1126	1			<u></u>	180 - 10		- " " "	DATI		TIME
RELINQUISHED B SIGNATURE/ORG		2	Mar	Samp	oler (1237)	2/1	40	1	SIGNA	QUISHEI TURE/O	RGANI	ZATION							4 75	14	right. T	DATE	r Hin	TIME
RECEIVED BY: SIGNATURE/ORG	ANIZATION /	PC	Dan de Lei grout	3. 15 HO	6/23/	211	TIME	-9 -		VED BY: TURE/O		ZATION			01		ANTONIO DE LA CONTRACTOR DE LA CONTRACTO			Zonia Garago		DATE	_ 15:	TIME
RELINQUISHED B SIGNATURE/ORG		12	L-1	:5 Fra16	6/24/21	1 /	TIME		SEAL	NO.	PL.	<u> </u>	SEAL IN		NO 🗆	INITIA	LS	e ,I	NOTE	S:	TEMP. C	ON ARRIVAL .		
RECEIVED BY: SIGNATURE/ORG	ANIZATION	THI		0	0124112	E	357		SEAL				SEAL IN	1 [NO 🗆	INITIA				1				_
=		()	PLEASE NOTE	: SIGNING AC	CKNOWLEDGES	ADHE	REN	CE TO	ME	RIT'S S	AMP	LE ACC	CEPTA	NCE F	POLIC	CY ON	REVE	RSE	SIDE					Rev. 5.18.12