

Report ID: S23227.01(01) Generated on 04/22/2021

Report to

Attention: Jacqueline Clayton City of Lansing WWTP 1625 Sunset Avenue Lansing, MI 48917

Phone: 517-483-4409 FAX:

Email: JackieSmith.Clayton@lansingmi.gov

Addtional Contacts: John Lemke

Report Summary

Lab Sample ID(s): S23227.01-S23227.02

Project: Monitoring

Collected Date(s): 04/15/2021

Submitted Date/Time: 04/15/2021 13:40

Sampled by: Tim Glees

P.O. #:

Table of Contents

Cover Page (Page 1)

General Report Notes (Page 2)

Report Narrative (Page 2)

Laboratory Certifications (Page 3)

Qualifier Descriptions (Page 3)

Glossary of Abbreviations (Page 3)

Naya Mushah

Method Summary (Page 4)

Sample Summary (Page 5)

Report produced by

Merit Laboratories, Inc. 2680 East Lansing Drive East Lansing, MI 48823

Phone: (517) 332-0167 FAX: (517) 332-6333

Contacts for report questions:

John Laverty (johnlaverty@meritlabs.com)
Barbara Ball (bball@meritlabs.com)

Maya Murshak Technical Director



General Report Notes

Analytical results relate only to the samples tested, in the condition received by the laboratory.

Methods may be modified for improved performance.

Results reported on a dry weight basis where applicable.

'Not detected' indicates that parameter was not found at a level equal to or greater than the reporting limit (RL).

40 CFR Part 136 Table II Required Containers, Preservation Techniques and Holding Times for the Clean Water Act specify that samples

for acrolein and acrylonitrile need to be preserved at a pH in the range of 4 to 5 or if not preserved, analyzed within 3 days of sampling.

QA/QC corresponding to this analytical report is a separate document with the same Merit ID reference and is available upon request.

Full accreditation certificates are available upon request. Starred (*) analytes are not NELAP accredited.

Samples are held by the lab for 30 days from the final report date unless a written request to hold longer is provided by the client.

Report shall not be reproduced except in full, without the written approval of Merit Laboratories, Inc.

Limits for drinking water samples, are listed as the MCL Limits (Maximum Contaminant Level Concentrations)

PFAS requirement: Section 9.3.8 of U.S. EPA Method 537.1 states "If the method analyte(s) found in the Field Sample is present in the

FRB at a concentration greater than 1/3 the MRL, then all samples collected with that FRB are invalid and must be recollected and reanalyzed."

Samples submitted without an accompanying FRB may not be acceptable for compliance purposes.

Report Narrative

There is no additional narrative for this analytical report

Report to City of Lansing WWTP
Project: Monitoring

Page 2 of 8



Laboratory Certifications

Authority	Certification ID
Michigan DEQ	#9956
DOD ELAP/ISO 17025	#69699
WBENC	#2005110032
Ohio VAP	#CL0002
Indiana DOH	#C-MI-07
New York NELAC	#11814
North Carolina DENR	#680
North Carolina DOH	#26702
Alaska CSLAP	#17-001
Pennsylvania DEP	#68-05884

Qualifier Descriptions

Qualifier	Description
!	Result is outside of stated limit criteria
В	Compound also found in associated method blank
E	Concentration exceeds calibration range
F	Analysis run outside of holding time
G	Estimated result due to extraction run outside of holding time
Н	Sample submitted and run outside of holding time
1	Matrix interference with internal standard
J	Estimated value less than reporting limit, but greater than MDL
L	Elevated reporting limit due to low sample amount
M	Result reported to MDL not RDL
0	Analysis performed by outside laboratory. See attached report.
R	Preliminary result
S	Surrogate recovery outside of control limits
Т	No correction for total solids
X	Elevated reporting limit due to matrix interference
Υ	Elevated reporting limit due to high target concentration
b	Value detected less than reporting limit, but greater than MDL
е	Reported value estimated due to interference
j	Analyte also found in associated method blank
р	Benzo(b)Fluoranthene and Benzo(k)Fluoranthene integrated as one peak.
x	Preserved from bulk sample

Glossary of Abbreviations

Abbreviation	Description
RL/RDL	Reporting Limit
MDL	Method Detection Limit
MS	Matrix Spike
MSD	Matrix Spike Duplicate
SW	EPA SW 846 (Soil and Wastewater) Methods
E	EPA Methods
SM	Standard Methods
LN	Linear
BR	Branched



Method Summary

MethodVersionASTM D7968-17MASTM Method D7968 - 17 Modified (Isotopic Dilution)ASTMD7979-19MASTM Method D7979 - 19 Modified (Isotopic Dilution)SM2540BStandard Method 2540 B 2011

Parameter Summary

Parameter	Synonym	Cas #
PFBA	Perfluorobutanoic Acid	375-22-4
PFPeA	Perfluoropentanoic Acid	2706-90-3
4:2 FTSA	4:2 Fluorotelomer Sulfonic Acid	757124-72-4
PFHxA	Perfluorohexanoic Acid	307-24-4
PFBS	Perfluorobutane sulfonic Acid	375-73-5
PFHpA	Perfluoroheptanoic Acid	375-85-9
PFPeS	Perfluoropentane Sulfonic Acid	2706-91-4
6:2 FTSA	6:2 Fluorotelomer Sulfonic Acid	27619-97-2
PFOA	Perfluorooctanoic Acid	335-67-1
PFHxS	Perfluorohexane Sulfonic Acid	355-46-4
PFHxS-LN	Perfluorohexane Sulfonic Acid - LN	355-46-4-LN
PFHxS-BR	Perfluorohexane Sulfonic Acid - BR	355-46-4-BR
PFNA	Perfluorononanoic Acid	375-95-1
8:2 FTSA	8:2 Fluorotelomer Sulfonic Acid	39108-34-4
PFHpS	Perfluoroheptane Sulfonic Acid	375-92-8
PFDA	Perfluorodecanoic Acid	335-76-2
N-MeFOSAA	N-methyl perfluorooctanesulfonamidoacetic acid	2355-31-9
EtFOSAA	N-Ethyl Perfluorooctane Sulfonamidoacetic Acid	2991-50-6
PFOS	Perfluorooctane Sulfonic Acid	1763-23-1
PFOS-LN	Perfluorooctane Sulfonic Acid - LN	1763-23-1-LN
PFOS-BR	Perfluorooctane Sulfonic Acid - BR	1763-23-1-BR
PFUnDA	Perfluoroundecanoic Acid	2058-94-8
PFNS	Perfluorononane Sulfonic Acid	68259-12-1
PFDoDA	Perfluorododecanoic Acid	307-55-1
PFDS	Perfluorodecane Sulfonic Acid	335-77-3
PFTrDA	Perfluorotridecanoic Acid	72629-94-8
FOSA	Perfluorooctane Sulfonamide	754-91-6
PFTeDA	Perfluorotetradecanoic Acid	376-06-7
11CI-PF3OUdS	11-chloroeicosafluoro-3-oxaundecane-1-sulfonic acid	763051-92-9
9CI-PF3ONS	9-chlorohexadecafluoro-3-oxanone1-sulfonic acid	756426-58-1
ADONA	4,8-dioxa-3H-perfluorononanoic acid	919005-14-4
HFPO-DA	Hexafluoropropylene oxide dimer	13252-13-6



Sample Summary (2 samples)

Sample ID	Sample Tag	Matrix	Collected Date/Time
S23227.01	Biosolids West B	Solid	04/15/21 09:15
S23227.02	Field Blank	Water	04/15/21 09:30

Page 5 of 8

Report to City of Lansing WWTP Project: Monitoring



Lab Sample ID: S23227.01

Sample Tag: Biosolids West B

Collected Date/Time: 04/15/2021 09:15

Matrix: Solid

COC Reference: 141847

Sample Containers

#	Туре	Preservative(s)	Refrigerated?	Arrival Temp. (C)	Thermometer #
1	15ml Centrifuge Tube	None	Yes	4.6	IR
1	250ml Plastic	None	Yes	4.6	IR

Extraction / Prep.

Parameter	Result	Method	Run Date	Analyst	Flags
Initial wt. (g) / Final wt. (g) / Volume (ml)*	10.88/6.81/10	ASTM D7968-17M	04/16/21 13:30	KCV	
Initial wt. (g) / Final wt. (g) / Volume (ml) (F	Re 6 *62/7.11/12	ASTM D7968-17M	04/20/21 15:30	KCV	

Inorganics

Method: SM2540B, Run Date: 04/15/21 20:10, Analyst: ELR

Parameter	Result	RL	MDL	Units	Dilution	CAS#	Flags
Total Solids*	9.3	1		%	1		

Organics

28 PFAs, Method: ASTM D7968-17M, Run Date: 04/21/21 14:18, Analyst: KCV

Parameter	Result	RL	MDL	Units	Dilution	CAS#	Flags
PFBA*	Not detected	1,700		ng/kg	85.5	375-22-4	1
PFPeA*	Not detected	860		ng/kg	85.5	2706-90-3	1
4:2 FTSA*	Not detected	860		ng/kg	85.5	757124-72-4	1
PFHxA*	1,500	860		ng/kg	85.5	307-24-4	
PFBS*	Not detected	860		ng/kg	85.5	375-73-5	
PFHpA*	Not detected	860		ng/kg	85.5	375-85-9	
PFPeS*	Not detected	860		ng/kg	85.5	2706-91-4	
6:2 FTSA*	Not detected	860		ng/kg	85.5	27619-97-2	1
PFOA*	Not detected	860		ng/kg	85.5	335-67-1	
PFHxS*	Not detected	860		ng/kg	85.5	355-46-4	
PFHxS-LN*	Not detected	860		ng/kg	85.5	355-46-4-LN	
PFHxS-BR*	Not detected	860		ng/kg	85.5	355-46-4-BR	
PFNA*	Not detected	860		ng/kg	85.5	375-95-1	1
8:2 FTSA*	Not detected	860		ng/kg	85.5	39108-34-4	1
PFHpS*	Not detected	860		ng/kg	85.5	375-92-8	
PFDA*	1,300	860		ng/kg	85.5	335-76-2	1
N-MeFOSAA*	5,900	860		ng/kg	85.5	2355-31-9	1
EtFOSAA*	3,000	860		ng/kg	85.5	2991-50-6	
PFOS*	3,300	860		ng/kg	85.5	1763-23-1	
PFOS-LN*	2,800	860		ng/kg	85.5	1763-23-1-LN	
PFOS-BR*	Not detected	860		ng/kg	85.5	1763-23-1-BR	
PFUnDA*	Not detected	860		ng/kg	85.5	2058-94-8	1
PFNS*	Not detected	860		ng/kg	85.5	68259-12-1	
PFDoDA*	1,600	860		ng/kg	85.5	307-55-1	1
PFDS*	Not detected	860		ng/kg	85.5	335-77-3	
PFTrDA*	Not detected	860		ng/kg	85.5	72629-94-8	1
FOSA*	Not detected	860		ng/kg	85.5	754-91-6	
PFTeDA*	Not detected	860		ng/kg	85.5	376-06-7	1
11CI-PF3OUdS*	Not detected	860		ng/kg	85.5	763051-92-9	

I-Matrix interference with internal standard



Lab Sample ID: S23227.01 (continued)

Sample Tag: Biosolids West B

28 PFAs, Method: ASTM D7968-17M, Run Date: 04/21/21 14:18, Analyst: KCV (continued)

		- ,					
Parameter	Result	RL	MDL	Units	Dilution	CAS#	Flags
9CI-PF3ONS*	Not detected	860		ng/kg	85.5	756426-58-1	
ADONA*	Not detected	860		ng/kg	85.5	919005-14-4	
HFPO-DA*	Not detected	860		na/ka	85.5	13252-13-6	

Page 7 of 8



Lab Sample ID: S23227.02

Sample Tag: Field Blank

Collected Date/Time: 04/15/2021 09:30

Matrix: Water

COC Reference: 141847

Sample Containers

Type Preservative(s) Refrigerated? Arrival Temp. (C) Thermometer # 1 15ml Centrifuge Tube None Yes 4.6 IR

Extraction / Prep.

Parameter	Result	Method	Run Date	Analyst	Flags	
Initial wt. (g) / Final wt. (g) / Volume (ml)*	11.97/6.91/10	ASTMD7979-19M	04/16/21 18:00	KCV	•	

Organics

28 PFAs, Method: ASTMD7979-19M, Run Date: 04/17/21 04:09, Analyst: KCV

Parameter	Result	RL	MDL	Units	Dilution	CAS#	Flags
PFBA*	Not detected	9.9		ng/L	1.98	375-22-4	_
PFPeA*	Not detected	4.0		ng/L	1.98	2706-90-3	
4:2 FTSA*	Not detected	2.0		ng/L	1.98	757124-72-4	
PFHxA*	Not detected	2.0		ng/L	1.98	307-24-4	
PFBS*	Not detected	2.0		ng/L	1.98	375-73-5	
PFHpA*	Not detected	2.0		ng/L	1.98	375-85-9	
PFPeS*	Not detected	2.0		ng/L	1.98	2706-91-4	
6:2 FTSA*	Not detected	2.0		ng/L	1.98	27619-97-2	
PFOA*	Not detected	2.0		ng/L	1.98	335-67-1	
PFHxS*	Not detected	2.0		ng/L	1.98	355-46-4	
PFHxS-LN*	Not detected	2.0		ng/L	1.98	355-46-4-LN	
PFHxS-BR*	Not detected	2.0		ng/L	1.98	355-46-4-BR	
PFNA*	Not detected	2.0		ng/L	1.98	375-95-1	
8:2 FTSA*	Not detected	2.0		ng/L	1.98	39108-34-4	
PFHpS*	Not detected	2.0		ng/L	1.98	375-92-8	
PFDA*	Not detected	2.0		ng/L	1.98	335-76-2	
N-MeFOSAA*	Not detected	2.0		ng/L	1.98	2355-31-9	
EtFOSAA*	Not detected	4.0		ng/L	1.98	2991-50-6	
PFOS*	Not detected	2.0		ng/L	1.98	1763-23-1	
PFOS-LN*	Not detected	2.0		ng/L	1.98	1763-23-1-LN	
PFOS-BR*	Not detected	2.0		ng/L	1.98	1763-23-1-BR	
PFUnDA*	Not detected	2.0		ng/L	1.98	2058-94-8	
PFNS*	Not detected	2.0		ng/L	1.98	68259-12-1	
PFDoDA*	Not detected	2.0		ng/L	1.98	307-55-1	
PFDS*	Not detected	2.0		ng/L	1.98	335-77-3	
PFTrDA*	Not detected	2.0		ng/L	1.98	72629-94-8	
FOSA*	Not detected	2.0		ng/L	1.98	754-91-6	
PFTeDA*	Not detected	4.0		ng/L	1.98	376-06-7	
11CI-PF3OUdS*	Not detected	2.0		ng/L	1.98	763051-92-9	
9CI-PF3ONS*	Not detected	2.0		ng/L	1.98	756426-58-1	
ADONA*	Not detected	2.0		ng/L	1.98	919005-14-4	
HFPO-DA*	Not detected	2.0		ng/L	1.98	13252-13-6	

Merit Laboratories Login Checklist

Lab Set ID:S23227

Client: LANSING (City of Lansing WWTP)

Project: Monitoring

Submitted: 04/15/2021 13:40 Login User: MMC

Attention: Jacqueline Clayton Address: City of Lansing WWTP 1625 Sunset Avenue Lansing, MI 48917

Phone: 517-483-4409 FAX: Email: JackieSmith.Clayton@lansingmi.gov

Selec	ction			Description	Note
Sam	ole Receiv	/ing			
01.	X Yes	No	☐ N/A	Samples are received at 4C +/- 2C Thermometer #	IR 4.6
02.	X Yes	No	N/A	Received on ice/ cooling process begun	
03.	Yes	X No	N/A	Samples shipped	
04.	Yes	X No	N/A	Samples left in 24 hr. drop box	
05.	Yes	No	X N/A	Are there custody seals/tape or is the drop box locked	
Chai	n of Custo	ody			
06.	X Yes	☐ No	□ N/A	COC adequately filled out	
07.	X Yes	No	N/A	COC signed and relinquished to the lab	
08.	X Yes	No	N/A	Sample tag on bottles match COC	
09.	Yes	X No	N/A	Subcontracting needed? Subcontacted to:	
Pres	ervation				
10.	X Yes	No	N/A	Do sample have correct chemical preservation	
11.	Yes	No	X N/A	Completed pH checks on preserved samples? (no VOAs)	
12.	Yes	X No	N/A	Did any samples need to be preserved in the lab?	
Bottl	e Conditi	ons			
13.	X Yes	☐ No	□ N/A	All bottles intact	
14.	X Yes	☐ No	N/A	Appropriate analytical bottles are used	
15.	X Yes	No	N/A	Merit bottles used	
16.	X Yes	No	□ N/A	Sufficient sample volume received	
17.	Yes	X No	□ N/A	Samples require laboratory filtration	
18.	X Yes	No	□ N/A	Samples submitted within holding time	
19.	Yes	No	X N/A	Do water VOC or TOX bottles contain headspace	

Corrective action for	all exceptions is to ca	all the client and to	notify the project m	anager.
Client Review By:			Date:	

Merit
Laboratories, Inc.

2680 East Lansing Dr., East Lansing, MI 48823
Phone (517) 332-0167
www.meritlabs.com

CHAIN OF CUSTODY RECO

c.o.c. page # _____ of ____ 141847

Rev. 5.18.12

REPORT TO	CHAIN	OF CU	STODY RECOR	D				INVO	CE TO
ONTACT NAME John Lanke	CONTACT NAME	CONTACT NAME					□SAME		
OMPANY (1208 LANS)	I WWTH)	COMPANY	7	J. J. Jayl T.	1 12			
DDRESS SUSCE	ADDRESS						7.0		
TY - (5/05	CITY ST SELL OF STATE					STATE ZIP CODE	H. Te r		
HONE NO. FAX NO.		PHONE NO. E-MAIL ADDRESS				ner dans en la fina de			
-MAIL ADDRESS	QUOTE NO.			ANALYSI	S (ATTACH L	IST IF MOR	E SPACE	IS REQUIRED)	
ROJECT NO./NAME	111/ L Cles 1	RINT/SIGN NAM	P PAD TA					Certifications	rinking Wate
URNAROUND TIME REQUIRED □1 DAY □2 DAYS □: ELIVERABLES REQUIRED □STD □LEVEL II □LEVEL	III □ LEVEL IV □ EDE	1	5 V (A)			557.	ut e	□ DoD □ NI Project Locations	PDES
CODE: SL=SLUDGE DW=DRINKING WATER O=OIL		D=SOLID W=WASTE	# Containers & Preservatives			erilios v erilios v	. 6	□ Detroit □ N	ew York
MERIT LAB NO. FOR LAB USE ONLY DATE TIME IDENTIFICATION	LE TAG, -DESCRIPTION	MATRIX # OF BOTTLES	HCI HNO ₃ H ₂ SO ₄ NaOH MeOH OTHER	0				☐ Other Special Instruction	ns
3227.014-15 915 BioSolids	West B	SD 3	X	X	28-1.3	Roquile		ey a bushing 1116	n(m/C)
.024-15930 Field Bland		LI		X	10 d d 0		16 Bs	2,00	1100
	nye inye i a a a a a a	di alim	ostanov kralt	ries upp Lis	9 18	A = -1 X	off F	La Jan Sey Baller	
				ART.	Shapeton I :	port .	1	COAY	TAT
Francisco de la constitución de	e afine en e	11 1 68 13 1 15	a (0.18) (31.01 a a a a a a a a a a a a a a a a a a a	CHASILIAN CHASILIA	La La de la			3-211	VII
		5/ 1 8 7 3 4	3/8	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1400	10	gu ssu	thought and	1007
Arran 28a (II	849011 1 1	1 0	(6)株 ローイ	14 8 1 1	e o ztor n		HEAT LESS	rich England	
		Tan (225)	051.5	67 2 17 2	B. C.		THE STATE	10 13 K	
	100								100
A Constant of the control of the con	A ph.850l have	172 559 .81	约 4 日 日 6 日	B 15. 16	d9 30 MH	1 20 -		17.203.01	1,122,00
RELINQUISHED BY: SIGNATURE/ORGANIZATION RECEIVED BY:	Sámpler V DAT	TIME 1	RELINQUISHED BY: SIGNATURE/ORGANIZA RECEIVED BY:	TION				DATE	23808 A.
SIGNATURE/ORGANIZATION // (Lill)	4/15 DAT	21 1340	SIGNATURE/ORGANIZA	WITH STREET STREET	coyunt or	7d 169	NOTES	is on easier this.	rich.
RELINQUISHED BY: SIGNATURE/ORGANIZATION RECEIVED BY:	SEAL NO. SEAL INTACT INITIALS NOTES YES NO INITIALS SEAL NO. SEAL INTACT INITIALS				NOTES:	TEMP, ON ARRIVAL 4.6			