

Report ID: S32302.01(01) Generated on 02/09/2022

Report to

Attention: Don Popma Biotech Agronomics, Inc. 1651 Beulah Highway Beulah, MI 49617

Phone: 616-835-0100 FAX: Email: dpopma@biotechag.com Report produced by

Merit Laboratories, Inc. 2680 East Lansing Drive East Lansing, MI 48823

Phone: (517) 332-0167 FAX: (517) 332-6333

Contacts for report questions: John Laverty (johnlaverty@meritlabs.com) Barbara Ball (bball@meritlabs.com)

Report Summary

Lab Sample ID(s): S32302.01 Project: Eaton Rapids WWTP Collected Date(s): 01/25/2022

Submitted Date/Time: 01/25/2022 13:46

Sampled by: Don Popma

P.O. #:

#### **Table of Contents**

Cover Page (Page 1)

General Report Notes (Page 2)

Report Narrative (Page 2)

Laboratory Certifications (Page 3)

Qualifier Descriptions (Page 3)

Glossary of Abbreviations (Page 3)

Method Summary (Page 4)

Sample Summary (Page 5)

Maya Murshak Technical Director

Naya Mushah



#### **General Report Notes**

Analytical results relate only to the samples tested, in the condition received by the laboratory.

Methods may be modified for improved performance.

Results reported on a dry weight basis where applicable.

'Not detected' indicates that parameter was not found at a level equal to or greater than the reporting limit (RL).

When MDL results are provided, then 'Not detected' indicates that parameter was not found at a level equal to or greater than the MDL.

40 CFR Part 136 Table II Required Containers, Preservation Techniques and Holding Times for the Clean Water Act specify that samples

for acrolein and acrylonitrile need to be preserved at a pH in the range of 4 to 5 or if not preserved, analyzed within 3 days of sampling.

QA/QC corresponding to this analytical report is a separate document with the same Merit ID reference and is available upon request.

Full accreditation certificates are available upon request. Starred (\*) analytes are not NELAP accredited.

Samples are held by the lab for 30 days from the final report date unless a written request to hold longer is provided by the client.

Report shall not be reproduced except in full, without the written approval of Merit Laboratories, Inc.

Limits for drinking water samples, are listed as the MCL Limits (Maximum Contaminant Level Concentrations)

PFAS requirement: Section 9.3.8 of U.S. EPA Method 537.1 states "If the method analyte(s) found in the Field Sample is present in the

FRB at a concentration greater than 1/3 the MRL, then all samples collected with that FRB are invalid and must be recollected and reanalyzed."

Samples submitted without an accompanying FRB may not be acceptable for compliance purposes.

Wisconsin PFAs analysis: MDL = LOD; RL = LOQ. LOD and LOQ are adjusted for dilution.

#### **Report Narrative**

There is no additional narrative for this analytical report



## **Laboratory Certifications**

Authority	Certification ID
Michigan DEQ	#9956
DOD ELAP/ISO 17025	#69699
WBENC	#2005110032
Ohio VAP	#CL0002
Indiana DOH	#C-MI-07
New York NELAC	#11814
North Carolina DENR	#680
North Carolina DOH	#26702
Alaska CSLAP	#17-001
Pennsylvania DEP	#68-05884
Wisconsin DNR	FID# 399147320

### **Qualifier Descriptions**

Qualifier	Description
!	Result is outside of stated limit criteria
В	Compound also found in associated method blank
E	Concentration exceeds calibration range
F	Analysis run outside of holding time
G	Estimated result due to extraction run outside of holding time
Н	Sample submitted and run outside of holding time
1	Matrix interference with internal standard
J	Estimated value less than reporting limit, but greater than MDL
L	Elevated reporting limit due to low sample amount
M	Result reported to MDL not RDL
0	Analysis performed by outside laboratory. See attached report.
R	Preliminary result
S	Surrogate recovery outside of control limits
Т	No correction for total solids
X	Elevated reporting limit due to matrix interference
Y	Elevated reporting limit due to high target concentration
b	Value detected less than reporting limit, but greater than MDL
е	Reported value estimated due to interference
j	Analyte also found in associated method blank
р	Benzo(b)Fluoranthene and Benzo(k)Fluoranthene integrated as one peak.
х	Preserved from bulk sample

### **Glossary of Abbreviations**

Abbreviation	Description
RL/RDL	Reporting Limit
MDL	Method Detection Limit
MS	Matrix Spike
MSD	Matrix Spike Duplicate
SW	EPA SW 846 (Soil and Wastewater) Methods
E	EPA Methods
SM	Standard Methods
LN	Linear
BR	Branched



## **Method Summary**

Method Version

ASTM D7968-17M ASTM Method D7968 - 17 Modified (Isotopic Dilution)

SM2540B Standard Method 2540 B 2011

### **Parameter Summary**

Parameter	Synonym	Cas#
PFBA	Perfluorobutanoic Acid	375-22-4
PFPeA	Perfluoropentanoic Acid	2706-90-3
4:2 FTSA	4:2 Fluorotelomer Sulfonic Acid	757124-72-4
PFHxA	Perfluorohexanoic Acid	307-24-4
PFBS	Perfluorobutane sulfonic Acid	375-73-5
PFHpA	Perfluoroheptanoic Acid	375-85-9
PFPeS	Perfluoropentane Sulfonic Acid	2706-91-4
6:2 FTSA	6:2 Fluorotelomer Sulfonic Acid	27619-97-2
PFOA	Perfluorooctanoic Acid	335-67-1
PFHxS	Perfluorohexane Sulfonic Acid	355-46-4
PFHxS-LN	Perfluorohexane Sulfonic Acid - LN	355-46-4-LN
PFHxS-BR	Perfluorohexane Sulfonic Acid - BR	355-46-4-BR
PFNA	Perfluorononanoic Acid	375-95-1
8:2 FTSA	8:2 Fluorotelomer Sulfonic Acid	39108-34-4
PFHpS	Perfluoroheptane Sulfonic Acid	375-92-8
PFDA	Perfluorodecanoic Acid	335-76-2
N-MeFOSAA	N-methyl perfluorooctanesulfonamidoacetic acid	2355-31-9
EtFOSAA	N-Ethyl Perfluorooctane Sulfonamidoacetic Acid	2991-50-6
PFOS	Perfluorooctane Sulfonic Acid	1763-23-1
PFOS-LN	Perfluorooctane Sulfonic Acid - LN	1763-23-1-LN
PFOS-BR	Perfluorooctane Sulfonic Acid - BR	1763-23-1-BR
PFUnDA	Perfluoroundecanoic Acid	2058-94-8
PFNS	Perfluorononane Sulfonic Acid	68259-12-1
PFDoDA	Perfluorododecanoic Acid	307-55-1
PFDS	Perfluorodecane Sulfonic Acid	335-77-3
PFTrDA	Perfluorotridecanoic Acid	72629-94-8
FOSA	Perfluorooctane Sulfonamide	754-91-6
PFTeDA	Perfluorotetradecanoic Acid	376-06-7
11CI-PF3OUdS	11-chloroeicosafluoro-3-oxaundecane-1-sulfonic acid	763051-92-9
9CI-PF3ONS	9-chlorohexadecafluoro-3-oxanone1-sulfonic acid	756426-58-1
ADONA	4,8-dioxa-3H-perfluorononanoic acid	919005-14-4
HFPO-DA	Hexafluoropropylene oxide dimer	13252-13-6



Sample Summary (1 samples)

Sample ID Sample Tag Matrix Collected Date/Time

S32302.01 Biosolids Sludge 01/25/22 11:30

Page 5 of 7



Lab Sample ID: S32302.01

Sample Tag: Biosolids

Collected Date/Time: 01/25/2022 11:30

Matrix: Sludge

COC Reference: 146031

#### Sample Containers

#	Туре	Preservative(s)	Refrigerated?	Arrival Temp. (C)	Thermometer #
1	15ml Centrifuge Tube	None	Yes	5.7	IR
1	250ml Plastic	None	Yes	5.7	IR

### Extraction / Prep.

Parameter	Result	Method	Run Date	Analyst	Flags
Initial wt. (g) / Final wt. (g) / Volume (ml)*	14.22/7.00/10	ASTM D7968-17M	01/28/22 11:45	KCV	

#### Inorganics

Method: SM2540B, Run Date: 01/26/22 17:00, Analyst: MAM

Parameter	Result	RL	MDL	Units	Dilution	CAS#	Flags
Total Solids*	3.0	1		%	1		

Dilution

#### Organics

28 PFAs, Method: ASTM D7968-17M, Run Date: 01/31/22 21:35, Analyst: KCV

Parameter	Result	RL	MDL	Units	Dilution	CAS#	Flags
PFBA*	Not detected	0.92		ug/kg	46.2	375-22-4	I
PFPeA*	1.7	0.46		ug/kg	46.2	2706-90-3	1
4:2 FTSA*	Not detected	0.46		ug/kg	46.2	757124-72-4	
PFHxA*	3.9	0.46		ug/kg	46.2	307-24-4	1
PFBS*	1.7	0.46		ug/kg	46.2	375-73-5	
PFHpA*	Not detected	0.46		ug/kg	46.2	375-85-9	1
PFPeS*	Not detected	0.46		ug/kg	46.2	2706-91-4	
6:2 FTSA*	Not detected	0.46		ug/kg	46.2	27619-97-2	
PFOA*	3.2	0.46		ug/kg	46.2	335-67-1	
PFHxS*	Not detected	0.46		ug/kg	46.2	355-46-4	
PFHxS-LN*	Not detected	0.46		ug/kg	46.2	355-46-4-LN	
PFHxS-BR*	Not detected	0.46		ug/kg	46.2	355-46-4-BR	
PFNA*	0.5	0.46		ug/kg	46.2	375-95-1	
8:2 FTSA*	Not detected	0.46		ug/kg	46.2	39108-34-4	
PFHpS*	Not detected	0.46		ug/kg	46.2	375-92-8	
PFDA*	3.2	0.46		ug/kg	46.2	335-76-2	1
N-MeFOSAA*	6.7	0.46		ug/kg	46.2	2355-31-9	1
EtFOSAA*	3.4	0.46		ug/kg	46.2	2991-50-6	
PFOS*	8.1	0.46		ug/kg	46.2	1763-23-1	
PFOS-LN*	6.5	0.46		ug/kg	46.2	1763-23-1-LN	
PFOS-BR*	1.6	0.46		ug/kg	46.2	1763-23-1-BR	
PFUnDA*	0.57	0.46		ug/kg	46.2	2058-94-8	1
PFNS*	Not detected	0.46		ug/kg	46.2	68259-12-1	
PFDoDA*	1.3	0.46		ug/kg	46.2	307-55-1	I1
PFDS*	Not detected	0.46		ug/kg	46.2	335-77-3	
PFTrDA*	Not detected	0.46		ug/kg	46.2	72629-94-8	I1
FOSA*	2	0.46		ug/kg	46.2	754-91-6	
PFTeDA*	Not detected	0.46		ug/kg	46.2	376-06-7	<b>I</b> 1
11CI-PF3OUdS*	Not detected	0.46		ug/kg	46.2	763051-92-9	

I-Matrix interference with internal standard

1-IS recovery <10%



## Lab Sample ID: S32302.01 (continued)

Sample Tag: Biosolids

28 PFAs, Method: ASTM D7968-17M, Run Date: 01/31/22 21:35, Analyst: KCV (continued)

		,					
Parameter	Result	RL	MDL	Units	Dilution	CAS#	Flags
9CI-PF3ONS*	Not detected	0.46		ug/kg	46.2	756426-58-1	
ADONA*	Not detected	0.46		ug/kg	46.2	919005-14-4	
HFPO-DA*	Not detected	0.46		ua/ka	46.2	13252-13-6	

## **Merit Laboratories Login Checklist**

Lab Set ID:S32302

Client:BIOTECHAGRO (Biotech Agronomics, Inc.)

Project: Eaton Rapids WWTP

Submitted: 01/25/2022 13:46 Login User: JRM

Attention: Don Popma

Address: Biotech Agronomics, Inc. 1651 Beulah Highway Beulah, MI 49617

Phone: 616-835-0100 FAX: Email: dpopma@biotechag.com

Selection	Description	Note
Sample Receiving		
01. X Yes No N/A	Samples are received at 4C +/- 2C Thermometer #	IR 5.7
02. X Yes No N/A	Received on ice/ cooling process begun	
03. Yes X No N/A	Samples shipped	
04. Yes X No N/A	Samples left in 24 hr. drop box	
05. Yes No X N/A	Are there custody seals/tape or is the drop box locked	
Chain of Custody		
06. X Yes No N/A	COC adequately filled out	
07. X Yes No N/A	COC signed and relinquished to the lab	
08. X Yes No N/A	Sample tag on bottles match COC	
09. Yes X No N/A	Subcontracting needed? Subcontacted to:	
Preservation		
10. X Yes No N/A	Do sample have correct chemical preservation	
11. Yes No X N/A	Completed pH checks on preserved samples? (no VOAs)	
12. Yes X No N/A	Did any samples need to be preserved in the lab?	
<b>Bottle Conditions</b>		
13. X Yes No N/A	All bottles intact	
14. X Yes No N/A	Appropriate analytical bottles are used	
15. X Yes No N/A	Merit bottles used	
16. X Yes No N/A	Sufficient sample volume received	
17. Yes X No N/A	Samples require laboratory filtration	
18. X Yes No N/A	Samples submitted within holding time	
19. Yes No X N/A	Do water VOC or TOX bottles contain headspace	

Corrective action for all exceptions is to call the client and to	o notify the project manager.
Client Review By:	Date:

Merit 2680 East Lansing Dr., East Lansing, MI 48823
Phone (517) 332-0167 Fax (517) 332-4034
www.meritlabs.com

o.c.	PAGE	#	 OF	 1	4	C	$\cap$	2	1	
				1	4	$\mathbf{n}$	U	. 7	- 1	

REPORT TO CHAIN OF CU									/ RE	INVOICE TO												
CONTACT NAME Don Popma  COMPANY Biotech Agronomics  ADDRESS 1651 Beulah Hwy  CITY Benlah FAXNO.  PONO.  PONO.									T NAM	□SAME												
COMPANY Biotech Agranomics									COMPANY													
ADDRESS 1651 Beulah HWY										ADDRESS ADDRESS												
CITY Benlah STATE ZIPCOPEGIT									CITY // Add of the state of the										STATE ZIP CODE			
PHONE NO. 6 16 8 35-6 100 FAX NO. P.O. NO.						$\rightarrow$ $\vdash$	PHONE NO. E-MAIL ADDRESS															
E-MAIVADDRESS bisterhag.com QUOTENO.									ANALYSIS (ATTACH LIST IF MORE SPACE IS REQUIRED)													
PROJECT NO./NAME EATON Rapids WWTP SAMPLER(S) - PLEASE PRINT/SIGN NAME								Pma							uQk	•	- Ave		J	Certifications		
TURNAROUND TIME REQUIRED □1 DAY □2 DAYS □3 DAYS 🗘 TANDARD □ OTHER □															74.7	☐ OHIO VAP ☐ Drinking Water						
DELIVERABLES	REQUIR	ED KST	D DLEVELII DLEVELIII	LEVEL IV DEDD		THEF	R				179						16	- 5	4.5	□ DoD □ NPDES		
MATRIX GW=GROUNDWATER WW=WASTEWATER S=SOIL L=LIQUID SD=SOLID CODE: SL=SLUDGE DW=DRINKING WATER O=OIL WP=WIPE A=AIR W=WASTE								# Containers & Preservatives						n ANG			. 1	· I		Project Locations  □ Detroit □ New York		
MERIT LAB NO.	YEAR 22		SAMPLE TAG IDENTIFICATION-DESCRIPTION			# OF BOTTLES	NONE	HOO3	H <sub>2</sub> SO <sub>4</sub>	MeOH	6-1									Other		
FOR LAB USE ONLY	DATE	TIME			b5		ž V	- I	I Z	Σō	X		_	-						Special Instructions		
32302.01	1/25	11:30	Biosolids		0>	7	-				1		- 20	EX LOC	4.0	isty.	1000	1		C. POLSE, BENESTA		
6999	d tel	nath side	project i's pictor	and the state of		(1)23	Н						F P		-98	1 9	31.2		1 kg, g	State of the form		
					+	-	$\vdash$					-	+	-				_				
700000	of ve	10 2 7	201 1 h 1 y 21 1 1 1 1 1 1	grof P. Agera (L.A.	J-88 .	L Y I	H	100		m	2		11 11	13	- 73		31	-61	10.7	at the self-self-self-self-self-self-self-self-		
					+		Н					-	-						_			
sldiege		- April 1919	ers been out both to	GARAGEMENT C.	1/10	5.0		3):	22.7	16		-		119		17		- 0	3	No. 10 Company		
5,48,7,485.1 Apr. 15.55	T - 12 1 - 1	TOTAL POST	1057 - 14 - 30 (12.30 A)	till as all the s	A 100	Milas		10/		-		-	-				200					
200	1 1	hu 13c.	war training franchis art		+	-		- 1	b., .		1,000			1111		ri.		_		i suri un bei mige		
Smettin	1311.00	alassa a	140 = 1 ques = 1-a	<u>alisia — Arostus</u>		17 81	ga	83		4.	1 . 21	1 81	-	1	1.7	- t	1.75		100	or to be a constant to the second		
	//10 y	0.7 E 1.7 M	možino riektoveni i a bari		(I) a	25 <sub>0</sub>	Н				g ,it	R. In	18110 2		7	-4-	1 6 1		- "	The state of the state of the state of		
					1		Н				-											
1,8007[1]	den lie	ate) qu	er rabbase gringesit as	in mad Yours, dass	tion	18	8.	145	8 1	W 30	Tag	P. Proper	4 = 1	1	ÆH.	M		1	38	A ATTENDED OF PARTIES		
RELINQUISHED BY SIGNATURE/ORGA RECEIVED BY:	NIZATION	Don	Py /	Sampler 1/15/27		IME HE	P	RECEIV	URE/C	RGANIZ			-				Ne	1 :		DATE TIME  DATE TIME		
SIGNATURE/ORGA RELINQUISHED BY	WEST AND RESIDENCE	John	non Human	//25/26 DATE	MANUFACTURE NAME OF THE OWNER, TH	IME	100	SIGNAT SEAL N	elección d	RGANIZ	Condition of	EAL INTA	CT	1	NITIALS	S		NOTE	S:	TEMP. ON ARRIVAL		
SIGNATURE/ORGANIZATION DATE TIME  SIGNATURE/ORGANIZATION									YES NO SEAL INTACT INITIALS 5.7													