

Report ID: S24561.01(01) Generated on 06/15/2021

Report to

Attention: Graham Chapman

Nutrigro

1212 Spicerville Highway

Olivet, MI 49076

Phone: 517-974-1424 FAX Email: gc@nutrigroesi.com

Additional Contacts: Doug Ervin

Report produced by

Merit Laboratories, Inc. 2680 East Lansing Drive East Lansing, MI 48823

Phone: (517) 332-0167 FAX: (517) 332-6333

Contacts for report questions:

John Laverty (johnlaverty@meritlabs.com)

Barbara Ball (bball@meritlabs.com)

Report Summary

Lab Sample ID(s): S24561.01

Project: Monitoring

Collected Date(s): 05/24/2021

Submitted Date/Time: 05/24/2021 13:00

Sampled by: Unknown

P.O. #:

Table of Contents

Cover Page (Page 1)

General Report Notes (Page 2)

Report Narrative (Page 2)

Laboratory Certifications (Page 3)

Qualifier Descriptions (Page 3)

Glossary of Abbreviations (Page 3) Method Summary (Page 4)

Sample Summary (Page 5)

Maya Mushah

Technical Director



General Report Notes

Analytical results relate only to the samples tested, in the condition received by the laboratory.

Methods may be modified for improved performance.

Results reported on a dry weight basis where applicable.

'Not detected' Indicates that parameter was not found at a level equal to or greater than the reporting limit (RL).

40 CFR Part 136 Table II Required Containers, Preservation Techniques and Holding Times for the Clean Water Act specify that samples

for acrolein and acrylonitrite need to be preserved at a pH in the range of 4 to 5 or if not preserved, analyzed within 3 days of sampling.

QA/QC corresponding to this analytical report is a separate document with the same Merit ID reference and is available upon request.

Full accreditation certificates are available upon request. Starred (*) analytes are not NELAP accredited.

Samples are held by the lab for 30 days from the final report date unless a written request to hold longer is provided by the client.

Report shall not be reproduced except in full, without the written approval of Merit Laboratories, Inc.

Limits for drinking water samples, are listed as the MCL Limits (Maximum Contaminant Level Concentrations)

PFAS requirement: Section 9.3.8 of U.S. EPA Method 537.1 states "If the method analyte(s) found in the Field Sample is present in the

FRB at a concentration greater than 1/3 the MRL, then all samples collected with that FRB are invalid and must be recollected and reanalyzed."

Samples submitted without an accompanying FRB may not be acceptable for compliance purposes.

Report Narrative

There is no additional narrative for this analytical report



Laboratory Certifications

Authority	Certification ID
Michigan DEQ	#9956
DOD ELAP/ISO 17025	#69699
WBENC	#2005110032
Ohio VAP	#CL0002
Indiana DOH	#C-MI-07
New York NELAC	#11814
North Carolina DENR	#680
North Carolina DOH	#26702
Alaska CSLAP	#17-001
Pennsylvania DEP	#68-05884

Qualifier Descriptions

Qualifier	Description
1	Result is outside of stated limit criteria
В	Compound also found in associated method blank
E	Concentration exceeds calibration range
F	Analysis run outside of holding time
G	Estimated result due to extraction run outside of holding time
Н	Sample submitted and run outside of holding time
1	Matrix interference with internal standard
J	Estimated value less than reporting limit, but greater than MOL
L	Elevated reporting limit due to low sample amount
M	Result reported to MDL not RDL
0	Analysis performed by outside laboratory. See attached report.
R	Preliminary result
S	Surrogate recovery outside of control limits
Т	No correction for total solids
X	Elevated reporting limit due to matrix interference
Y	Elevated reporting limit due to high target concentration
b	Value detected less than reporting limit, but greater than MDL
е	Reported value estimated due to interference
j	Analyte also found in associated method blank
р	Benzo(b)Fluoranthene and Benzo(k)Fluoranthene integrated as one peak.
x	Preserved from bulk sample

Glossary of Abbreviations

Cicopadi'y Ci /	Pudded! A Uppleasure					
Abbreviation	Description					
RL/RDL	Reporting Limit					
MDL	Method Detection Limit					
MS	Matrix Spike					
MSD	Matrix Spike Duplicate					
SW	EPA SW 846 (Soil and Wastewater) Methods					
E	EPA Methods					
SM	Standard Methods					
LN	Linear					
BR	Branched					



Method Summary

Method Version

ASTM D7968-17M ASTM Method D7968 - 17 Modified (Isotopic Dilution)

SM2540B Standard Method 2540 B 2011

Parameter Summary

Parameter Summary		
Parameter	Synonym	Cas #
PFBA	Perfluorobutanoic Acid	375-22-4
PFPeA	Perfluoropentanoic Acid	2706-90-3
4:2 FTSA	4:2 Fluorotelomer Sulfonic Acid	757124-72 -4
PFHxA	Perfluorohexanoic Acid	307-24-4
PFBS	Perfluorobutane sulfonic Acid	375-73-5
PFHpA	Perfluoroheptanoic Acid	375-85-9
PFPeS	Perfluoropentane Sulfonic Acid	2706-91-4
6:2 FTSA	6:2 Fluorotelomer Sulfonic Acid	27619-97-2
PFOA	Perfluorooctanoic Acid	335-67-1
PFHxS	Perfluorohexane Sulfonic Acid	355-46-4
PFHxS-LN	Perfluorohexane Sulfonic Acid - LN	355-46-4-LN
PFHxS-BR	Perfluorohexane Sulfonic Acid - BR	355-46-4-BR
PFNA	Perfluorononanoic Acid	375-95-1
8:2 FTSA	8:2 Fluorotelomer Sulfonic Acid	39108-34-4
PFHpS	Perfluoroheptane Sulfonic Acid	375-92-8
PFDA	Perfluorodecanoic Acid	335-76-2
N-MeFOSAA	N-methyl perfluorooctanesulfonamidoacetic acid	2355-31-9
EtFOSAA	N-Ethyl Perfluorooctane Sulfonamidoacetic Acid	2991-50-6
PFOS	Perfluorooctane Sulfonic Acid	1763-23-1
PFOS-LN	Perfluorooctane Sulfonic Acid - LN	1763-23-1-LN
PFOS-BR	Perfluorooctane Sulfonic Acid - BR	1763-23-1-BR
PFUnDA	Perfluoroundecanoic Acid	2058-94-8
PFNS	Perfluorononane Sulfonic Acid	68259-12-1
PFDoDA	Perfluorododecanoic Acid	307-55-1
PFDS	Perfluorodecane Sulfonic Acid	335-77-3
PFTrDA	Perfluorotridecanoic Acid	72629-94-8
FOSA	Perfluorooctane Sulfonamide	754-91-6
PFTeDA	Perfluorotetradecanoic Acid	376-06-7
11CI-PF3OUdS	11-chloroeicosafluoro-3-oxaundecane-1-sulfonic acid	763051-92-9
9CI-PF3ONS	9-chlorohexadecafluoro-3-oxanone1-sulfonic acid	756426-58-1
ADONA	4,8-dioxa-3H-perfluorononanoic acid	919005-14-4
HFPO-DA	Hexafluoropropylene oxide dimer	13252-13-6



Page 5 of 7

Sample Summary (1 samples)

Sample ID Sample Tag Matrix Collected Date/Time

S24561.01 Union Twsp Biosolids Sludge 05/24/21 11:20

Report to Nutrigro Project: Monitoring



Lab Sample ID: S24561.01 Sample Tag: Union Twsp Biosolids Collected Date/Time: 05/24/2021 11:20

Matrix: Sludge

COC Reference; 137635

Sample Containers

#	Туре	Preservative(s)	Refrigerated?	Arrival Temp. (C)	Thermometer #
1	250ml Plastic	None	Yes	5.8	IR
1	15ml Centrifuge Tube	None	Yes	5.8	IR

Extraction / Prep.

Parameter	Result	Method	Run Date	Analyst	Flags	
Initial wt. (g) / Final wt. (g) / Volume (ml)*	9.13/6.95/10	ASTM D7968-17M	06/07/21 12:00	KCV		

Inorganics

Method: SM2540B, Run Date: 05/26/21 19:45, Analyst: BJB

								_
Parameter	Result	RL	MDL	Units	Dilution	CAS#	Flags	
Total Solids*	2.6	- 1		%	1			

Organics

28 PFAs, Method: ASTM D7968-17M, Run Date: 06/09/21 04:15, Analyst: KCV

Parameter	Result	RL MDL	Units	Dilution	CAS#	Flags
PFBA*	Not detected	3,5	ug/kg	176	375-22-4	
PFPeA*	4.3	1.8	ug/kg	176	2706-90-3	
4:2 FTSA*	Not detected	1.8	ug/kg	176	757124-72-4	1
PFHxA*	3.7	1.8	ug/kg	176	307-24-4	
PFBS*	3.2	1.8	ug/kg	176	375-73-5	
PFHpA*	Not detected	1.8	ug/kg	176	375-85-9	
PFPeS*	Not detected	1.8	ug/kg	176	2706-91-4	
6:2 FTSA*	Not detected	1.8	ug/kg	176	27619-97-2	1
PFOA*	4.9	1.8	ug/kg	176	335-67-1	
PFHxS*	Not detected	1.8	ug/kg	176	355-46-4	
PFHxS-LN*	Not detected	1.8	ug/kg	176	355-46-4-LN	
PFHxS-BR*	Not detected	1.8	ug/kg	176	355-46-4-BR	
PFNA*	Not detected	1.8	ug/kg	176	375-95-1	
8:2 FTSA*	Not detected	1.8	ug/kg	176	39108-34-4	1
PFHpS*	Not detected	1.8	ug/kg	176	375-92-8	
PFDA*	6.8	1.8	ug/kg	176	335-76-2	
N-MeFOSAA*	3	1.8	ug/kg	176	2355-31-9	
ElFOSAA*	2.5	1.8	ug/kg	176	2991-50-6	
PFOS*	23	1.8	ug/kg	176	1763-23-1	
PFOS-LN*	20	1.8	ug/kg	176	1763-23-1-LN	
PFOS-BR*	2.3	1.8	ug/kg	176	1763-23-1-BR	
PFUnDA*	Not detected	1.8	ug/kg	176	2058-94-8	
PFNS*	Not detected	1.8	ug/kg	176	68259-12-1	
PFDoDA*	2.6	1.8	ug/kg	176	307-55-1	
PFDS*	Not detected	1.8	ug/kg	176	335-77-3	
PFTrDA*	Not detected	1.8	ug/kg	176	72629-94-8	
FOSA*	Not detected	1.8	ug/kg	176	754-91-6	
PFTeDA*	Not detected	1.8	ug/kg	176	376-06-7	
11CI-PF3OUdS*	Not detected	1.8	ug/kg	176	763051-92-9	
9CI-PF3ONS*	Not detected	1.8	ug/kg	176	756426-58-1	

I-Matrix interference with internal standard

Page 6 of 7



Lab Sample ID: S24561.01 (continued)
Sample Tag: Union Twsp Biosolids

28 PFAs, Method: ASTM D7968-17M, Run Date: 06/09/21 04:15, Analyst: KCV (continued)

and the property of the proper							
Parameter	Result	RL	MDL	Units	Ditution	CAS#	Flags
ADONA*	Not detected	1.8	<u></u>	ug/kg	176	919005-14-4	
HFPO-DA*	Not detected	1.8		ug/kg	176	13252-13-6	

Report to Nutrigro Project: Monitoring

Merit Laboratories Login Checklist

Lab Set ID:S24561 Client:NUTRIGRO (Nutrigro)

Project: Monitoring

Submitted: 05/24/2021 13:00 Login User: SRS

Attention: Graham Chapman

Address: Nutrigro

1212 Spicerville Highway Olivet, MI 49076

Phone: 517-974-1424 FAX: Email: gc@nutrigroesi.com

Selec	tion			Description	Note					
Sam	Sample Receiving									
01.	X Yes	□No	□ N/A	Samples are received at 4C +/- 2C Thermometer #	IR 5.8					
02.	X Yes	□No	□ N/A	Received on ice/ cooling process begun						
03.	Yes	X No	□ N/A	Samples shipped						
04.	Yes	X No	□ N/A	Samples left in 24 hr. drop box						
05.	Yes	No	X N/A	Are there custody seals/tape or is the drop box locked	-					
Chair	n of Custo	ody								
06.	XYes	No	□ N/A	COC adequately filled out						
07.	XYes	□No	□ N/A	COC signed and relinquished to the lab						
08.	X Yes	No	□ N/A	Sample tag on bottles match COC						
09.	Yes	X No	□ N/A	Subcontracting needed? Subcontacted to:						
Pres	ervation									
10.	Yes	□No	X N/A	Do sample have correct chemical preservation						
11.	Yes	□No	X N/A	Completed pH checks on preserved samples? (no VOAs)						
12.	Yes	X No	□ N/A	Did any samples need to be preserved in the lab?						
Bottl	e Conditi	ons								
13.	XYes	□No	□ N/A	All bottles intact						
14.	X Yes	□No	□ N/A	Appropriate analytical bottles are used						
15.	X Yes	□ No	□ N/A	Merit bottles used						
16.	X Yes	□No	□ N/A	Sufficient sample volume received						
17.	Yes	X No	□ N/A	Samples require laboratory filtration						
18.	X Yes	□ No	□ N/A	Samples submitted within holding time						
19.	Yes	No	X N/A	Do water VOC or TOX bottles contain headspace						
Corr	ective acti	on for all	exception	s is to call the client and to notify the project manager.						
Clie	nt Review	By:		Date:						
		-								

2680 East Lansing Dr., E
Phone (517) 332-0167
www.meritlabs.com

2680 East Lansing Dr., East Lansing, MI 48823 Phone (517) 332-0167 Fax (517) 332-4034

c.o.c. PAGE # 0F 137635

Rev 518.12 GOHIO VAP Drinking Water 10 TIME TIME □ New York INVOICE ☐ NPDES Special Instructions DATE DATE Project Locations ZIP CODE TEMP, ON ARRIVAL r v Certifications ANALYSIS (ATTACH LIST IF MORE SPACE IS REQUIRED) DSAME □ Detroit STATE NOTES: PLEASE NOTE: SIGNING ACKNOWLEDGES ADHERENCE TO MERIT'S SAMPLE ACCEPTANCE POLICY ON REVERSE SIDE INTIALS INTIALS E-MAIL ADDRESS 000 SEAL INTACT SEAL INTACT YES RECEIVED BY: SIGNATURE/ORGANIZATION SIGNATURE/ORGANIZATION CHAIN OF CUSTODY RECORD OTHER RELINQUISHED BY HOM # Containers & Preservatives HOPN CONTACT NAME SEAL NO. '05'H BEAKNO. 3 raple COMPANY PHONE NO ADDRESS *ONH CITY HCI HONE SAMPLER(S) - PLEASE PRINT/SIGN NAME DELIVERABLES REQUIRED CISTD CLEVEL II CLEVEL IV CEDD CLOTHER # OF BOTTLES TIME TIME TURNAROUND TIME REQUIRED [] LDAY [] 2 DAYS [] 3 DAYS [] STANDARD [] OTHER ÇW=GROUNDWATER WW=WASTEWATER Sescil L=LIQUID SD=SOLID SL=SLUDGE DW=DRINKING WATER O=OIL WP=WIPE A=AIR W=WASTE XITTAM ZIP CODE DATE DATE Krasholok IDENTIFICATION-DESCRIPTION QUOTENO. P.O. NO. Sampler 4 Frances 1:30 TIME 252 YEAR RETINQUISHED BY:
SIGNATURE/ORGANIZATION
RECEIVED BY:
SIGNATURE/ORGANIZATION RECEIVED BY: SIGNATURE/ORGANIZATION DATE SIGNATURE/ORGANIZATION REPORT IO PROJECT NO. MAME LAB NO. FOR LAB USE ONLY 24561.01 E-MAIL ADDRESS CONTACT NAME MERIT MATRIX CODE: PHONENO COMPANY ADDRESS