

Report ID: S35568.01(01) Generated on 05/20/2022

Report to

Attention: Don Popma Biotech Agronomics, Inc. 1651 Beulah Highway Beulah, MI 49617

Phone: 616-835-0100 FAX: Email: dpopma@biotechag.com

Report produced by

Merit Laboratories, Inc. 2680 East Lansing Drive East Lansing, MI 48823

Phone: (517) 332-0167 FAX: (517) 332-6333

Contacts for report questions: John Laverty (johnlaverty@meritlabs.com) Barbara Ball (bball@meritlabs.com)

Report Summary

Lab Sample ID(s): S35568.01 Project: St. Clair County WWTP Collected Date(s): 05/03/2022

Submitted Date/Time: 05/03/2022 14:57

Sampled by: Don Popma

P.O. #:

Table of Contents

Cover Page (Page 1)

General Report Notes (Page 2)

Report Narrative (Page 2)

Laboratory Certifications (Page 3)

Qualifier Descriptions (Page 3)

Glossary of Abbreviations (Page 3)

Method Summary (Page 4)

Sample Summary (Page 5)

Maya Murshak Technical Director

Naya Mushah



General Report Notes

Analytical results relate only to the samples tested, in the condition received by the laboratory.

Methods may be modified for improved performance.

Results reported on a dry weight basis where applicable.

'Not detected' indicates that parameter was not found at a level equal to or greater than the reporting limit (RL).

When MDL results are provided, then 'Not detected' indicates that parameter was not found at a level equal to or greater than the MDL.

40 CFR Part 136 Table II Required Containers, Preservation Techniques and Holding Times for the Clean Water Act specify that samples

for acrolein, acrylonitrile, and 2-chlorovinylethyl ether need to be preserved at a pH in the range of 4 to 5 or if not preserved, analyzed within 3 days of sampling.

QA/QC corresponding to this analytical report is a separate document with the same Merit ID reference and is available upon request.

Full accreditation certificates are available upon request. Starred (*) analytes are not NELAP accredited.

Samples are held by the lab for 30 days from the final report date unless a written request to hold longer is provided by the client.

Report shall not be reproduced except in full, without the written approval of Merit Laboratories, Inc.

Limits for drinking water samples, are listed as the MCL Limits (Maximum Contaminant Level Concentrations)

PFAS requirement: Section 9.3.8 of U.S. EPA Method 537.1 states "If the method analyte(s) found in the Field Sample is present in the

FRB at a concentration greater than 1/3 the MRL, then all samples collected with that FRB are invalid and must be recollected and reanalyzed."

Samples submitted without an accompanying FRB may not be acceptable for compliance purposes.

Wisconsin PFAs analysis: MDL = LOD; RL = LOQ. LOD and LOQ are adjusted for dilution.

Report Narrative

There is no additional narrative for this analytical report



Laboratory Certifications

Authority	Certification ID
Michigan DEQ	#9956
DOD ELAP/ISO 17025	#69699
WBENC	#2005110032
Ohio VAP	#CL0002
Indiana DOH	#C-MI-07
New York NELAC	#11814
North Carolina DENR	#680
North Carolina DOH	#26702
Alaska CSLAP	#17-001
Pennsylvania DEP	#68-05884
Wisconsin DNR	FID# 399147320

Qualifier Descriptions

Qualifier	Description
!	Result is outside of stated limit criteria
В	Compound also found in associated method blank
E	Concentration exceeds calibration range
F	Analysis run outside of holding time
G	Estimated result due to extraction run outside of holding time
Н	Sample submitted and run outside of holding time
1	Matrix interference with internal standard
J	Estimated value less than reporting limit, but greater than MDL
L	Elevated reporting limit due to low sample amount
M	Result reported to MDL not RDL
0	Analysis performed by outside laboratory. See attached report.
R	Preliminary result
S	Surrogate recovery outside of control limits
Т	No correction for total solids
X	Elevated reporting limit due to matrix interference
Υ	Elevated reporting limit due to high target concentration
b	Value detected less than reporting limit, but greater than MDL
е	Reported value estimated due to interference
j	Analyte also found in associated method blank
р	Benzo(b)Fluoranthene and Benzo(k)Fluoranthene integrated as one peak.
x	Preserved from bulk sample

Glossary of Abbreviations

Abbreviation	Description
RL/RDL	Reporting Limit
MDL	Method Detection Limit
MS	Matrix Spike
MSD	Matrix Spike Duplicate
SW	EPA SW 846 (Soil and Wastewater) Methods
E	EPA Methods
SM	Standard Methods
LN	Linear
BR	Branched



Method Summary

Method Version

ASTM D7968-17M ASTM Method D7968 - 17 Modified (Isotopic Dilution)

SM2540B Standard Method 2540 B 2015

Parameter Summary

Parameter	Synonym	Cas #
PFBA	Perfluorobutanoic Acid	375-22-4
PFPeA	Perfluoropentanoic Acid	2706-90-3
4:2 FTSA	4:2 Fluorotelomer Sulfonic Acid	757124-72-4
PFHxA	Perfluorohexanoic Acid	307-24-4
PFBS	Perfluorobutane sulfonic Acid	375-73-5
PFHpA	Perfluoroheptanoic Acid	375-85-9
PFPeS	Perfluoropentane Sulfonic Acid	2706-91-4
6:2 FTSA	6:2 Fluorotelomer Sulfonic Acid	27619-97-2
PFOA	Perfluorooctanoic Acid	335-67-1
PFHxS	Perfluorohexane Sulfonic Acid	355-46-4
PFHxS-LN	Perfluorohexane Sulfonic Acid - LN	355-46-4-LN
PFHxS-BR	Perfluorohexane Sulfonic Acid - BR	355-46-4-BR
PFNA	Perfluorononanoic Acid	375-95-1
8:2 FTSA	8:2 Fluorotelomer Sulfonic Acid	39108-34-4
PFHpS	Perfluoroheptane Sulfonic Acid	375-92-8
PFDA	Perfluorodecanoic Acid	335-76-2
N-MeFOSAA	N-methyl perfluorooctanesulfonamidoacetic acid	2355-31-9
EtFOSAA	N-Ethyl Perfluorooctane Sulfonamidoacetic Acid	2991-50-6
PFOS	Perfluorooctane Sulfonic Acid	1763-23-1
PFOS-LN	Perfluorooctane Sulfonic Acid - LN	1763-23-1-LN
PFOS-BR	Perfluorooctane Sulfonic Acid - BR	1763-23-1-BR
PFUnDA	Perfluoroundecanoic Acid	2058-94-8
PFNS	Perfluorononane Sulfonic Acid	68259-12-1
PFDoDA	Perfluorododecanoic Acid	307-55-1
PFDS	Perfluorodecane Sulfonic Acid	335-77-3
PFTrDA	Perfluorotridecanoic Acid	72629-94-8
FOSA	Perfluorooctane Sulfonamide	754-91-6
PFTeDA	Perfluorotetradecanoic Acid	376-06-7
11CI-PF3OUdS	11-chloroeicosafluoro-3-oxaundecane-1-sulfonic acid	763051-92-9
9CI-PF3ONS	9-chlorohexadecafluoro-3-oxanone1-sulfonic acid	756426-58-1
ADONA	4,8-dioxa-3H-perfluorononanoic acid	919005-14-4
HFPO-DA	Hexafluoropropylene oxide dimer	13252-13-6



Sample Summary (1 samples)

Sample ID Sample Tag Matrix Collected Date/Time

S35568.01 Biosolids Sludge 05/03/22 11:30



Lab Sample ID: S35568.01

Sample Tag: Biosolids

Collected Date/Time: 05/03/2022 11:30

Matrix: Sludge

COC Reference: 140376

Sample Containers

#	Туре	Preservative(s)	Refrigerated?	Arrival Temp. (C)	Thermometer #
1	15ml Centrifuge Tube	None	Yes	5.6	IR
1	250ml Plastic	None	Yes	5.6	IR

Extraction / Prep.

Parameter	Result	Method	Run Date	Analyst	Flags
Initial wt. (g) / Final wt. (g) / Volume (ml)*	11.01/6.93/10	ASTM D7968-17M	05/13/22 15:30	KCV	

Inorganics

Method: SM2540B, Run Date: 05/03/22 16:32, Analyst: MAM

Parameter	Result	RL	MDL	Units	Dilution	CAS#	Flags	
Total Solids*	6.8	1		%	1			

Dilution

Organics

28 PFAs, Method: ASTM D7968-17M, Run Date: 05/14/22 14:01, Analyst: KCV

Parameter	Result	RL	MDL	Units	Dilution	CAS#	Flags
PFBA*	Not detected	1.4		ug/kg	36	375-22-4	IX
PFPeA*	Not detected	0.36		ug/kg	36	2706-90-3	
4:2 FTSA*	Not detected	0.36		ug/kg	36	757124-72-4	1
PFHxA*	1.2	0.36		ug/kg	36	307-24-4	1
PFBS*	Not detected	0.36		ug/kg	36	375-73-5	
PFHpA*	Not detected	0.36		ug/kg	36	375-85-9	
PFPeS*	Not detected	0.36		ug/kg	36	2706-91-4	
6:2 FTSA*	Not detected	0.36		ug/kg	36	27619-97-2	1
PFOA*	0.75	0.36		ug/kg	36	335-67-1	
PFHxS*	Not detected	0.36		ug/kg	36	355-46-4	
PFHxS-LN*	Not detected	0.36		ug/kg	36	355-46-4-LN	
PFHxS-BR*	Not detected	0.36		ug/kg	36	355-46-4-BR	
PFNA*	Not detected	0.36		ug/kg	36	375-95-1	
8:2 FTSA*	Not detected	0.36		ug/kg	36	39108-34-4	1
PFHpS*	Not detected	0.36		ug/kg	36	375-92-8	
PFDA*	0.98	0.36		ug/kg	36	335-76-2	1
N-MeFOSAA*	10	0.36		ug/kg	36	2355-31-9	1
EtFOSAA*	4.7	0.36		ug/kg	36	2991-50-6	l1
PFOS*	3.4	0.36		ug/kg	36	1763-23-1	1
PFOS-LN*	2.2	0.36		ug/kg	36	1763-23-1-LN	1
PFOS-BR*	1.1	0.36		ug/kg	36	1763-23-1-BR	1
PFUnDA*	0.57	0.36		ug/kg	36	2058-94-8	l1
PFNS*	Not detected	0.36		ug/kg	36	68259-12-1	1
PFDoDA*	1.4	0.36		ug/kg	36	307-55-1	l1
PFDS*	Not detected	0.36		ug/kg	36	335-77-3	1
PFTrDA*	0.48	0.36		ug/kg	36	72629-94-8	l1
FOSA*	0.56	0.36		ug/kg	36	754-91-6	
PFTeDA*	0.77	0.36		ug/kg	36	376-06-7	l1
11CI-PF3OUdS*	Not detected	0.36		ug/kg	36	763051-92-9	1

I-Matrix interference with internal standard X-Elevated reporting limit due to matrix interference

1-IS recovery <10%



Lab Sample ID: S35568.01 (continued)

Sample Tag: Biosolids

28 PFAs, Method: ASTM D7968-17M, Run Date: 05/14/22 14:01, Analyst: KCV (continued)

Parameter	Result	RL	MDL	Units	Dilution	CAS#	Flags
9CI-PF3ONS*	Not detected	0.36		ug/kg	36	756426-58-1	1
ADONA*	Not detected	0.36		ug/kg	36	919005-14-4	
HFPO-DA*	Not detected	0.36		ug/kg	36	13252-13-6	

I-Matrix interference with internal standard

Merit Laboratories Login Checklist

Lab Set ID:S35568

Client:BIOTECHAGRO (Biotech Agronomics, Inc.)

Project: St. Clair County WWTP

Submitted:05/03/2022 14:57 Login User: PFD

Attention: Don Popma

Address: Biotech Agronomics, Inc. 1651 Beulah Highway Beulah, MI 49617

Phone: 616-835-0100 FAX: Email: dpopma@biotechag.com

Selec	ction			Description	Note
Sam	ole Receiv	ving			
01.	X Yes	No	N/A	Samples are received at 4C +/- 2C Thermometer #	IR 5.6
02.	X Yes	No	N/A	Received on ice/ cooling process begun	
03.	Yes	X No	N/A	Samples shipped	
04.	Yes	X No	□ N/A	Samples left in 24 hr. drop box	
05.	Yes	No	X N/A	Are there custody seals/tape or is the drop box locked	
Chai	n of Custo	ody			
06.	X Yes	No	N/A	COC adequately filled out	
07.	X Yes	No	N/A	COC signed and relinquished to the lab	
08.	X Yes	No	N/A	Sample tag on bottles match COC	
09.	Yes	X No	N/A	Subcontracting needed? Subcontacted to:	
Pres	ervation				
10.	X Yes	No	N/A	Do sample have correct chemical preservation	
11.	Yes	No	X N/A	Completed pH checks on preserved samples? (no VOAs)	
12.	Yes	X No	N/A	Did any samples need to be preserved in the lab?	
Bottl	e Conditi	ons			
13.	X Yes	☐ No	N/A	All bottles intact	
14.	X Yes	No	N/A	Appropriate analytical bottles are used	
15.	X Yes	No	N/A	Merit bottles used	
16.	X Yes	No	N/A	Sufficient sample volume received	
17.	Yes	X No	□ N/A	Samples require laboratory filtration	
18.	X Yes	No	□ N/A	Samples submitted within holding time	
19.	Yes	No	X N/A	Do water VOC or TOX bottles contain headspace	

Corrective action f	or all exceptions is to	call the client and to	o notify the project r	nanager.
Client Review By:			Date:	



2680 East Lansing Dr., East Lansing, MI 48823 Phone (517) 332-0167 Fax (517) 332-4034 www.meritlabs.com

C.O.C. PAGE # OF	1	4	0	3	7	6
------------------	---	---	---	---	---	---

																									INVOICE TO		
CONTACT NAME Don Popma COMPANY BLOTECH AGRONDMILS, INC												CONTACT NAME														pu/i	
COMPANY BIOTECH AGRONOMICS, INC																				- 6	r		. 10			D.	
1651 Beninh Itwy who have a second												la _{te}		-	- 97	,5			į,	1	-4-		1 Table 11		1 -		
CITY Bey lah STATE MI ZIP COOPE / 7										CITY												ы	STATE ZIP CODE				
PHONE NO. / 1/ 02 5 0 10 0 FAX NO. P.O. NO.								F	PHONE NO. E-MAIL ADDRESS													5-4				lo.	
E-MAIL ADDRESS depopma & biotechay.com PROJECT NO./NAME St. clair County ww TP SAMPLER(S) - PLEASE PRINT/SIGN NAM Pon Popma										odi		- 1	A	NAL	YSIS	(ATT	TACH	H LIS	TIF	MOR	E SP	ACE	IS REQUI	RED)	154 (2)	613	
PROJECT NO./NAM	1E 5t. (clair co	unty ww TP	SAMPLER(S) - P	EASE PRIN	NT/SIG	N NAM	ΛE				214	la est	ŧ			1		7	of s	. 1		Certifica		A Part		
TURNAROUNI	O TIME RE	QUIRED I	□1 DAY □2 DAYS □3 DAY										FAS										OHIO			Water	
DELIVERABLE	S REQUIR	ED ESTI	D LEVEL LEVEL [LEVEL IV] EDD	0	THER	٦					PF						1.9	.,	53		□ DoD		NPDES	0	
MATRIX GW=GROUNDWATER WW=WASTEWATER S=SOIL L=LIQUID SD=SOLID CODE: SL=SLUDGE DW=DRINKING WATER O=OIL WP=WIPE A=AIR W=WASTE											ners atives		896			1,12				- 1			Project Detroit		□ New York	rk	
MERIT LAB NO.	YE	AG SCRIPTION	MATRIX	# OF BOTTLES	NONE	E HC	H ₂ SO ₄	NaOH	MeOH	10										☐ Other	LUNCH		10-17				
35568,01	DATE 5/2	TIME 11:3 OR			ABUL BU	bs	# 08	Z		I	Z	≥ 6	X			5.3	-						Special	Instruction	AND THE PARTY OF	grify.	
2000,01	13	1113 011	Moserial		1 1	67	7_		+		+		*			200			e d l g			e Ti	ingra s	1	STI		
		and the filters	is all the second		21 01 1		- Borold		+		1	2001	COSP	glege		- 1		i i	. 1		FE1 1	計出	77		12.7		
		1 1971					72.		+						-								10		31	3.7	
		alle alle '									1				73		- 1	115	T e				J.F.		1 1 1	lu l	
		-	a - Labivar	inda i							-						'n				G. I	. X.	La you	Mark .	- ,11	r Gil	
ily a deglar	1- 2		en en en landare	15d - 1	Del.												×		,	1				12	1,8		
	STREET.	- 1	the state of the s	1,91					in the									TO C							jo jo	Lil.	
10 to			a tolk a sinck	12	4																1 y 7		7.11	with g			
1985				gA 18											j. j. j	R P	2		17	113	5			4	r ali.		
			Left G. 10 to 15.	ACC A											p- 17	1117 11								45.1	. 24		
- 47.1	90	1 2 -	House a capacit	-2" ,) - "	u ive s fo									= 19	. 5		1							(90 -11		
RELINQUISHED B		Don	RO	Sampler 5/	DATE 2	2	3 7.	P		NQUIS			ATION							173	l.		<u>K</u>	DAT	E	TIME	
RECEIVED BY: SIGNATURE/ORGANIZATION PATTIME 5/3/22 1457								-	RECEIVED BY: SIGNATURE/ORGANIZATION											DAT	E	TIME					
RELINQUISHED B SIGNATURE/ORG			V = 1		DATE	1	IME		SEAL	NO.	- 15 pt 15 p			SEAL IN		NO 🗆		VITIAL	S	-/1	NOTE	S:	_	ON ARRIVAL			
RECEIVED BY: DATE TIME SIGNATURE/ORGANIZATION									SEAL NO. SEAL INTACT INITIALS YES NO SEAL NO.																		