

Report ID: S24430.01(01) Generated on 06/10/2021

Report to

Attention: Don Popma Biotech Agronomics, Inc. 1651 Beulah Highway Beulah, MI 49617

Phone: 616-835-0100 FAX: Email: dpopma@biotechag.com Report produced by

Merit Laboratories, Inc. 2680 East Lansing Drive East Lansing, MI 48823

Phone: (517) 332-0167 FAX: (517) 332-6333

Contacts for report questions: John Laverty (johnlaverty@meritlabs.com) Barbara Ball (bball@meritlabs.com)

Report Summary

Lab Sample ID(s): S24430.01 Project: CARO WWTP Collected Date(s): 05/20/2021

Submitted Date/Time: 05/20/2021 14:05

Sampled by: Don Popma

P.O. #:

Table of Contents

Cover Page (Page 1)

General Report Notes (Page 2)

Report Narrative (Page 2)

Laboratory Certifications (Page 3)

Qualifier Descriptions (Page 3)

Glossary of Abbreviations (Page 3)

Method Summary (Page 4)

Sample Summary (Page 5)

Maya Murshak Technical Director

Naya Mushah



General Report Notes

Analytical results relate only to the samples tested, in the condition received by the laboratory.

Methods may be modified for improved performance.

Results reported on a dry weight basis where applicable.

'Not detected' indicates that parameter was not found at a level equal to or greater than the reporting limit (RL).

40 CFR Part 136 Table II Required Containers, Preservation Techniques and Holding Times for the Clean Water Act specify that samples

for acrolein and acrylonitrile need to be preserved at a pH in the range of 4 to 5 or if not preserved, analyzed within 3 days of sampling.

QA/QC corresponding to this analytical report is a separate document with the same Merit ID reference and is available upon request.

Full accreditation certificates are available upon request. Starred (*) analytes are not NELAP accredited.

Samples are held by the lab for 30 days from the final report date unless a written request to hold longer is provided by the client.

Report shall not be reproduced except in full, without the written approval of Merit Laboratories, Inc.

Limits for drinking water samples, are listed as the MCL Limits (Maximum Contaminant Level Concentrations)

PFAS requirement: Section 9.3.8 of U.S. EPA Method 537.1 states "If the method analyte(s) found in the Field Sample is present in the

FRB at a concentration greater than 1/3 the MRL, then all samples collected with that FRB are invalid and must be recollected and reanalyzed."

Samples submitted without an accompanying FRB may not be acceptable for compliance purposes.

Report Narrative

There is no additional narrative for this analytical report



Laboratory Certifications

Authority	Certification ID
Michigan DEQ	#9956
DOD ELAP/ISO 17025	#69699
WBENC	#2005110032
Ohio VAP	#CL0002
Indiana DOH	#C-MI-07
New York NELAC	#11814
North Carolina DENR	#680
North Carolina DOH	#26702
Alaska CSLAP	#17-001
Pennsylvania DEP	#68-05884

Qualifier Descriptions

Qualifier	Description
!	Result is outside of stated limit criteria
В	Compound also found in associated method blank
E	Concentration exceeds calibration range
F	Analysis run outside of holding time
G	Estimated result due to extraction run outside of holding time
Н	Sample submitted and run outside of holding time
1	Matrix interference with internal standard
J	Estimated value less than reporting limit, but greater than MDL
L	Elevated reporting limit due to low sample amount
M	Result reported to MDL not RDL
0	Analysis performed by outside laboratory. See attached report.
R	Preliminary result
S	Surrogate recovery outside of control limits
T	No correction for total solids
X	Elevated reporting limit due to matrix interference
Υ	Elevated reporting limit due to high target concentration
b	Value detected less than reporting limit, but greater than MDL
е	Reported value estimated due to interference
j	Analyte also found in associated method blank
p	Benzo(b)Fluoranthene and Benzo(k)Fluoranthene integrated as one peak.
Х	Preserved from bulk sample

Glossary of Abbreviations

Abbreviation	Description
RL/RDL	Reporting Limit
MDL	Method Detection Limit
MS	Matrix Spike
MSD	Matrix Spike Duplicate
SW	EPA SW 846 (Soil and Wastewater) Methods
E	EPA Methods
SM	Standard Methods
LN	Linear
BR	Branched



Method Summary

Method Version

ASTM D7968-17M ASTM Method D7968 - 17 Modified (Isotopic Dilution)

SM2540B Standard Method 2540 B 2011

Parameter Summary

Parameter	Synonym	Cas #
PFBA	Perfluorobutanoic Acid	375-22-4
PFPeA	Perfluoropentanoic Acid	2706-90-3
4:2 FTSA	4:2 Fluorotelomer Sulfonic Acid	757124-72-4
PFHxA	Perfluorohexanoic Acid	307-24-4
PFBS	Perfluorobutane sulfonic Acid	375-73-5
PFHpA	Perfluoroheptanoic Acid	375-85-9
PFPeS	Perfluoropentane Sulfonic Acid	2706-91-4
6:2 FTSA	6:2 Fluorotelomer Sulfonic Acid	27619-97-2
PFOA	Perfluorooctanoic Acid	335-67-1
PFHxS	Perfluorohexane Sulfonic Acid	355-46-4
PFHxS-LN	Perfluorohexane Sulfonic Acid - LN	355-46-4-LN
PFHxS-BR	Perfluorohexane Sulfonic Acid - BR	355-46-4-BR
PFNA	Perfluorononanoic Acid	375-95-1
8:2 FTSA	8:2 Fluorotelomer Sulfonic Acid	39108-34-4
PFHpS	Perfluoroheptane Sulfonic Acid	375-92-8
PFDA	Perfluorodecanoic Acid	335-76-2
N-MeFOSAA	N-methyl perfluorooctanesulfonamidoacetic acid	2355-31-9
EtFOSAA	N-Ethyl Perfluorooctane Sulfonamidoacetic Acid	2991-50-6
PFOS	Perfluorooctane Sulfonic Acid	1763-23-1
PFOS-LN	Perfluorooctane Sulfonic Acid - LN	1763-23-1-LN
PFOS-BR	Perfluorooctane Sulfonic Acid - BR	1763-23-1-BR
PFUnDA	Perfluoroundecanoic Acid	2058-94-8
PFNS	Perfluorononane Sulfonic Acid	68259-12-1
PFDoDA	Perfluorododecanoic Acid	307-55-1
PFDS	Perfluorodecane Sulfonic Acid	335-77-3
PFTrDA	Perfluorotridecanoic Acid	72629-94-8
FOSA	Perfluorooctane Sulfonamide	754-91-6
PFTeDA	Perfluorotetradecanoic Acid	376-06-7
11CI-PF3OUdS	11-chloroeicosafluoro-3-oxaundecane-1-sulfonic acid	763051-92-9
9CI-PF3ONS	9-chlorohexadecafluoro-3-oxanone1-sulfonic acid	756426-58-1
ADONA	4,8-dioxa-3H-perfluorononanoic acid	919005-14-4
HFPO-DA	Hexafluoropropylene oxide dimer	13252-13-6



Sample Summary (1 samples)

Sample ID Sample Tag Matrix Collected Date/Time

S24430.01 Biosolids Sludge 05/20/21 10:10

Report to Biotech Agronomics, Inc. Project: CARO WWTP

Page 5 of 7

Generated on 06/10/2021 Report ID: S24430.01(01)



Lab Sample ID: S24430.01

Sample Tag: Biosolids

Collected Date/Time: 05/20/2021 10:10

Matrix: Sludge

COC Reference: 137344

Sample Containers

#	Туре	Preservative(s)	Refrigerated?	Arrival Temp. (C)	Thermometer #
1	15ml Centrifuge Tube	None	Yes	5.7	IR
1	250ml Plastic	None	Yes	5.7	IR

Extraction / Prep.

Parameter	Result	Method	Run Date	Analyst	Flags
Initial wt. (g) / Final wt. (g) / Volume (ml)*	14.76/7.01/10	ASTM D7968-17M	06/07/21 10:30	KCV	

Inorganics

Method: SM2540B, Run Date: 05/20/21 17:30, Analyst: ELR

Parameter	Result	RL	MDL	Units	Dilution	CAS#	Flags
Total Solids*	2.8	1		%	1		

Organics

28 PFAs, Method: ASTM D7968-17M, Run Date: 06/08/21 05:43, Analyst: KCV

Parameter	Result	RL	MDL	Units	Dilution	CAS#	Flags
PFBA*	Not detected	0.92		ug/kg	46.1	375-22-4	1
PFPeA*	Not detected	0.46		ug/kg	46.1	2706-90-3	
4:2 FTSA*	Not detected	0.46		ug/kg	46.1	757124-72-4	1
PFHxA*	2.4	0.46		ug/kg	46.1	307-24-4	
PFBS*	Not detected	0.46		ug/kg	46.1	375-73-5	
PFHpA*	Not detected	0.46		ug/kg	46.1	375-85-9	
PFPeS*	Not detected	0.46		ug/kg	46.1	2706-91-4	
6:2 FTSA*	Not detected	0.46		ug/kg	46.1	27619-97-2	1
PFOA*	1.3	0.46		ug/kg	46.1	335-67-1	
PFHxS*	Not detected	0.46		ug/kg	46.1	355-46-4	
PFHxS-LN*	Not detected	0.46		ug/kg	46.1	355-46-4-LN	
PFHxS-BR*	Not detected	0.46		ug/kg	46.1	355-46-4-BR	
PFNA*	0.61	0.46		ug/kg	46.1	375-95-1	
3:2 FTSA*	0.97	0.46		ug/kg	46.1	39108-34-4	1
PFHpS*	Not detected	0.46		ug/kg	46.1	375-92-8	
PFDA*	6.7	0.46		ug/kg	46.1	335-76-2	
N-MeFOSAA*	26	0.46		ug/kg	46.1	2355-31-9	
EtFOSAA*	14	0.46		ug/kg	46.1	2991-50-6	
PFOS*	9.6	0.46		ug/kg	46.1	1763-23-1	
PFOS-LN*	8.6	0.46		ug/kg	46.1	1763-23-1-LN	
PFOS-BR*	0.88	0.46		ug/kg	46.1	1763-23-1-BR	
PFUnDA*	1.2	0.46		ug/kg	46.1	2058-94-8	1
PFNS*	Not detected	0.46		ug/kg	46.1	68259-12-1	
PFDoDA*	1.9	0.46		ug/kg	46.1	307-55-1	1
PFDS*	Not detected	0.46		ug/kg	46.1	335-77-3	
PFTrDA*	Not detected	0.46		ug/kg	46.1	72629-94-8	1
FOSA*	1.8	0.46		ug/kg	46.1	754-91-6	
PFTeDA*	Not detected	0.46		ug/kg	46.1	376-06-7	I 1
11CI-PF3OUdS*	Not detected	0.46		ug/kg	46.1	763051-92-9	

I-Matrix interference with internal standard

1-IS response <10%



Lab Sample ID: S24430.01 (continued)

Sample Tag: Biosolids

28 PFAs, Method: ASTM D7968-17M, Run Date: 06/08/21 05:43, Analyst: KCV (continued)

Parameter	Result	RL	MDL	Units	Dilution	CAS#	Flags
9CI-PF3ONS*	Not detected	0.46		ug/kg	46.1	756426-58-1	
ADONA*	Not detected	0.46		ug/kg	46.1	919005-14-4	
HFPO-DA*	Not detected	0.46		ug/kg	46.1	13252-13-6	1

I-Matrix interference with internal standard

Page 7 of 7

Merit Laboratories Login Checklist

Lab Set ID:S24430

Client:BIOTECHAGRO (Biotech Agronomics, Inc.)

Project: CARO WWTP

Submitted: 05/20/2021 14:05 Login User: REJ

Attention: Don Popma

Address: Biotech Agronomics, Inc. 1651 Beulah Highway Beulah, MI 49617

Phone: 616-835-0100 FAX: Email: dpopma@biotechag.com

Selection			Description	Note
Sample Receiv	/ing			
01. X Yes	No	□ N/A	Samples are received at 4C +/- 2C Thermometer #	IR 5.7
02. X Yes	No	□ N/A	Received on ice/ cooling process begun	
03. Yes	X No	□ N/A	Samples shipped	
04. Yes	X No	□ N/A	Samples left in 24 hr. drop box	
05. Yes	No	X N/A	Are there custody seals/tape or is the drop box locked	
Chain of Custo	ody			
06. X Yes	No	□ N/A	COC adequately filled out	
07. X Yes	No	□ N/A	COC signed and relinquished to the lab	
08. X Yes	No	□ N/A	Sample tag on bottles match COC	
09. Yes	X No	☐ N/A	Subcontracting needed? Subcontacted to:	
Preservation				
10. X Yes	No	□ N/A	Do sample have correct chemical preservation	
11. Yes	No	X N/A	Completed pH checks on preserved samples? (no VOAs)	
12. Yes	X No	N/A	Did any samples need to be preserved in the lab?	
Bottle Condition	ons			
13. X Yes	No	□ N/A	All bottles intact	
14. X Yes	No	N/A	Appropriate analytical bottles are used	
15. X Yes	No	□ N/A	Merit bottles used	
16. X Yes	No	□ N/A	Sufficient sample volume received	
17. Yes	X No	□ N/A	Samples require laboratory filtration	
18. X Yes	No	□ N/A	Samples submitted within holding time	
19. Yes	No	X N/A	Do water VOC or TOX bottles contain headspace	

orrective action for all exceptions is to call the client and to notify the project manager.		
Client Review By:	Date:	



Merit 2680 East Lansing Dr., East Lansing, MI 48823
Phone (517) 332-0167 Fax (517) 332-4034
www.meritlabs.com

O.C. PAGE # OF	1	3	7	3	4	4	
----------------	---	---	---	---	---	---	--

REPOR	ТТО		Laboratories, Inc.	CHA	IN O	F CI	JS	TO	DY	RE	CO	RD										NVOI	CE	TO		
CONTACT NAME	CONTACT NAME ISAME																									
COMPANY B	COMPANY																									
ADDRESS 16	ADD	RESS	8 1 .		- 61	1,3775	1		1 13	1	<i></i>		7	<u>.</u>	451	F ;	, ·									
CITY ROULE L STATE ZIPCODE INT											7	. 457	1 2	11 :		's bi	2.2	iš μ	P.	A. w	STATE	ZIP CODE				
PHONE NO. P.O. NO. P.O. NO.								PHONE NO. E-MAIL A									IL ADDRESS									
CONTACT NAME DON POPMA COMPANY BIOTECH AGRONOMICS, INC ADDRESS 1651 Beylah Hwy CITY Beylah PHONE NO. E-MAIL ADDRESS Apopma & biotechag.com PROJECT NO./NAME CARO WWTP SAMPLER(S) - PLEASE PRINT/SIGNNIAME												A	NAL	YSIS (ATTA	ACH L	IST IF	- MO	RE SI	PACE	IS REQUIRE	ED) 434	ind			
PROJECT NO./NAM	AE (ARO	WWTP	SAMPLER(S) - PLEA	SE PRINT/	SIGNAN	AME	na		77		a	D	10,000		5, 10)		4 3		1 -	Certificati		Je s			
TURNAROUND TIME REQUIRED 1 DAY 2 DAYS 3 DAYS STANDARD 0 OTHER _											36								1		□ OHIO VA			Vater		
			D LEVEL LEVEL	The state of the s								DY						ŀ	1		□DoD	□ NPI	DES			
MATRIX GW=GROUNDWATER WW=WASTEWATER S=SOIL L=LIQUID SD=SOLID CODE: SL=SLUDGE DW=DRINKING WATER O=OIL WP=WIPE A=AIR W=WASTE											# Containers & Preservatives										Project Lo ☐ Detroit		v York			
MERIT LAB NO. FOR LAB USE ONLY	YEAR Z/ DATE TIME IDENTIFICATION				>igt-v	# OF	NONE	HCI	E W					9 10	30				1.6		☐ Other Special Instructions			-		
2443(),OI	5/20		Biosolids	1			14					~				Will To		gos				1 3 70 11		2		
		21.5.69s		e ne Ale		12 4			sr k					45 20	. abl	4	r Indo	1	111 %	1	nit ass	Mintsir!	n eri	Y		
										1			di			91L	1		ar.	1.	The state of					
Project Company	. Ba	1 247	125 <u> </u>	for a second		30			14.7		× 1		u; si	7			4		1.3		t. 4 j	s gr.	light A	n.i		
													1		4		de	Alex		4-	proper Ye	r bbb	. da	lo2.		
efeltoar			and Region and	esa sesta M	4 (4)	n -			. 11		lá	el e	8.10		J.	ja di j	al In		2 T.			-1.66	- 1	2		
devisi			, id. Yeter		d.	Dt-	1	a ve			UND	pa si		6 1 1	ri k	-	47	3		1		1100				
(0.1)	in-	I j. Noral			110						NO.	101	6 ty			. 111						1940 t	76.			
10 E 20		H 8	Apr 1					1 40	- 14				s i rji	h.		7	J Jr.		M	Tar or		. Musikan	e es	32 ·		
en en en			er a prince en inches	3 K 40 35 .	143	ica ica		de I	. 111		d _o e		h =	o le li			S 6 -	15-1	100	1		aten in	79 14			
		-	C. 78 W 18 1	12 T 70 F 3	12 1 2	1111		7.8	17		77.		- 1	The same	. 1	26.1	111	ST D	TELE	3 0	10000		11.15	pe 0		
0.000		mark pa	n salawa, grifeyari	جه افريز بلور	o Billio	Mr. J		150	51,	Į to	es l	:23	25	(ZE)	7	mil r	la si	18. 3	104.	LMA	Alkaers	1201 1	atri	A		
RELINQUISHED B SIGNATURE/ORG		0	n Pg	Sampler 5°	DATE 26-2/	TIME 2:03			LINQUI			ATION						134	T. a	(o]-	- ga= 71 - g[]	DATE	uia T	IME		
RECEIVED BY: SIGNATURE/ORG	ANIZATION	1	A transferance	512	071	40			CEIVED		GANIZ	ATION	£.	- bas	4.1	200	g. T	71177	10.0	lac.	ari yan	DATE	iini.	IME		
RELINQUISHED B	SY:		art Daniel Hart State	er ender at	DATE	TIME	State Divis	STEP STORE	AL NO.	CONTRACTOR OF THE PERSON NAMED IN		DESCRIPTION OF THE PARTY.	SEAL IN		IOC	INITI	ALS		NOT	ES:	TEMP. ON	ARRIVAL	INC. SCOOLS AND			
SIGNATURE/ORGANIZATION RECEIVED BY: DATE TIME SIGNATURE/ORGANIZATION										YES NO SEAL INTACT INITIALS YES NO																