Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673

TRACE
ANALYTICAL LABORATORIES, INC.

231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

May 27, 2021

Mr. Robert Pekar
Mt. Clemens, City of
1750 Clara
Mount Clemens, MI 48043

Phone: (586) 469-6889

RE: Trace ID: 21E0376

Dear Mr. Pekar:

Enclosed are your analytical results associated with your project for Biosolids PFAS 05/11/21. The results of this report relate only to the samples listed in the body of this report.

The results were obtained from Merit Laboratories, Inc

Thank you for working with Trace. If you have questions concerning this report, please contact me at 231.773.5998 or by email at tbrewer@trace-labs.com.

Sincerely,

Tim Brewer
Project Manager

Enclosures

ACCREDITED IN ACCORDANCE WITH nelac
NJDEP Accreditation No. MI008

Analytical Laboratory Report

Report ID: S24210.01(01)
Generated on 05/26/2021

Report to

Attention: Tim Brewer
Trace Analytical Laboratories
2241 Black Creek Rd.
Muskegon, MI 49444

Phone: O: 231-773-5998 x238 FAX:
Email: TBrewer@trace-labs.com

Addtional Contacts: Jon Mink

Report produced by

Merit Laboratories, Inc.
2680 East Lansing Drive
East Lansing, MI 48823

Phone: (517) 332-0167 FAX: (517) 332-6333

Contacts for report questions:
John Laverty (johnlaverty@meritlabs.com)
Barbara Ball (bball@meritlabs.com)

Report Summary

Lab Sample ID(s): S24210.01
Project: 21E0376
Collected Date(s): 05/11/2021
Submitted Date/Time: 05/14/2021 11:00
Sampled by: Unknown
P.O. #: 21E0376

Table of Contents

Maya Murshak
Technical Director

General Report Notes

Analytical results relate only to the samples tested, in the condition received by the laboratory.
Methods may be modified for improved performance.
Results reported on a dry weight basis where applicable.
'Not detected' indicates that parameter was not found at a level equal to or greater than the reporting limit (RL).
40 CFR Part 136 Table II Required Containers, Preservation Techniques and Holding Times for the Clean Water Act specify that samples for acrolein and acrylonitrile need to be preserved at a pH in the range of 4 to 5 or if not preserved, analyzed within 3 days of sampling.
QA/QC corresponding to this analytical report is a separate document with the same Merit ID reference and is available upon request.
Full accreditation certificates are available upon request. Starred (*) analytes are not NELAP accredited.
Samples are held by the lab for 30 days from the final report date unless a written request to hold longer is provided by the client.

Limits for drinking water samples, are listed as the MCL Limits (Maximum Contaminant Level Concentrations)
PFAS requirement: Section 9.3.8 of U.S. EPA Method 537.1 states "If the method analyte(s) found in the Field Sample is present in the FRB at a concentration greater than 1/3 the MRL, then all samples collected with that FRB are invalid and must be recollected and reanalyzed."
Samples submitted without an accompanying FRB may not be acceptable for compliance purposes.

Report Narrative

There is no additional narrative for this analytical report

Laboratory Certifications

Authority	Certification ID
Michigan DEQ	#9956
DOD ELAP/ISO 17025	#69699
WBENC	#2005110032
Ohio VAP	#CL0002
Indiana DOH	#C-MI-07
New York NELAC	#11814
North Carolina DENR	#680
North Carolina DOH	#26702
Alaska CSLAP	#17-001
Pennsylvania DEP	#68-05884

Qualifier Descriptions

Qualifier	Description
!	Result is outside of stated limit criteria
B	Compound also found in associated method blank
E	Concentration exceeds calibration range
F	Analysis run outside of holding time
G	Estimated result due to extraction run outside of holding time
H	Sample submitted and run outside of holding time
I	Matrix interference with internal standard
J	Estimated value less than reporting limit, but greater than MDL
L	Elevated reporting limit due to low sample amount
M	Result reported to MDL not RDL
O	Analysis performed by outside laboratory. See attached report.
R	Preliminary result
S	Surrogate recovery outside of control limits
T	No correction for total solids
X	Elevated reporting limit due to matrix interference
Y	Elevated reporting limit due to high target concentration
b	Value detected less than reporting limit, but greater than MDL
e	Reported value estimated due to interference
j	Analyte also found in associated method blank
p	Benzo(b)Fluoranthene and Benzo(k)Fluoranthene integrated as one peak.
x	Preserved from bulk sample

Glossary of Abbreviations

Abbreviation	Description
RL/RDL	Reporting Limit
MDL	Method Detection Limit
MS	Matrix Spike
MSD	Matrix Spike Duplicate
SW	EPA SW 846 (Soil and Wastewater) Methods
E	EPA Methods
SM	Standard Methods
LN	Linear
BR	Branched

Method Summary

Method	Version
ASTM D7968-17M	ASTM Method D7968 - 17 Modified (Isotopic Dilution)
SM2540B	Standard Method 2540 B 2011

Parameter Summary

Parameter	Synonym	Cas #
PFBA	Perfluorobutanoic Acid	375-22-4
PFPeA	Perfluoropentanoic Acid	2706-90-3
4:2 FTSA	4:2 Fluorotelomer Sulfonic Acid	757124-72-4
PFHxA	Perfluorohexanoic Acid	307-24-4
PFBS	Perfluorobutane sulfonic Acid	375-73-5
PFHpA	Perfluoroheptanoic Acid	375-85-9
PFPeS	Perfluoropentane Sulfonic Acid	2706-91-4
6:2 FTSA	6:2 Fluorotelomer Sulfonic Acid	27619-97-2
PFOA	Perfluorooctanoic Acid	335-67-1
PFHxS	Perfluorohexane Sulfonic Acid	355-46-4
PFHxS-LN	Perfluorohexane Sulfonic Acid - LN	355-46-4-LN
PFHxS-BR	Perfluorohexane Sulfonic Acid - BR	355-46-4-BR
PFNA	Perfluorononanoic Acid	375-95-1
8:2 FTSA	8:2 Fluorotelomer Sulfonic Acid	39108-34-4
PFHpS	Perfluoroheptane Sulfonic Acid	375-92-8
PFDA	Perfluorodecanoic Acid	335-76-2
N-MeFOSAA	N-methyl perfluorooctanesulfonamidoacetic acid	2355-31-9
EtFOSAA	N-Ethyl Perfluorooctane Sulfonamidoacetic Acid	2991-50-6
PFOS	Perfluorooctane Sulfonic Acid	1763-23-1
PFOS-LN	Perfluorooctane Sulfonic Acid - LN	1763-23-1-LN
PFOS-BR	Perfluorooctane Sulfonic Acid - BR	1763-23-1-BR
PFUnDA	Perfluoroundecanoic Acid	2058-94-8
PFNS	Perfluorononane Sulfonic Acid	68259-12-1
PFDoDA	Perfluorododecanoic Acid	307-55-1
PFDS	Perfluorodecane Sulfonic Acid	335-77-3
PFTrDA	Perfluorotridecanoic Acid	72629-94-8
FOSA	Perfluorooctane Sulfonamide	754-91-6
PFTeDA	Perfluorotetradecanoic Acid	376-06-7
11Cl-PF3OUdS	11-chloroeicosafluoro-3-oxaundecane-1-sulfonic acid	763051-92-9
9Cl-PF3ONS	9-chlorohexadecafluoro-3-oxanone1-sulfonic acid	756426-58-1
ADONA	4,8-dioxa-3H-perfluorononanoic acid	919005-14-4
HFPO-DA	Hexafluoropropylene oxide dimer	13252-13-6

Analytical Laboratory Report

Sample Summary (1 samples)

Sample ID	Sample Tag	Matrix	Collected Date/Time
S24210.01	Biosolids 21E0376-01	Wastewater	05/11/21 10:30

Analytical Laboratory Report

Lab Sample ID: S24210.01
Sample Tag: Biosolids 21E0376-01
Collected Date/Time: 05/11/2021 10:30
Matrix: Wastewater
COC Reference:

Sample Containers

#	Type	Preservative(s)	Refrigerated?	Arrival Temp. (C)	Thermometer #
1	15ml Centrifuge Tube	None	Yes	3.8	IR
1	250ml Plastic	None	Yes	3.8	IR

Extraction / Prep.

Parameter	Result	Method	Run Date	Analyst	Flags
Initial wt. (g) / Final wt. (g) / Volume (ml)*	8.67/6.88/10	ASTM D7968-17M	05/21/21 11:00	KCV	

Inorganics

Method: SM2540B, Run Date: 05/16/21 10:50, Analyst: ELR

Parameter	Result	RL	MDL	Units	Dilution	CAS#	Flags
Total Solids	4.6	1		%	1		

Organics

28 PFAs, Method: ASTM D7968-17M, Run Date: 05/22/21 13:38, Analyst: KCV

Parameter	Result	RL	MDL	Units	Dilution	CAS#	Flags
PFBA*	Not detected	2.4		ug/kg	121	375-22-4	I
PFPeA*	1.5	1.2		ug/kg	121	2706-90-3	
4:2 FTSA*	Not detected	1.2		ug/kg	121	757124-72-4	I
PFHxA*	3.9	1.2		ug/kg	121	307-24-4	
PFBS*	Not detected	1.2		ug/kg	121	375-73-5	
PFHpA*	Not detected	1.2		ug/kg	121	375-85-9	
PFPeS*	Not detected	1.2		ug/kg	121	2706-91-4	
6:2 FTSA*	1.5	1.2		ug/kg	121	27619-97-2	I
PFOA*	5.7	1.2		ug/kg	121	335-67-1	
PFHxS*	Not detected	1.2		ug/kg	121	355-46-4	
PFHxS-LN*	Not detected	1.2		ug/kg	121	355-46-4-LN	
PFHxS-BR*	Not detected	1.2		ug/kg	121	355-46-4-BR	
PFNA*	Not detected	1.2		ug/kg	121	375-95-1	
8:2 FTSA*	1.6	1.2		ug/kg	121	39108-34-4	I
PFHpS*	Not detected	1.2		ug/kg	121	375-92-8	
PFDA*	11	1.2		ug/kg	121	335-76-2	
N-MeFOSAA*	18	1.2		ug/kg	121	2355-31-9	
EtFOSAA*	15	1.2		ug/kg	121	2991-50-6	I
PFOS*	15	1.2		ug/kg	121	1763-23-1	
PFOS-LN*	12	1.2		ug/kg	121	1763-23-1-LN	
PFOS-BR*	2.8	1.2		ug/kg	121	1763-23-1-BR	
PFUnDA*	Not detected	1.2		ug/kg	121	2058-94-8	
PFNS*	Not detected	1.2		ug/kg	121	68259-12-1	
PFDoDA*	3	1.2		ug/kg	121	307-55-1	
PFDS*	2.2	1.2		ug/kg	121	335-77-3	
PFTrDA*	Not detected	1.2		ug/kg	121	72629-94-8	
FOSA*	3.9	1.2		ug/kg	121	754-91-6	
PFTeDA*	Not detected	1.2		ug/kg	121	376-06-7	
11Cl-PF3OUdS*	Not detected	1.2		ug/kg	121	763051-92-9	
9Cl-PF3ONS*	Not detected	1.2		ug/kg	121	756426-58-1	

I-Matrix interference with internal standard

Lab Sample ID: S24210.01 (continued)

Sample Tag: Biosolids 21E0376-01

28 PFAs, Method: ASTM D7968-17M, Run Date: 05/22/21 13:38, Analyst: KCV (continued)

Parameter	Result	RL	MDL	Units	Dilution	CAS#	Flags
ADONA*	Not detected	1.2		ug/kg	121	919005-14-4	
HFPO-DA*	Not detected	1.2		ug/kg	121	13252-13-6	I

I-Matrix interference with internal standard

Merit Laboratories Login Checklist

Lab Set ID: S24210
Client: TRACE (Trace Analytical Laboratories)
Project: 21E0376
Submitted: 05/14/2021 11:00 Login User: MMC

Attention: Tim Brewer
Address: Trace Analytical Laboratories
2241 Black Creek Rd.
Muskegon, MI 49444

Phone: O: 231-773-5998 FAX:
Email: TBrewer@trace-labs.com

Selection				Description	Note
Sample Receiving					
01.	☐ Yes	☒ No	☐ N/A	Samples are received at 4C +/- 2C Thermometer #	IR 3.8
02.	☒ Yes	☐ No	☐ N/A	Received on ice/ cooling process begun	
03.	☒ Yes	☐ No	☐ N/A	Samples shipped	UPS
04.	☐ Yes	☒ No	☐ N/A	Samples left in 24 hr. drop box	
05.	☒ Yes	☐ No	☐ N/A	Are there custody seals/tape or is the drop box locked	
Chain of Custody					
06.	☒ Yes	☐ No	☐ N/A	COC adequately filled out	
07.	☒ Yes	☐ No	☐ N/A	COC signed and relinquished to the lab	
08.	☒ Yes	☐ No	☐ N/A	Sample tag on bottles match COC	
09.	☐ Yes	☒ No	☐ N/A	Subcontracting needed? Subcontacted to:	
Preservation					
10.	☒ Yes	☐ No	☐ N/A	Do sample have correct chemical preservation	
11.	☐ Yes	☐ No	☒ N/A	Completed pH checks on preserved samples? (no VOAs)	
12.	☐ Yes	☒ No	☐ N/A	Did any samples need to be preserved in the lab?	
Bottle Conditions					
13.	☒ Yes	☐ No	☐ N/A	All bottles intact	
14.	☒ Yes	☐ No	☐ N/A	Appropriate analytical bottles are used	
15.	☒ Yes	☐ No	☐ N/A	Merit bottles used	
16.	☒ Yes	☐ No	☐ N/A	Sufficient sample volume received	
17.	☐ Yes	☒ No	☐ N/A	Samples require laboratory filtration	
18.	☒ Yes	☐ No	☐ N/A	Samples submitted within holding time	
19.	☐ Yes	☐ No	☒ N/A	Do water VOC or TOX bottles contain headspace	

Corrective action for all exceptions is to call the client and to notify the project manager.

Client Review By: _____ Date: _____

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673

TRACE ANALYTICAL LABORATORIES, INC.

231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

SUBCONTRACT ORDER

21E0376

SENDING LABORATORY:

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444
Phone: 231.773.5998

Project Manager:Tim Brewer

RECEIVING LABORATORY:

Merit Laboratories, Inc
2680 East Lansing Dr.
East Lansing, MI 48823
Phone :(517) 332-0167

PO # 21E0376

Matrix: Sludge Sampled: 05/11/21 10:30 TAT: Standard

Sample ID: Biosolids 21E0376-01

Analysis Needed:

PFAS- Biosolids- EGLE List

24210.9

Released By	Date	Received By	Date
	5/12/21		
UPS	5/14/21 1100		5/14/21 1100
Released By	Date	Received By	Date

IR 3.8

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673

231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com



TRACE
ANALYTICAL LABORATORIES, INC.

CHAIN-OF-CUSTODY RECORD

Page____ of____

Trace ID No. 21E0376

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673

Phone 231.773.5998
Fax 888.979.4469
www.trace-labs.com

Report Results To:

Company Name: Mt Clemens WWTP
Report To: Bob Peterak
Mailing Address: 1750 Cinada
City, State, Zip Code: Mt Clemens, MI 48043
Office Phone: 586-469-6898 x 501 Cell Phone:
Email Address: rpeterak@cityofmtclemens.com

Bill To:

PO #:
Contact Name:
Billing Address (if different):
City, State, Zip Code:
Phone Number:
Billing Email Address:

Trace Use:

Logged By: NC
Checked By: BW
Soil Volatiles Preserved (circle if applicable): MeOH Low Level Lab
Sampling Time:

Turnaround Requirements:

☐ Standard, 5-10 Days
☐ 3 Day*
☐ 1 Day*

**Results provided end of business day, requires prior approval.*

Matrix Key:

S = Soil / Solid
W = Water
SL = Sludge
OI = Oil
WI = Wipes
LW = Liquid Waste
A = Air
D = Drinking Water

Project Name:
Sampled By:

Trace No.	Date Collected	Time Collected	Client Sample ID	Metals Field Filtered (Y / N)	Matrix	Number of Containers	Preservation: Cool	HCl	HNO_3	H_2SO_4	NaOH	Other	Analysis Requested: PFAS	Remarks	Possible Health Hazards?
	5/4/21	10:30 AM	Biosolids			4									

Please Sign

	Released By	Date	Time	Received By	Released By	Date	Time	Received By	Date	Time
1)		5-12-21	11:37	2)						
3)				4)						

In executing this Chain of Custody, the client acknowledges the terms as set forth at www.trace-labs.com/terms-of-agreement.

☐ Check this box if you would not like your samples analyzed if received outside of the conditions outlined in the Trace Sample Acceptance Policy at www.trace-labs.com/downloads.

Form 70-Z.1

CERTIFICATE OF ANALYSIS

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673

TRACE
ANALYTICAL LABORATORIES, INC.

231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

SAMPLE LOG IN CHECKLIST

Trace ID #: 21E0376 Date: 5/13/21 Package Description: Cooler Temperature: 1.2
Client Name: MI Clemens Time: 941 Logged in by: BW

Cooler Receipt

Cooler/samples delivered by: Trace courier [✓]
Hand delivered [ ] Name of delivery person: GH
Commercial courier [ ] UPS [ ] FED EX [ ] US Mail [ ]

Tracking Number: [✓] Not Applicable
Tracking #:

COC Seals present and intact on cooler? [✓] Not Applicable [ ] No [ ] Yes
Custody seals signed by Client? [ ] No [ ] Yes Client custody seal # (if applicable):

Coolant and Temperature

Type of Coolant Used

Slurry w/ crushed, cubed, or chip ice? [✓]
Multiple bags of ice around samples? [ ]
Ice Packs/ Blue Ice : [ ]
No Coolant Present: [ ]
Ice still present upon receipt (circle one): Yes No N/A

Cooler Temperature

Correction Factors: •Digital Stick Thermometer CF = -0.4°C (20B12743)
•IR Thermometer CF = -0.5°C (IR #8)
Representative Sample Temperature: 3.7 °C (check one below)
[ ] Temp Blank (Stick Thermometer)
[✓] Client Sample (IR Thermometer)
Melt Water: N/A °C (Use Digital Stick Thermometer)

General

	Yes	No	NA
All bottles arrived unbroken with labels in good condition?	✓		
Each sample point is in a sealed plastic bag?	✓		
Labels filled out completely?	✓		
All bottle labels agree with Chain of Custody (COC)?	✓		
Sufficient sample to run tests requested?	✓		✓
*pH checked - samples at correct pH and labeled as such?			✓
Correct chemical preservative added to samples?			✓
Air bubbles absent from VOAs?			✓
COC filled out properly and signed by client?	✓		
COC signed in by TRACE sample custodian?	✓		
Was project manager called and samples discussed?		✓	

Comments

Notes:

*EMD pH Test Strips Used:
[ ] pH 0-2.5 Lot: HC029115 [ ] pH 11.0-13.0 Lot: HC729101
[ ] Other:

Form 70-A.37
Effective 4/20/21

TRACE Analytical Laboratories, Inc.

CERTIFICATE OF ANALYSIS