

Report ID: S32741.01(01) Generated on 02/21/2022

Report to

Attention: Highland Treatment Highland Treatment Inc

PO Box 1089 Highland, MI 48357

Phone: 248-889-1922 FAX:

Email: Highland.Treatment@comcast.net

Addtional Contacts: Anthony Dowson

Report Summary

Lab Sample ID(s): S32741.01 Project: Lyon Twp Bio Solids Collected Date(s): 02/09/2022

Submitted Date/Time: 02/10/2022 09:30

Sampled by: Unknown

P.O. #:

**Table of Contents** 

Cover Page (Page 1)

General Report Notes (Page 2)

Report Narrative (Page 2)

Laboratory Certifications (Page 3)

Qualifier Descriptions (Page 3)

Glossary of Abbreviations (Page 3)

Method Summary (Page 4)

Sample Summary (Page 5)

Report produced by

Merit Laboratories, Inc. 2680 East Lansing Drive East Lansing, MI 48823

Phone: (517) 332-0167 FAX: (517) 332-6333

Contacts for report questions:

John Laverty (johnlaverty@meritlabs.com)
Barbara Ball (bball@meritlabs.com)

Maya Murshak Technical Director

Naya Mushah



#### **General Report Notes**

Analytical results relate only to the samples tested, in the condition received by the laboratory.

Methods may be modified for improved performance.

Results reported on a dry weight basis where applicable.

'Not detected' indicates that parameter was not found at a level equal to or greater than the reporting limit (RL).

When MDL results are provided, then 'Not detected' indicates that parameter was not found at a level equal to or greater than the MDL.

40 CFR Part 136 Table II Required Containers, Preservation Techniques and Holding Times for the Clean Water Act specify that samples

for acrolein and acrylonitrile need to be preserved at a pH in the range of 4 to 5 or if not preserved, analyzed within 3 days of sampling.

QA/QC corresponding to this analytical report is a separate document with the same Merit ID reference and is available upon request.

Full accreditation certificates are available upon request. Starred (\*) analytes are not NELAP accredited.

Samples are held by the lab for 30 days from the final report date unless a written request to hold longer is provided by the client.

Report shall not be reproduced except in full, without the written approval of Merit Laboratories, Inc.

Limits for drinking water samples, are listed as the MCL Limits (Maximum Contaminant Level Concentrations)

PFAS requirement: Section 9.3.8 of U.S. EPA Method 537.1 states "If the method analyte(s) found in the Field Sample is present in the

FRB at a concentration greater than 1/3 the MRL, then all samples collected with that FRB are invalid and must be recollected and reanalyzed."

Samples submitted without an accompanying FRB may not be acceptable for compliance purposes.

Wisconsin PFAs analysis: MDL = LOD; RL = LOQ. LOD and LOQ are adjusted for dilution.

#### **Report Narrative**

There is no additional narrative for this analytical report



#### **Laboratory Certifications**

Authority	Certification ID
Michigan DEQ	#9956
DOD ELAP/ISO 17025	#69699
WBENC	#2005110032
Ohio VAP	#CL0002
Indiana DOH	#C-MI-07
New York NELAC	#11814
North Carolina DENR	#680
North Carolina DOH	#26702
Alaska CSLAP	#17-001
Pennsylvania DEP	#68-05884
Wisconsin DNR	FID# 399147320

#### **Qualifier Descriptions**

Qualifier	Description
!	Result is outside of stated limit criteria
В	Compound also found in associated method blank
E	Concentration exceeds calibration range
F	Analysis run outside of holding time
G	Estimated result due to extraction run outside of holding time
Н	Sample submitted and run outside of holding time
I	Matrix interference with internal standard
J	Estimated value less than reporting limit, but greater than MDL
L	Elevated reporting limit due to low sample amount
M	Result reported to MDL not RDL
0	Analysis performed by outside laboratory. See attached report.
R	Preliminary result
S	Surrogate recovery outside of control limits
Т	No correction for total solids
X	Elevated reporting limit due to matrix interference
Υ	Elevated reporting limit due to high target concentration
b	Value detected less than reporting limit, but greater than MDL
е	Reported value estimated due to interference
j	Analyte also found in associated method blank
p	Benzo(b)Fluoranthene and Benzo(k)Fluoranthene integrated as one peak.
x	Preserved from bulk sample

#### **Glossary of Abbreviations**

Abbreviation	Description
RL/RDL	Reporting Limit
MDL	Method Detection Limit
MS	Matrix Spike
MSD	Matrix Spike Duplicate
SW	EPA SW 846 (Soil and Wastewater) Methods
E	EPA Methods
SM	Standard Methods
LN	Linear
BR	Branched



#### **Method Summary**

Method Version

ASTM D7968-17M ASTM Method D7968 - 17 Modified (Isotopic Dilution)

SM2540B Standard Method 2540 B 2011

#### **Parameter Summary**

Parameter	Synonym	Cas #
PFBA	Perfluorobutanoic Acid	375-22-4
PFPeA	Perfluoropentanoic Acid	2706-90-3
4:2 FTSA	4:2 Fluorotelomer Sulfonic Acid	757124-72-4
PFHxA	Perfluorohexanoic Acid	307-24-4
PFBS	Perfluorobutane sulfonic Acid	375-73-5
PFHpA	Perfluoroheptanoic Acid	375-85-9
PFPeS	Perfluoropentane Sulfonic Acid	2706-91-4
6:2 FTSA	6:2 Fluorotelomer Sulfonic Acid	27619-97-2
PFOA	Perfluorooctanoic Acid	335-67-1
PFHxS	Perfluorohexane Sulfonic Acid	355-46-4
PFHxS-LN	Perfluorohexane Sulfonic Acid - LN	355-46-4-LN
PFHxS-BR	Perfluorohexane Sulfonic Acid - BR	355-46-4-BR
PFNA	Perfluorononanoic Acid	375-95-1
8:2 FTSA	8:2 Fluorotelomer Sulfonic Acid	39108-34-4
PFHpS	Perfluoroheptane Sulfonic Acid	375-92-8
PFDA	Perfluorodecanoic Acid	335-76-2
N-MeFOSAA	N-methyl perfluorooctanesulfonamidoacetic acid	2355-31-9
EtFOSAA	N-Ethyl Perfluorooctane Sulfonamidoacetic Acid	2991-50-6
PFOS	Perfluorooctane Sulfonic Acid	1763-23-1
PFOS-LN	Perfluorooctane Sulfonic Acid - LN	1763-23-1-LN
PFOS-BR	Perfluorooctane Sulfonic Acid - BR	1763-23-1-BR
PFUnDA	Perfluoroundecanoic Acid	2058-94-8
PFNS	Perfluorononane Sulfonic Acid	68259-12-1
PFDoDA	Perfluorododecanoic Acid	307-55-1
PFDS	Perfluorodecane Sulfonic Acid	335-77-3
PFTrDA	Perfluorotridecanoic Acid	72629-94-8
FOSA	Perfluorooctane Sulfonamide	754-91-6
PFTeDA	Perfluorotetradecanoic Acid	376-06-7
11CI-PF3OUdS	11-chloroeicosafluoro-3-oxaundecane-1-sulfonic acid	763051-92-9
9CI-PF3ONS	9-chlorohexadecafluoro-3-oxanone1-sulfonic acid	756426-58-1
ADONA	4,8-dioxa-3H-perfluorononanoic acid	919005-14-4
HFPO-DA	Hexafluoropropylene oxide dimer	13252-13-6



Sample Summary (1 samples)

Sample ID Sample Tag Matrix Collected Date/Time

S32741.01 Lyon Twp Bio Solids Liquid 02/09/22 11:30



Lab Sample ID: S32741.01

Sample Tag: Lyon Twp Bio Solids Collected Date/Time: 02/09/2022 11:30

Matrix: Liquid

COC Reference: 147680

#### Sample Containers

#	Туре	Preservative(s)	Refrigerated?	Arrival Temp. (C)	Thermometer #
1	250ml Plastic	None	Yes	4.0	IR
1	15ml Centrifuge Tube	None	Yes	4.0	IR

#### Extraction / Prep.

Parameter	Result	Method	Run Date	Analyst	Flags
Initial wt. (g) / Final wt. (g) / Volume (ml)*	11.99/6.99/10	ASTM D7968-17M	02/14/22 17:00	KCV	

#### Inorganics

Method: SM2540B, Run Date: 02/10/22 17:00, Analyst: MAM

Parameter	Result	RL	MDL	Units	Dilution	CAS#	Flags	
Total Solids	2.6	1		%	1			

#### Organics

28 PFAs, Method: ASTM D7968-17M, Run Date: 02/15/22 14:07, Analyst: KCV

Parameter	Result	RL	MDL	Units	Dilution	CAS#	Flags
PFBA*	6.2	1.5		ug/kg	76.9	375-22-4	1
PFPeA*	24	0.77		ug/kg	76.9	2706-90-3	
4:2 FTSA*	Not detected	0.77		ug/kg	76.9	757124-72-4	1
PFHxA*	6.2	0.77		ug/kg	76.9	307-24-4	1
PFBS*	14	0.77		ug/kg	76.9	375-73-5	
PFHpA*	2.9	0.77		ug/kg	76.9	375-85-9	
PFPeS*	Not detected	0.77		ug/kg	76.9	2706-91-4	
6:2 FTSA*	Not detected	0.77		ug/kg	76.9	27619-97-2	1
PFOA*	71	0.77		ug/kg	76.9	335-67-1	
PFHxS*	Not detected	0.77		ug/kg	76.9	355-46-4	
PFHxS-LN*	Not detected	0.77		ug/kg	76.9	355-46-4-LN	
PFHxS-BR*	Not detected	0.77		ug/kg	76.9	355-46-4-BR	
PFNA*	3.3	0.77		ug/kg	76.9	375-95-1	
8:2 FTSA*	Not detected	0.77		ug/kg	76.9	39108-34-4	1
PFHpS*	Not detected	0.77		ug/kg	76.9	375-92-8	
PFDA*	56	0.77		ug/kg	76.9	335-76-2	
N-MeFOSAA*	2.5	0.77		ug/kg	76.9	2355-31-9	
EtFOSAA*	3.4	0.77		ug/kg	76.9	2991-50-6	1
PFOS*	4.9	0.77		ug/kg	76.9	1763-23-1	
PFOS-LN*	3.8	0.77		ug/kg	76.9	1763-23-1-LN	
PFOS-BR*	0.9	0.77		ug/kg	76.9	1763-23-1-BR	
PFUnDA*	2	0.77		ug/kg	76.9	2058-94-8	
PFNS*	Not detected	0.77		ug/kg	76.9	68259-12-1	
PFDoDA*	11	0.77		ug/kg	76.9	307-55-1	1
PFDS*	Not detected	0.77		ug/kg	76.9	335-77-3	
PFTrDA*	Not detected	0.77		ug/kg	76.9	72629-94-8	1
FOSA*	Not detected	0.77		ug/kg	76.9	754-91-6	
PFTeDA*	1.3	0.77		ug/kg	76.9	376-06-7	I1
11CI-PF3OUdS*	Not detected	0.77		ug/kg	76.9	763051-92-9	

I-Matrix interference with internal standard

1-IS recovery <10%



Lab Sample ID: S32741.01 (continued)

Sample Tag: Lyon Twp Bio Solids

28 PFAs, Method: ASTM D7968-17M, Run Date: 02/15/22 14:07, Analyst: KCV (continued)

Parameter	Result	RL	MDL	Units	Dilution	CAS#	Flags
9CI-PF3ONS*	Not detected	0.77		ug/kg	76.9	756426-58-1	
ADONA*	Not detected	0.77		ug/kg	76.9	919005-14-4	
HFPO-DA*	Not detected	0.77		ug/kg	76.9	13252-13-6	1

I-Matrix interference with internal standard

### **Merit Laboratories Login Checklist**

Lab Set ID:S32741

Client:HIGHLAND (Highland Treatment Inc)

Project: Lyon Twp Bio Solids

Submitted: 02/10/2022 09:30 Login User: MMC

Attention: Highland Treatment Address: Highland Treatment Inc PO Box 1089 Highland, MI 48357

Phone: 248-889-1922 FAX: Email: Highland. Treatment@comcast.net

Selection			Description	Note
Sample Receivii	ng			
01. X Yes [	No	N/A	Samples are received at 4C +/- 2C Thermometer #	IR 4.0
02. <b>X</b> Yes [	No	N/A	Received on ice/ cooling process begun	
03. Yes [	X No	N/A	Samples shipped	
04. Yes	<b>X</b> No	N/A	Samples left in 24 hr. drop box	
05. Yes [	No	X N/A	Are there custody seals/tape or is the drop box locked	
Chain of Custoo	dy			
06. X Yes [	No	N/A	COC adequately filled out	
07. <b>X</b> Yes [	No	N/A	COC signed and relinquished to the lab	
08. <b>X</b> Yes [	No	N/A	Sample tag on bottles match COC	
09. Yes [	<b>X</b> No	N/A	Subcontracting needed? Subcontacted to:	
Preservation				
10. X Yes [	No	N/A	Do sample have correct chemical preservation	
11. Yes [	No	X N/A	Completed pH checks on preserved samples? (no VOAs)	
12. Yes [	<b>X</b> No	N/A	Did any samples need to be preserved in the lab?	
Bottle Condition	าร			
13. <b>X</b> Yes [	No	N/A	All bottles intact	
14. X Yes [	No	N/A	Appropriate analytical bottles are used	
15. <b>X</b> Yes [	No	N/A	Merit bottles used	
16. <b>X</b> Yes [	No	N/A	Sufficient sample volume received	
17. Yes [	<b>X</b> No	N/A	Samples require laboratory filtration	
18. <b>X</b> Yes [	No	□ N/A	Samples submitted within holding time	
19. Yes [	No	X N/A	Do water VOC or TOX bottles contain headspace	

Corrective action for	or all exceptions is	to call the client	and to notify	the project ma	nager.
Oliant Daview Dw			Data		
Client Review By: <sub>.</sub>			Date:		



2680 East Lansing Dr., East Lansing, MI 48823 Phone (517) 332-0167 Fax (517) 332-4034 www.meritlabs.com

.O.C. PAGE # OF	
-----------------	--

**147680** 

	STODY RECORD INVOICE TO
CONTACT NAME ANTHONY DOWS ON COMPANY Highland Tractment	CONTACT NAME CAMB
COMPANY Highland Tosofman	COMPANY
AUTINGS R. I AUG	ADDRESS
CITY Highlen I Troutman INC STATE 788357	CITY STATE ZIP CODE
248-859-1922 348, 887-625-6	PHONE NO. E-MAIL ADDRESS
E-MAIL APPRESSION / E highland tractman. COM QUOTE NO.	ANALYSIS (ATTACH LIST IF MORE SPACE IS REQUIRED)
PROJECT NO./NAME/ON TOUT BY SOLILS SAMPLER(S) - PLEASE PRINT/SIGN NA	
TURNAROUND TIME REQUIRED 1 DAY 2 DAYS 3 DAYS STANDARD 0 OTHER	□ OHIO VAP □ Drinking Water
DELIVERABLES REQUIRED STD   LEVEL      LEVEL      LEVEL  V   EDD   OTHE	B DoD DNPDES
MATRIX GW=GROUNDWATER WW=WASTEWATER S=SOIL L=LIQUID SD=SOLID CODE: SL=SLUDGE DW=DRINKING WATER O=OIL WP=WIPE A=AIR W=WASTE	# Containers & Project Locations    Detroit   New York
MERIT YEAR SAMPLE TAG LAB NO. FOR LAB USE ONLY DATE TIME  SAMPLE TAG IDENTIFICATION-DESCRIPTION  # 8	Special Instructions  □ Other Special Instructions
32741.012/9/22 11:38 you Tap Bio Solids Ly	X so ser es son 22 (1) to profes on some 2
140 ((2) 90 12)	
	Part and the first produce of the control of the co
	- A 21 - 0.38 (F - 1 - 4 - 4 - 5 - 4 - 5 - 7 - 5 - 5 - 7 - 5 - 7 - 7 - 7 - 7
The state of the second of the	Fig. 1. Ver 2. 7 pt to be personal restriction and 200 personal control of the CAR COST (A
College and the contract of th	in in the second compact to a continuous content of second content of the second content
	HE I SEE THE RESIDENCE OF THE SECOND
	End of the state o
RELINQUISHED BY: SIGNATURE/ORGANIZATION DATE Z/10 7:3	RELINQUISHED BY: DATE TIME SIGNATURE/ORGANIZATION
RECEIVED BY: SIGNATURE/ORGANIZATION MICHAEL SIGNATURE/ORGANIZA	RECEIVED BY: DATE TIME SIGNATURE/ORGANIZATION
RELINQUISHED BY: DATE TIME SIGNATURE/ORGANIZATION	SEAL NO. SEAL INTACT INITIALS NOTES: TEMP. ON ARRIVAL
RECEIVED BY: DATE TIME SIGNATURE/ORGANIZATION	SEAL NO. SEAL INTACT INITIALS  YES NO