Report ID: S23564.01(02) Generated on 05/04/2021

Report to

Attention: Don Popma Biotech Agronomics, Inc. 1651 Bevlah Highway Bevlah, MI 49617

Phone: 616-835-0100 FAX: Email: dpopma@biotechag.com Report produced by

Merit Laboratories, Inc. 2680 East Lansing Drive East Lansing, MI 48823

Phone: (517) 332-0167 FAX: (517) 332-6333

Contacts for report questions: John Laverty (johnlaverty@meritlabs.com) Barbara Ball (bball@meritlabs.com)

Report Summary

Lab Sample ID(s): S23564.01

Project: South Lyon

Collected Date(s): 04/27/2021

Submitted Date/Time: 04/27/2021 14:30

Sampled by: Don Popma

P.O. #:

Table of Contents

Cover Page (Page 1)

General Report Notes (Page 2)

Report Narrative (Page 2)

Laboratory Certifications (Page 3)

Qualifier Descriptions (Page 3)

Glossary of Abbreviations (Page 3)

Method Summary (Page 4)

Sample Summary (Page 5)

Maya Murshak Technical Director

Naya Mushah



Revised Report

General Report Notes

Analytical results relate only to the samples tested, in the condition received by the laboratory.

Methods may be modified for improved performance.

Results reported on a dry weight basis where applicable.

'Not detected' indicates that parameter was not found at a level equal to or greater than the reporting limit (RL).

40 CFR Part 136 Table II Required Containers, Preservation Techniques and Holding Times for the Clean Water Act specify that samples

for acrolein and acrylonitrile need to be preserved at a pH in the range of 4 to 5 or if not preserved, analyzed within 3 days of sampling.

QA/QC corresponding to this analytical report is a separate document with the same Merit ID reference and is available upon request.

Full accreditation certificates are available upon request. Starred (*) analytes are not NELAP accredited.

Samples are held by the lab for 30 days from the final report date unless a written request to hold longer is provided by the client.

Report shall not be reproduced except in full, without the written approval of Merit Laboratories, Inc.

Limits for drinking water samples, are listed as the MCL Limits (Maximum Contaminant Level Concentrations)

PFAS requirement: Section 9.3.8 of U.S. EPA Method 537.1 states "If the method analyte(s) found in the Field Sample is present in the

FRB at a concentration greater than 1/3 the MRL, then all samples collected with that FRB are invalid and must be recollected and reanalyzed."

Samples submitted without an accompanying FRB may not be acceptable for compliance purposes.

Report Narrative

Reported in ug/kg per client request.



Laboratory Certifications

Authority	Certification ID
Michigan DEQ	#9956
DOD ELAP/ISO 17025	#69699
WBENC	#2005110032
Ohio VAP	#CL0002
Indiana DOH	#C-MI-07
New York NELAC	#11814
North Carolina DENR	#680
North Carolina DOH	#26702
Alaska CSLAP	#17-001
Pennsylvania DEP	#68-05884

Qualifier Descriptions

Qualifier	Description
!	Result is outside of stated limit criteria
В	Compound also found in associated method blank
E	Concentration exceeds calibration range
F	Analysis run outside of holding time
G	Estimated result due to extraction run outside of holding time
Н	Sample submitted and run outside of holding time
1	Matrix interference with internal standard
J	Estimated value less than reporting limit, but greater than MDL
L	Elevated reporting limit due to low sample amount
M	Result reported to MDL not RDL
0	Analysis performed by outside laboratory. See attached report.
R	Preliminary result
S	Surrogate recovery outside of control limits
Т	No correction for total solids
X	Elevated reporting limit due to matrix interference
Υ	Elevated reporting limit due to high target concentration
b	Value detected less than reporting limit, but greater than MDL
е	Reported value estimated due to interference
j	Analyte also found in associated method blank
р	Benzo(b)Fluoranthene and Benzo(k)Fluoranthene integrated as one peak.
х	Preserved from bulk sample

Glossary of Abbreviations

Abbreviation	Description
RL/RDL	Reporting Limit
MDL	Method Detection Limit
MS	Matrix Spike
MSD	Matrix Spike Duplicate
SW	EPA SW 846 (Soil and Wastewater) Methods
E	EPA Methods
SM	Standard Methods
LN	Linear
BR	Branched



Method Summary

Method Version

ASTM D7968-17M ASTM Method D7968 - 17 Modified (Isotopic Dilution)

SM2540B Standard Method 2540 B 2011

Parameter Summary

Parameter	Synonym	Cas #
PFBA	Perfluorobutanoic Acid	375-22-4
PFPeA	Perfluoropentanoic Acid	2706-90-3
4:2 FTSA	4:2 Fluorotelomer Sulfonic Acid	757124-72-4
PFHxA	Perfluorohexanoic Acid	307-24-4
PFBS	Perfluorobutane sulfonic Acid	375-73-5
PFHpA	Perfluoroheptanoic Acid	375-85-9
PFPeS	Perfluoropentane Sulfonic Acid	2706-91-4
6:2 FTSA	6:2 Fluorotelomer Sulfonic Acid	27619-97-2
PFOA	Perfluorooctanoic Acid	335-67-1
PFHxS	Perfluorohexane Sulfonic Acid	355-46-4
PFHxS-LN	Perfluorohexane Sulfonic Acid - LN	355-46-4-LN
PFHxS-BR	Perfluorohexane Sulfonic Acid - BR	355-46-4-BR
PFNA	Perfluorononanoic Acid	375-95-1
8:2 FTSA	8:2 Fluorotelomer Sulfonic Acid	39108-34-4
PFHpS	Perfluoroheptane Sulfonic Acid	375-92-8
PFDA	Perfluorodecanoic Acid	335-76-2
N-MeFOSAA	N-methyl perfluorooctanesulfonamidoacetic acid	2355-31-9
EtFOSAA	N-Ethyl Perfluorooctane Sulfonamidoacetic Acid	2991-50-6
PFOS	Perfluorooctane Sulfonic Acid	1763-23-1
PFOS-LN	Perfluorooctane Sulfonic Acid - LN	1763-23-1-LN
PFOS-BR	Perfluorooctane Sulfonic Acid - BR	1763-23-1-BR
PFUnDA	Perfluoroundecanoic Acid	2058-94-8
PFNS	Perfluorononane Sulfonic Acid	68259-12-1
PFDoDA	Perfluorododecanoic Acid	307-55-1
PFDS	Perfluorodecane Sulfonic Acid	335-77-3
PFTrDA	Perfluorotridecanoic Acid	72629-94-8
FOSA	Perfluorooctane Sulfonamide	754-91-6
PFTeDA	Perfluorotetradecanoic Acid	376-06-7
11CI-PF3OUdS	11-chloroeicosafluoro-3-oxaundecane-1-sulfonic acid	763051-92-9
9CI-PF3ONS	9-chlorohexadecafluoro-3-oxanone1-sulfonic acid	756426-58-1
ADONA	4,8-dioxa-3H-perfluorononanoic acid	919005-14-4
HFPO-DA	Hexafluoropropylene oxide dimer	13252-13-6



Revised Report

Sample Summary (1 samples)

Sample IDSample TagMatrixCollected Date/TimeS23564.01BiosolidsSludge04/27/21 10:20



Lab Sample ID: S23564.01

Sample Tag: Biosolids

Collected Date/Time: 04/27/2021 10:20

Matrix: Sludge

COC Reference: 142562

Sample Containers

#	#	Туре	Preservative(s)	Refrigerated?	Arrival Temp. (C)	Thermometer #
7	1	15ml Centrifuge Tube	None	Yes	3.6	IR
•	1	250ml Plastic	None	Yes	3.6	IR

Extraction / Prep.

Parameter	Result	Method	Run Date	Analyst	Flags
Initial wt. (g) / Final wt. (g) / Volume (ml)*	8.82/6.97/12	ASTM D7968-17M	04/27/21 14:30	KCV	1
Initial wt. (g) / Final wt. (g) / Volume (ml) (F	Re p 3.06/6.84/10	ASTM D7968-17M	04/29/21 14:00	KCV	2

Inorganics

Method: SM2540B, Run Date: 04/27/21 19:30, Analyst: ELR

Parameter	Result	RL	MDL	Units	Dilution	CAS#	Flags
Total Solids*	1.1	1		%	1		

Organics

28 PFAs, Method: ASTM D7968-17M, Run Date: 04/30/21 02:39, Analyst: KCV

Parameter	Result	RL	MDL	Units	Dilution	CAS#	Flags
PFBA*	12	2.9		ug/kg	146	375-22-4	1
PFPeA*	43	1.5		ug/kg	146	2706-90-3	
4:2 FTSA*	Not detected	1.5		ug/kg	146	757124-72-4	
PFHxA*	21	1.5		ug/kg	146	307-24-4	
PFBS*	28	1.5		ug/kg	146	375-73-5	
PFHpA*	6.4	1.5		ug/kg	146	375-85-9	
PFPeS*	Not detected	1.5		ug/kg	146	2706-91-4	
6:2 FTSA*	Not detected	1.5		ug/kg	146	27619-97-2	1
PFOA*	87	1.5		ug/kg	146	335-67-1	
PFHxS*	Not detected	1.5		ug/kg	146	355-46-4	
PFHxS-LN*	Not detected	1.5		ug/kg	146	355-46-4-LN	
PFHxS-BR*	Not detected	1.5		ug/kg	146	355-46-4-BR	
PFNA*	8.8	1.5		ug/kg	146	375-95-1	
8:2 FTSA*	Not detected	1.5		ug/kg	146	39108-34-4	1
PFHpS*	Not detected	1.5		ug/kg	146	375-92-8	
PFDA*	52	1.5		ug/kg	146	335-76-2	
N-MeFOSAA*	11	1.5		ug/kg	146	2355-31-9	
EtFOSAA*	6.9	1.5		ug/kg	146	2991-50-6	
PFOS*	40	1.5		ug/kg	146	1763-23-1	
PFOS-LN*	32	1.5		ug/kg	146	1763-23-1-LN	
PFOS-BR*	7.3	1.5		ug/kg	146	1763-23-1-BR	
PFUnDA*	4.9	1.5		ug/kg	146	2058-94-8	
PFNS*	Not detected	1.5		ug/kg	146	68259-12-1	
PFDoDA*	9	1.5		ug/kg	146	307-55-1	1
PFDS*	Not detected	1.5		ug/kg	146	335-77-3	
PFTrDA*	Not detected	1.5		ug/kg	146	72629-94-8	1
FOSA*	3.7	1.5		ug/kg	146	754-91-6	

¹⁻subsample

I-Matrix interference with internal standard

²⁻centrifuge, pour off water





Lab Sample ID: S23564.01 (continued)

Sample Tag: Biosolids

28 PFAs, Method: ASTM D7968-17M, Run Date: 04/30/21 02:39, Analyst: KCV (continued)

Parameter	Result	RL	MDL	Units	Dilution	CAS#	Flags
PFTeDA*	2.7	1.5		ug/kg	146	376-06-7	1
11CI-PF3OUdS*	Not detected	1.5		ug/kg	146	763051-92-9	
9CI-PF3ONS*	Not detected	1.5		ug/kg	146	756426-58-1	
ADONA*	Not detected	1.5		ug/kg	146	919005-14-4	
HFPO-DA*	Not detected	1.5		ug/kg	146	13252-13-6	

I-Matrix interference with internal standard

Merit Laboratories Login Checklist

Lab Set ID:S23564

Client:BIOTECHAGRO (Biotech Agronomics, Inc.)

Project: South Lyon

Submitted: 04/27/2021 14:30 Login User: REJ

Attention: Don Popma

Address: Biotech Agronomics, Inc. 1651 Bevlah Highway Bevlah, MI 49617

Phone: 616-835-0100 FAX: Email: dpopma@biotechag.com

Selec	tion			Description	Note
Samp	ole Receiv	ving			
01.	X Yes	No	□ N/A	Samples are received at 4C +/- 2C Thermometer #	IR 3.6
02.	X Yes	No	□ N/A	Received on ice/ cooling process begun	
03.	Yes	X No	□ N/A	Samples shipped	
04.	Yes	X No	N/A	Samples left in 24 hr. drop box	
05.	Yes	No	X N/A	Are there custody seals/tape or is the drop box locked	
Chaiı	of Custo	ody			
06.	X Yes	No	N/A	COC adequately filled out	
07.	X Yes	No	N/A	COC signed and relinquished to the lab	
08.	X Yes	No	N/A	Sample tag on bottles match COC	
09.	Yes	X No	N/A	Subcontracting needed? Subcontacted to:	
Prese	ervation				
10.	X Yes	☐ No	N/A	Do sample have correct chemical preservation	
11.	Yes	No	X N/A	Completed pH checks on preserved samples? (no VOAs)	
12.	Yes	X No	N/A	Did any samples need to be preserved in the lab?	
Bottle	e Conditi	ons			
13.	X Yes	No	N/A	All bottles intact	
14.	X Yes	No	N/A	Appropriate analytical bottles are used	
15.	X Yes	☐ No	N/A	Merit bottles used	
16.	X Yes	No	N/A	Sufficient sample volume received	
17.	Yes	X No	N/A	Samples require laboratory filtration	
18.	X Yes	No	N/A	Samples submitted within holding time	
19.	Yes	No	X N/A	Do water VOC or TOX bottles contain headspace	

Corrective action for all	exceptions is to call	the client and to	notify the project	manager.
Client Review By:			Date:	



2680 East Lansing Dr., East Lansing, MI 48823
Phone (517) 332-0167 Fax (517) 332-4034

www.meritlabs.com

C.O.C. PAGE # ____

C.O.C. PAGE #	OF
---------------	----

142562

REPOR		400		CHAI	IN OF	CL		- inches			ORE)										INV	OICE	TC		
CONTACT NAME DON POPMO COMPANY BIOTECH Agronomics, Inc. ADDRESS 1651 Beulah Hwy										CONTACT NAME													SAME			
COMPANY	COMPANY																									
ADDRESS	A	DDRE	SS	, IV F	9	Ť	<u>(</u> , 5	e p		de	v 157	-			t met i	1 Alfo	7									
Beulah STATE ZIP CODE 17										e ghii	7 6	1,	74			ħ	B 1 2		250	12.	STATE ZIP CODE					
PHONE NO. 616-835-0100 FAX NO. P.O. NO.									E NO.					E-N	/AIL A	DDRES	SS									
E-MAIL ADDRESS			ELIR.			ΔΝΔ	IVSI	SIAT	TAC	шпо	ET IE	MOE	DE CD	MOF	IS REQUIF	OED)										
PROJECT NO./NAM			hyon	SAMPLER(S) - PLEASE	PRINT/SIG	N NA	ME,	32 1	16-75 1232 - Staff	er una				1,7,10	IAC	II LIC) I IF	IVIOR	IE SP	ACE	Certifica		116 1			
TURNAROUNI			□1 DAY □2 DAYS □3 DAYS	NOTANDADD.	on Po	BN	10				_ a	9									□ OHIO V		Drinking	ı Water		
			D LEVEL LEVEL								70/										□DoD		NPDES	vvator		
AND ENGINEERS OF SECTION AND ADDRESS OF THE PARTY OF THE	GW=GROUN		WW=WASTEWATER S=SOIL		SD=SOLID						_ <	7					-53		15/	4	Project L					
CODE: SL=SLUDGE DW=DRINKING WATER O=OIL WP=WIPE A=AIR W=WASTE										ers & ives	10	2	-	pri)		The	× 194			11	□ Detroit		New Yor	rk		
MERIT LAB NO.	YEA	3.00	SAMPLE TAC IDENTIFICATION-DESC	RIPTION	MATRIX	# OF BOTTLES	NE ONE	5 5	[†] OS ² H	MeOH	D F.4	6		11 3	erij bij	at b				Mg L	□ Other	and by a	P.G.			
FOR LAB USE ONLY		TIME	2017年7月1日 1917年 19					Ī	Ĭ.	Me Me		-									Special I	nstruct	ions			
23564.01	1/27/21	10:20	Biosolids		bs	4	4	4	4	44	V		_	2.2	Ori	- 17	15	4.34	17	IJŢ	r ber	ar 3 %	ris			
	d i deni	Mary Carl	er countitles et Sameles a	Character Will b	July - Pu	dar.			110	4.55		u _a l -	di	n e	il 8	40	¥7 (1/35		AV 4. 23	51 W R	ril y	17		
							Ш					e plat	11 1	ary x	W.	H.L.	-70	, le , j	lijili i		71 g g x 10	in an		E,6y		
	ACT ALS	2 . g . m	ezon <mark>batas ne re er se</mark>	4 to abs	sê k sê	βĕ		A m	13	Je 6	1 0-	W _{USI} 1	1 -10.5		a l	2 S.	.7.		air		1, 50	75.15				
											\perp	8.7	0.0	No. of	15.	ere.		31		- 4	d garage	11.8	3. " 1. 1			
3/1/22	டப்ரத	C ECDS	usa a na salawan is	<u> </u>	molech	rica.		124		154		de h			n'ij	nja l	18	1	layre	5	1.0	11111	- Autor	0-2		
W 11.160	7.004	vina in d	think a light and one of the		18 2/71	4	11	N W	1 1	480		W.	1	1,	dhi.	=1=	4 .	G IGT	8 1		. 5e	77 1.1	* e, 81 *			
	1		- Calina is the City		, 14 DS .xi				10.53			14/14/2	Ph. 8						7		The State of the					
7000	28225	10.	od estro mate a	41 and William	dead			100	1	10	1000	d yr	C.	8 4		141	11		Je cj	2	· Targer i	, 5 w.	Lighten			
		Water 19	aus rosa dina di esposor	at attuern in	C 1 1 4 E	fa]	11/1/	14	34	list it	de la	d.'57	1.5	16 1	- X P	大国	7 - 7	11.	113	ħ.	·x. Figure,	R TÇD	nd de la	ā.S		
	4 12,600	1 11 11	and the second s	10: -L. MIT DE	slusional "Alli	3732			Dev	4019	PA-JU	466.0	19			- 1	80 1			-	11977	19.5	7.9.1			
100000	c. di	dari ye.	as a legality and our m	b , and have .	Mobil	p.FT	pai 5	i o	j. 121	1891	107	e in	182	. 16	₽γê	.75	21	97	nul I		glio i i	-23 6 1	1000	. 1		
RELINQUISHED BY SIGNATURE/ORGA		D	m Popus	mpler 4-27.2	E TIN	NE O	1 1		UISHE		747.00								-	1		DAT	re .	TIME		
RECEIVED BY: SIGNATURE/ORGANIZATION HITTIPE HI									SIGNATURE/ORGANIZATION RECEIVED BY: SIGNATURE/ORGANIZATION DATE TIME																	
RELINQUISHED BY: SIGNATURE/ORGANIZATION DATE TIME									IO.	TIBA I	AND WASHINGTON	SEAL IN			IN	ITIALS			NOTES	:	TEMP. ON	ARRIVAL				
RECEIVED BY: DATE TIME SIGNATURE/ORGANIZATION									Ю.			YES I	NTACT	NO	IN	ITIALS		-	2	. 6	•					
PLEASE NOTE: SIGNING ACKNOWLEDGES ADJUEDENCE.												YESI		NO					.)	, X						