

Report ID: S26186.01(01) Generated on 07/27/2021

Report to

Attention: Don Popma Biotech Agronomics, Inc. 1651 Beulah Highway Beulah, MI 49617

Phone: 616-835-0100 FAX: Email: dpopma@biotechag.com

Report produced by

Merit Laboratories, Inc. 2680 East Lansing Drive East Lansing, MI 48823

Phone: (517) 332-0167 FAX: (517) 332-6333

Contacts for report questions: John Laverty (johnlaverty@meritlabs.com) Barbara Ball (bball@meritlabs.com)

Report Summary

Lab Sample ID(s): S26186.01 Project: Port Austin Cell 2 Collected Date(s): 07/14/2021

Submitted Date/Time: 07/14/2021 14:33

Sampled by: Don Popma

P.O. #:

Table of Contents

Cover Page (Page 1)

General Report Notes (Page 2)

Report Narrative (Page 2)

Laboratory Certifications (Page 3)

Qualifier Descriptions (Page 3)

Glossary of Abbreviations (Page 3)

Method Summary (Page 4)

Sample Summary (Page 5)

Maya Murshak Technical Director

Naya Mushah



General Report Notes

Analytical results relate only to the samples tested, in the condition received by the laboratory.

Methods may be modified for improved performance.

Results reported on a dry weight basis where applicable.

'Not detected' indicates that parameter was not found at a level equal to or greater than the reporting limit (RL).

40 CFR Part 136 Table II Required Containers, Preservation Techniques and Holding Times for the Clean Water Act specify that samples

for acrolein and acrylonitrile need to be preserved at a pH in the range of 4 to 5 or if not preserved, analyzed within 3 days of sampling.

QA/QC corresponding to this analytical report is a separate document with the same Merit ID reference and is available upon request.

Full accreditation certificates are available upon request. Starred (*) analytes are not NELAP accredited.

Samples are held by the lab for 30 days from the final report date unless a written request to hold longer is provided by the client.

Report shall not be reproduced except in full, without the written approval of Merit Laboratories, Inc.

Limits for drinking water samples, are listed as the MCL Limits (Maximum Contaminant Level Concentrations)

PFAS requirement: Section 9.3.8 of U.S. EPA Method 537.1 states "If the method analyte(s) found in the Field Sample is present in the

FRB at a concentration greater than 1/3 the MRL, then all samples collected with that FRB are invalid and must be recollected and reanalyzed."

Samples submitted without an accompanying FRB may not be acceptable for compliance purposes.

Report Narrative

There is no additional narrative for this analytical report



Laboratory Certifications

Authority	Certification ID
Michigan DEQ	#9956
DOD ELAP/ISO 17025	#69699
WBENC	#2005110032
Ohio VAP	#CL0002
Indiana DOH	#C-MI-07
New York NELAC	#11814
North Carolina DENR	#680
North Carolina DOH	#26702
Alaska CSLAP	#17-001
Pennsylvania DEP	#68-05884

Qualifier Descriptions

Qualifier	Description
!	Result is outside of stated limit criteria
В	Compound also found in associated method blank
E	Concentration exceeds calibration range
F	Analysis run outside of holding time
G	Estimated result due to extraction run outside of holding time
Н	Sample submitted and run outside of holding time
1	Matrix interference with internal standard
J	Estimated value less than reporting limit, but greater than MDL
L	Elevated reporting limit due to low sample amount
M	Result reported to MDL not RDL
0	Analysis performed by outside laboratory. See attached report.
R	Preliminary result
S	Surrogate recovery outside of control limits
Т	No correction for total solids
X	Elevated reporting limit due to matrix interference
Υ	Elevated reporting limit due to high target concentration
b	Value detected less than reporting limit, but greater than MDL
е	Reported value estimated due to interference
j	Analyte also found in associated method blank
р	Benzo(b)Fluoranthene and Benzo(k)Fluoranthene integrated as one peak.
х	Preserved from bulk sample

Glossary of Abbreviations

Abbreviation	Description
RL/RDL	Reporting Limit
MDL	Method Detection Limit
MS	Matrix Spike
MSD	Matrix Spike Duplicate
SW	EPA SW 846 (Soil and Wastewater) Methods
E	EPA Methods
SM	Standard Methods
LN	Linear
BR	Branched



Method Summary

Method Version

ASTM D7968-17M ASTM Method D7968 - 17 Modified (Isotopic Dilution)

SM2540B Standard Method 2540 B 2011

Parameter Summary

Parameter	Synonym	Cas #
PFBA	Perfluorobutanoic Acid	375-22-4
PFPeA	Perfluoropentanoic Acid	2706-90-3
4:2 FTSA	4:2 Fluorotelomer Sulfonic Acid	757124-72-4
PFHxA	Perfluorohexanoic Acid	307-24-4
PFBS	Perfluorobutane sulfonic Acid	375-73-5
PFHpA	Perfluoroheptanoic Acid	375-85-9
PFPeS	Perfluoropentane Sulfonic Acid	2706-91-4
6:2 FTSA	6:2 Fluorotelomer Sulfonic Acid	27619-97-2
PFOA	Perfluorooctanoic Acid	335-67-1
PFHxS	Perfluorohexane Sulfonic Acid	355-46-4
PFHxS-LN	Perfluorohexane Sulfonic Acid - LN	355-46-4-LN
PFHxS-BR	Perfluorohexane Sulfonic Acid - BR	355-46-4-BR
PFNA	Perfluorononanoic Acid	375-95-1
8:2 FTSA	8:2 Fluorotelomer Sulfonic Acid	39108-34-4
PFHpS	Perfluoroheptane Sulfonic Acid	375-92-8
PFDA	Perfluorodecanoic Acid	335-76-2
N-MeFOSAA	N-methyl perfluorooctanesulfonamidoacetic acid	2355-31-9
EtFOSAA	N-Ethyl Perfluorooctane Sulfonamidoacetic Acid	2991-50-6
PFOS	Perfluorooctane Sulfonic Acid	1763-23-1
PFOS-LN	Perfluorooctane Sulfonic Acid - LN	1763-23-1-LN
PFOS-BR	Perfluorooctane Sulfonic Acid - BR	1763-23-1-BR
PFUnDA	Perfluoroundecanoic Acid	2058-94-8
PFNS	Perfluorononane Sulfonic Acid	68259-12-1
PFDoDA	Perfluorododecanoic Acid	307-55-1
PFDS	Perfluorodecane Sulfonic Acid	335-77-3
PFTrDA	Perfluorotridecanoic Acid	72629-94-8
FOSA	Perfluorooctane Sulfonamide	754-91-6
PFTeDA	Perfluorotetradecanoic Acid	376-06-7
11CI-PF3OUdS	11-chloroeicosafluoro-3-oxaundecane-1-sulfonic acid	763051-92-9
9CI-PF3ONS	9-chlorohexadecafluoro-3-oxanone1-sulfonic acid	756426-58-1
ADONA	4,8-dioxa-3H-perfluorononanoic acid	919005-14-4
HFPO-DA	Hexafluoropropylene oxide dimer	13252-13-6



Sample Summary (1 samples)

Sample ID Sample Tag Matrix Collected Date/Time

S26186.01 Biosolids Sludge 07/14/21 10:50



Lab Sample ID: S26186.01

Sample Tag: Biosolids

Collected Date/Time: 07/14/2021 10:50

Matrix: Sludge

COC Reference: 145920

Sample Containers

#	Туре	Preservative(s)	Refrigerated?	Arrival Temp. (C)	Thermometer #
1	15ml Centrifuge Tube	None	Yes	6.0	IR
1	250ml Plastic	None	Yes	6.0	IR

Extraction / Prep.

Parameter	Result	Method	Run Date	Analyst	Flags
Initial wt. (g) / Final wt. (g) / Volume (ml)*	12.57/7.06/10	ASTM D7968-17M	07/26/21 16:45	JGH	

Inorganics

Method: SM2540B, Run Date: 07/16/21 08:30, Analyst: ELR

Parameter	Result	RL	MDL	Units	Dilution	CAS#	Flags
Total Solids*	4.7	1		%	1		

Organics

28 PFAs, Method: ASTM D7968-17M, Run Date: 07/27/21 02:12, Analyst: JGH

Parameter	Result	RL	MDL	Units	Dilution	CAS#	Flags
PFBA*	Not detected	0.77		ug/kg	38.6	375-22-4	_
PFPeA*	Not detected	0.39		ug/kg	38.6	2706-90-3	
4:2 FTSA*	Not detected	0.39		ug/kg	38.6	757124-72-4	1
PFHxA*	0.5	0.39		ug/kg	38.6	307-24-4	
PFBS*	Not detected	0.39		ug/kg	38.6	375-73-5	
PFHpA*	Not detected	0.39		ug/kg	38.6	375-85-9	
PFPeS*	Not detected	0.39		ug/kg	38.6	2706-91-4	
6:2 FTSA*	Not detected	0.39		ug/kg	38.6	27619-97-2	1
PFOA*	0.82	0.39		ug/kg	38.6	335-67-1	
PFHxS*	Not detected	0.39		ug/kg	38.6	355-46-4	
PFHxS-LN*	Not detected	0.39		ug/kg	38.6	355-46-4-LN	
PFHxS-BR*	Not detected	0.39		ug/kg	38.6	355-46-4-BR	
PFNA*	Not detected	0.39		ug/kg	38.6	375-95-1	
8:2 FTSA*	Not detected	0.39		ug/kg	38.6	39108-34-4	1
PFHpS*	Not detected	0.39		ug/kg	38.6	375-92-8	
PFDA*	1.8	0.39		ug/kg	38.6	335-76-2	
N-MeFOSAA*	8.2	0.39		ug/kg	38.6	2355-31-9	1
EtFOSAA*	16	0.39		ug/kg	38.6	2991-50-6	1
PFOS*	5.5	0.39		ug/kg	38.6	1763-23-1	
PFOS-LN*	5	0.39		ug/kg	38.6	1763-23-1-LN	
PFOS-BR*	Not detected	0.39		ug/kg	38.6	1763-23-1-BR	
PFUnDA*	0.9	0.39		ug/kg	38.6	2058-94-8	
PFNS*	Not detected	0.39		ug/kg	38.6	68259-12-1	
PFDoDA*	1.2	0.39		ug/kg	38.6	307-55-1	
PFDS*	1.4	0.39		ug/kg	38.6	335-77-3	
PFTrDA*	Not detected	0.39		ug/kg	38.6	72629-94-8	
FOSA*	3	0.39		ug/kg	38.6	754-91-6	
PFTeDA*	Not detected	0.39		ug/kg	38.6	376-06-7	
11CI-PF3OUdS*	Not detected	0.39		ug/kg	38.6	763051-92-9	
9CI-PF3ONS*	Not detected	0.39		ug/kg	38.6	756426-58-1	

I-Matrix interference with internal standard



Lab Sample ID: S26186.01 (continued)

Sample Tag: Biosolids

28 PFAs, Method: ASTM D7968-17M, Run Date: 07/27/21 02:12, Analyst: JGH (continued)

20117to, monitorin 21000 17th, Nam 22to, 072721 02112, 7th 2010 0011 (committee)							
Parameter	Result	RL	MDL	Units	Dilution	CAS#	Flags
ADONA*	Not detected	0.39		ug/kg	38.6	919005-14-	4
HFPO-DA*	Not detected	0.39		ug/kg	38.6	13252-13-6	

Merit Laboratories Login Checklist

Lab Set ID:S26186

Client:BIOTECHAGRO (Biotech Agronomics, Inc.)

Project: Port Austin Cell 2

Submitted:07/14/2021 14:33 Login User: MMC

Attention: Don Popma

Address: Biotech Agronomics, Inc. 1651 Beulah Highway Beulah, MI 49617

Phone: 616-835-0100 FAX: Email: dpopma@biotechag.com

Selection	Description	Note
Sample Receiving		
01. X Yes No N/A	Samples are received at 4C +/- 2C Thermometer #	IR 6.0
02. X Yes No N/A	Received on ice/ cooling process begun	
03. Yes X No N/A	Samples shipped	
04. Yes X No N/A	Samples left in 24 hr. drop box	
05. Yes No X N/A	Are there custody seals/tape or is the drop box locked	
Chain of Custody		
06. X Yes No N/A	COC adequately filled out	
07. X Yes No N/A	COC signed and relinquished to the lab	
08. X Yes No N/A	Sample tag on bottles match COC	
09. Yes X No N/A	Subcontracting needed? Subcontacted to:	
Preservation		
10. X Yes No N/A	Do sample have correct chemical preservation	
11. Yes No X N/A	Completed pH checks on preserved samples? (no VOAs)	
12. Yes X No N/A	Did any samples need to be preserved in the lab?	
Bottle Conditions		
13. X Yes No N/A	All bottles intact	
14. X Yes No N/A	Appropriate analytical bottles are used	
15. X Yes No N/A	Merit bottles used	
16. X Yes No N/A	Sufficient sample volume received	
17. Yes X No N/A	Samples require laboratory filtration	
18. X Yes No N/A	Samples submitted within holding time	
19. Yes No X N/A	Do water VOC or TOX bottles contain headspace	

Corrective action for all	exceptions is to	call the client	and to notify	the project	manager.
Client Review By:			Date:		



2680 East Lansing Dr., East Lansing, MI 48823 Phone (517) 332-0167 Fax (517) 332-4034 www.meritlabs.com

C.O.C. PAGE #	OF	1 /	С	0	0	0	
		- 14	\mathcal{O}	y	1	U	

REPOR			Laboratories, Inc.	CHAI	N OF C	CUS	STO	וסכ	/ RE	CC	RD									1	NVOI	CE TO		
CONTACT NAME DON POPMO COMPANY BIOTECH Agronomics, Inc ADDRESS 1651 Beubh Huy CITY D STATE ZIP CODE										CONTACT NAME														
COMPANY B	COMPANY															AND DOOR								
ADDRESS 16.	AD	DRES	S		1	71		_V_10.	1.70.				1	11 11	100	e r j								
Beylah STATE ZIP CODE 17)(11 . V			. /					118	STATE	ZIP CODE	le il		
PHONE NO. 616-835-0100 FAX NO.			FAX NO.	P.O. NO.				PHONE NO. E-MA							IL ADDF	ESS								
E-MAIL ADDRESS	QUOTE NO.	7 () 26 (91) 18	- 62	ANALYSIS (ATTACH LIST IF MORE SPACE IS REQUIRED)																				
PROJECT NO./NAME Rort Austin CCII2 SAMPLER(S) - PLEASE-PRINT/SIGNNAM																						TOTAL STATE		
TURNAROUNI	TIME REG	QUIRED	□1 DAY □2 DAYS □3 DA	YS STANDARD				V			76									□ OHIO VA	P 🗆 Dri	nking Water		
DELIVERABLE	S REQUIR	ED ST	D DLEVEL II DLEVEL III	LEVEL IV DED	D 🗆 OTH	HER					~ ~									□DoD	□NP	DES		
MATRIX C CODE:	# Containers & Y							4	-				S 11	Project Lo ⊐ Detroit		w York								
MERIT LAB NO. FOR LAB USE ONLY	YE. DATE	AR 2/	SAMPLE T IDENTIFICATION-DES	AG SCRIPTION	# OF BOTTLES	HCI HNO ₃ H ₂ SO ₄ NaOH MeOH OTHER													☐ Other Special Instructions					
26186.01	7/14	10:50	Biosolids		w	4				~			ei .	al 55	110	1	(1)		chrevi	1-3-1-9	uga)			
		_ II - A E	e with and fourity rec		To do 3	30	13	bi	11.0		111					T		31		O. Kara	ar A arti	T MI		
							1		40	11	11.07	5111		rg b			1			7 . 1 . 7	1 2	Y 1 . 1 2 21		
	LE LOUI	N. VER	es and a state of the fact of the	ara n celebrate	da redu	139	1		oa b	1.0	17.5	i pur		Sec			Ve				DERTY TO			
														57 H	a fin k	rij.	35.50	i kata yi		New A	C32 C 2			
		D. 154	ac isem of balls as	lerres de la 71.7	. he leads	88	d	als	m	2		3 4	- 12	salti	haba	d Lo	1,123	388	5 50		labit)	a de la companya de l		
1289.00		11	Something of the second	Complete the second	ris Judi	19	10	190	(a) ((unit)	M K	E.	TA .	11 [2]	153 >	o ta	100	10.54		Design and of	17 y 144	70 La		
					0.000	94	\$1 20 20 20 20 20 20 20 20 20 20 20 20 20	1	10	ajzu	To an	() () ()	nun-		CYN CO			, A		200	10	GE C		
Terotal				not not one	moori	el.		173			PAN	314	ār þj	E zi	7	- h				ad transi	v. na Syn	(8) -3		
A convenie	LE LEAD	- 43	Mark to the contract of the color	n Indiana de	YMEST B		9	dau	5g .d	1	9111	1		4	2	112	eq:	pri-l'i	n/s	h 1 (m) :	440	1 3		
	1 8	8 70	after war and a war a deal to)(2 - 10)(1 - 1 - 10)	58 L 7 U	533 1		2.4							113					THE THE	Y.	THE STATE OF THE S		
	that it was	Epit Fro	re taking puriperation	rafy also the force	Haba [†]	8	1	11	10		- 0.9	g Ēra	izih	7	e i eri			uleş.	7-7-7	4,333-4	ris ent un	र र र र र र		
RELINQUISHED BY SIGNATURE/ORGA			Don Po	Campler 7/14	E TIM	IE 33	1000		JISHED JRE/OF		ZATION						ER	ľ w	17.1	11 12	DATE	TIME		
RECEIVED BY: SIGNATURE/ORGA	ANIZATION		M alerat	7/14		33			D BY: JRE/OF	GANIZ	ZATION	N.	1 95	1 1	Hir		1	1 - 4.	/	4.4-11	DATE	TIME		
RELINQUISHED BY SIGNATURE/ORGA	SE	AL NO	О.			SEAL IN			INITIA	LS		NOTES	S:	TEMP. ON A	ARRIVAL	-								
RECEIVED BY: DATE TIME SIGNATURE/ORGANIZATION										YES NO SEAL NO. SEAL INTACT INITIALS YES NO											.0			