

Report ID: S24575.01(01) Generated on 06/16/2021

Report to

Attention: Neil Traye

Marquette Area Wastewater Treatment Facility

300 W. Baraga Ave Marquette, MI 49855

Phone: 906-225-4053 FAX: Email: ntraye@marquettemi.gov

Report produced by

Merit Laboratories, Inc. 2680 East Lansing Drive East Lansing, MI 48823

Phone: (517) 332-0167 FAX: (517) 332-6333

Contacts for report questions: John Laverty (johnlaverty@meritlabs.com) Barbara Ball (bball@meritlabs.com)

Report Summary

Lab Sample ID(s): S24575.01

Project: May 2021 Biosolids Cake PFAS

Collected Date(s): 05/24/2021

Submitted Date/Time: 05/25/2021 10:45

Sampled by: Neil Traye P.O. #: VERBAL

Table of Contents

Cover Page (Page 1)

General Report Notes (Page 2)

Report Narrative (Page 2)

Laboratory Certifications (Page 3)

Qualifier Descriptions (Page 3)

Glossary of Abbreviations (Page 3)

Method Summary (Page 4)

Sample Summary (Page 5)

Maya Murshak Technical Director

Naya Mushah



General Report Notes

Analytical results relate only to the samples tested, in the condition received by the laboratory.

Methods may be modified for improved performance.

Results reported on a dry weight basis where applicable.

'Not detected' indicates that parameter was not found at a level equal to or greater than the reporting limit (RL).

40 CFR Part 136 Table II Required Containers, Preservation Techniques and Holding Times for the Clean Water Act specify that samples

for acrolein and acrylonitrile need to be preserved at a pH in the range of 4 to 5 or if not preserved, analyzed within 3 days of sampling.

QA/QC corresponding to this analytical report is a separate document with the same Merit ID reference and is available upon request.

Full accreditation certificates are available upon request. Starred (*) analytes are not NELAP accredited.

Samples are held by the lab for 30 days from the final report date unless a written request to hold longer is provided by the client.

Report shall not be reproduced except in full, without the written approval of Merit Laboratories, Inc.

Limits for drinking water samples, are listed as the MCL Limits (Maximum Contaminant Level Concentrations)

PFAS requirement: Section 9.3.8 of U.S. EPA Method 537.1 states "If the method analyte(s) found in the Field Sample is present in the

FRB at a concentration greater than 1/3 the MRL, then all samples collected with that FRB are invalid and must be recollected and reanalyzed."

Samples submitted without an accompanying FRB may not be acceptable for compliance purposes.

Report Narrative

There is no additional narrative for this analytical report



Laboratory Certifications

Authority	Certification ID
Michigan DEQ	#9956
DOD ELAP/ISO 17025	#69699
WBENC	#2005110032
Ohio VAP	#CL0002
Indiana DOH	#C-MI-07
New York NELAC	#11814
North Carolina DENR	#680
North Carolina DOH	#26702
Alaska CSLAP	#17-001
Pennsylvania DEP	#68-05884

Qualifier Descriptions

Qualifier	Description
!	Result is outside of stated limit criteria
В	Compound also found in associated method blank
E	Concentration exceeds calibration range
F	Analysis run outside of holding time
G	Estimated result due to extraction run outside of holding time
Н	Sample submitted and run outside of holding time
1	Matrix interference with internal standard
J	Estimated value less than reporting limit, but greater than MDL
L	Elevated reporting limit due to low sample amount
M	Result reported to MDL not RDL
0	Analysis performed by outside laboratory. See attached report.
R	Preliminary result
S	Surrogate recovery outside of control limits
T	No correction for total solids
X	Elevated reporting limit due to matrix interference
Υ	Elevated reporting limit due to high target concentration
b	Value detected less than reporting limit, but greater than MDL
е	Reported value estimated due to interference
j	Analyte also found in associated method blank
p	Benzo(b)Fluoranthene and Benzo(k)Fluoranthene integrated as one peak.
х	Preserved from bulk sample

Glossary of Abbreviations

Abbreviation	Description
RL/RDL	Reporting Limit
MDL	Method Detection Limit
MS	Matrix Spike
MSD	Matrix Spike Duplicate
SW	EPA SW 846 (Soil and Wastewater) Methods
E	EPA Methods
SM	Standard Methods
LN	Linear
BR	Branched



Method Summary

Method Version

ASTM D7968-17M ASTM Method D7968 - 17 Modified (Isotopic Dilution)

SM2540B Standard Method 2540 B 2011

Parameter Summary

Parameter	Synonym	Cas #
PFBA	Perfluorobutanoic Acid	375-22-4
PFPeA	Perfluoropentanoic Acid	2706-90-3
4:2 FTSA	4:2 Fluorotelomer Sulfonic Acid	757124-72-4
PFHxA	Perfluorohexanoic Acid	307-24-4
PFBS	Perfluorobutane sulfonic Acid	375-73-5
PFHpA	Perfluoroheptanoic Acid	375-85-9
PFPeS	Perfluoropentane Sulfonic Acid	2706-91-4
6:2 FTSA	6:2 Fluorotelomer Sulfonic Acid	27619-97-2
PFOA	Perfluorooctanoic Acid	335-67-1
PFHxS	Perfluorohexane Sulfonic Acid	355-46-4
PFHxS-LN	Perfluorohexane Sulfonic Acid - LN	355-46-4-LN
PFHxS-BR	Perfluorohexane Sulfonic Acid - BR	355-46-4-BR
PFNA	Perfluorononanoic Acid	375-95-1
8:2 FTSA	8:2 Fluorotelomer Sulfonic Acid	39108-34-4
PFHpS	Perfluoroheptane Sulfonic Acid	375-92-8
PFDA	Perfluorodecanoic Acid	335-76-2
N-MeFOSAA	N-methyl perfluorooctanesulfonamidoacetic acid	2355-31-9
EtFOSAA	N-Ethyl Perfluorooctane Sulfonamidoacetic Acid	2991-50-6
PFOS	Perfluorooctane Sulfonic Acid	1763-23-1
PFOS-LN	Perfluorooctane Sulfonic Acid - LN	1763-23-1-LN
PFOS-BR	Perfluorooctane Sulfonic Acid - BR	1763-23-1-BR
PFUnDA	Perfluoroundecanoic Acid	2058-94-8
PFNS	Perfluorononane Sulfonic Acid	68259-12-1
PFDoDA	Perfluorododecanoic Acid	307-55-1
PFDS	Perfluorodecane Sulfonic Acid	335-77-3
PFTrDA	Perfluorotridecanoic Acid	72629-94-8
FOSA	Perfluorooctane Sulfonamide	754-91-6
PFTeDA	Perfluorotetradecanoic Acid	376-06-7
11CI-PF3OUdS	11-chloroeicosafluoro-3-oxaundecane-1-sulfonic acid	763051-92-9
9CI-PF3ONS	9-chlorohexadecafluoro-3-oxanone1-sulfonic acid	756426-58-1
ADONA	4,8-dioxa-3H-perfluorononanoic acid	919005-14-4
HFPO-DA	Hexafluoropropylene oxide dimer	13252-13-6



Sample Summary (1 samples)

Sample ID Sample Tag Matrix Collected Date/Time

S24575.01 May 2021 Biosolids Cake PFAS Sludge 05/24/21 13:50



Lab Sample ID: S24575.01

Sample Tag: May 2021 Biosolids Cake PFAS Collected Date/Time: 05/24/2021 13:50

Matrix: Sludge

COC Reference: 137369

Sample Containers

#	Туре	Preservative(s)	Refrigerated?	Arrival Temp. (C)	Thermometer #
1	15ml Centrifuge Tube	None	Yes	5.6	IR
1	250ml Plastic	None	Yes	5.6	IR

Extraction / Prep.

Parameter	Result	Method	Run Date	Analyst	Flags
Initial wt. (g) / Final wt. (g) / Volume (ml)*	9.14/6.99/10	ASTM D7968-17M	06/07/21 12:00	KCV	

Inorganics

Method: SM2540B, Run Date: 05/25/21 17:00, Analyst: REJ

Parameter	Result	RL	MDL	Units	Dilution	CAS#	Flags
Total Solids*	14	1		%	1		

Organics

28 PFAs, Method: ASTM D7968-17M, Run Date: 06/09/21 04:54, Analyst: KCV

Parameter	Result	RL	MDL	Units	Dilution	CAS#	Flags
PFBA*	Not detected	0.66		ug/kg	33.2	375-22-4	1
PFPeA*	1.4	0.33		ug/kg	33.2	2706-90-3	
4:2 FTSA*	Not detected	0.33		ug/kg	33.2	757124-72-4	1
PFHxA*	3.3	0.33		ug/kg	33.2	307-24-4	1
PFBS*	Not detected	0.33		ug/kg	33.2	375-73-5	
PFHpA*	Not detected	0.33		ug/kg	33.2	375-85-9	
PFPeS*	Not detected	0.33		ug/kg	33.2	2706-91-4	
6:2 FTSA*	3	0.33		ug/kg	33.2	27619-97-2	1
PFOA*	1.7	0.33		ug/kg	33.2	335-67-1	
PFHxS*	0.55	0.33		ug/kg	33.2	355-46-4	
PFHxS-LN*	0.46	0.33		ug/kg	33.2	355-46-4-LN	
PFHxS-BR*	Not detected	0.33		ug/kg	33.2	355-46-4-BR	
PFNA*	0.54	0.33		ug/kg	33.2	375-95-1	
3:2 FTSA*	5.3	0.33		ug/kg	33.2	39108-34-4	
PFHpS*	Not detected	0.33		ug/kg	33.2	375-92-8	
PFDA*	2.7	0.33		ug/kg	33.2	335-76-2	1
N-MeFOSAA*	10	0.33		ug/kg	33.2	2355-31-9	1
EtFOSAA*	4.3	0.33		ug/kg	33.2	2991-50-6	1
PFOS*	19	0.33		ug/kg	33.2	1763-23-1	
PFOS-LN*	15	0.33		ug/kg	33.2	1763-23-1-LN	
PFOS-BR*	4	0.33		ug/kg	33.2	1763-23-1-BR	
PFUnDA*	0.96	0.33		ug/kg	33.2	2058-94-8	1
PFNS*	Not detected	0.33		ug/kg	33.2	68259-12-1	
PFDoDA*	0.93	0.33		ug/kg	33.2	307-55-1	1
PFDS*	0.6	0.33		ug/kg	33.2	335-77-3	
PFTrDA*	Not detected	0.33		ug/kg	33.2	72629-94-8	1
FOSA*	2	0.33		ug/kg	33.2	754-91-6	
PFTeDA*	Not detected	0.33		ug/kg	33.2	376-06-7	
11CI-PF3OUdS*	Not detected	0.33		ug/kg	33.2	763051-92-9	
9CI-PF3ONS*	Not detected	0.33		ug/kg	33.2	756426-58-1	

I-Matrix interference with internal standard



Lab Sample ID: S24575.01 (continued)

Sample Tag: May 2021 Biosolids Cake PFAS

28 PFAs, Method: ASTM D7968-17M, Run Date: 06/09/21 04:54, Analyst: KCV (continued)

Parameter	Result	RL	MDL	Units	Dilution	CAS#	Flags
ADONA*	Not detected	0.33		ug/kg	33.2	919005-14-4	_
HFPO-DA*	Not detected	0.33		ug/kg	33.2	13252-13-6	1

I-Matrix interference with internal standard

Merit Laboratories Login Checklist

Lab Set ID:S24575

Client: MISCPFC (Marquette Area Wastewater Treatment Facility)

Project: May 2021 Biosolids Cake PFAS Submitted: 05/25/2021 10:45 Login User: REJ Attention: Neil Traye

Address: Marquette Area Wastewater Treatment Facility 300 W. Baraga Ave Marquette, MI 49855

Phone: 906-225-4053 FAX: Email: ntraye@marquettemi.gov

Select	ion			Description	Note
Samp	le Receiv	ring			
01.	X Yes	No	□ N/A	Samples are received at 4C +/- 2C Thermometer #	IR 5.5
02.	X Yes	No	N/A	Received on ice/ cooling process begun	
03.	X Yes	No	N/A	Samples shipped	UPS
04.	Yes	X No	N/A	Samples left in 24 hr. drop box	
05.	X Yes	No	N/A	Are there custody seals/tape or is the drop box locked	
Chain	of Custo	ody			
06.	X Yes	No	N/A	COC adequately filled out	
07.	X Yes	No	N/A	COC signed and relinquished to the lab	
08.	X Yes	No	□ N/A	Sample tag on bottles match COC	
09.	Yes	X No	N/A	Subcontracting needed? Subcontacted to:	
Prese	rvation				
10.	X Yes	No	□ N/A	Do sample have correct chemical preservation	
4.4		_			
11.	Yes	No	X N/A	Completed pH checks on preserved samples? (no VOAs)	
12.	Yes Yes	No X No	X N/A	Completed pH checks on preserved samples? (no VOAs) Did any samples need to be preserved in the lab?	
12.		X No			
12. Bottle	Yes	X No			
12. Bottle 13.	Yes Condition	X No	N/A	Did any samples need to be preserved in the lab?	
12. Bottle 13. 14.	Yes Condition X Yes	X No ons No	N/A	Did any samples need to be preserved in the lab? All bottles intact	
12. Bottle 13. 14. 15.	Yes Condition X Yes X Yes	X No Dns No		Did any samples need to be preserved in the lab? All bottles intact Appropriate analytical bottles are used	
12. Bottle 13. 14. 15.	Yes Condition X Yes X Yes X Yes	X No ons No No No	N/A	Did any samples need to be preserved in the lab? All bottles intact Appropriate analytical bottles are used Merit bottles used	
12. Bottle 13. 14. 15. 16.	Yes Condition X Yes X Yes X Yes X Yes	X No Dns No No No No	N/A	Did any samples need to be preserved in the lab? All bottles intact Appropriate analytical bottles are used Merit bottles used Sufficient sample volume received	

Corrective action for all	exceptions is to	call the client	and to notify th	ne project manager.
Client Review By:			Date:_	

Merit

RECEIVED BY:

SIGNATURE/ORGANIZATION

2680 East Lansing Dr., East Lansing, MI 48823 Phone (517) 332-0167 Fax (517) 332-4034

.o.c.	PAGE	#	OF	1	
					- 4

137369 www.meritlabs.com INVOICE TO **CHAIN OF CUSTODY RECORD** REPORT TO CONTACT NAME □ SAME CONTACT NAME COMPANY Wastellater Isentment Facility **ADDRESS** ZIP CODE CITY STATE PHONE NO. E-MAIL ADDRESS FAX NO. QUOTE NO ANALYSIS (ATTACH LIST IF MORE SPACE IS REQUIRED) Certifications PFAS ☐ OHIO VAP ☐ Drinking Water TURNAROUND TIME REQUIRED ☐ 1 DAY ☐ 2 DAYS ☐ 3 DAYS NPDES □ DoD STD | LEVEL | | LEVEL | | LEVEL | | EDD | OTHER DELIVERABLES REQUIRED Mchigan **Project Locations** MATRIX GW=GROUNDWATER WW=WASTEWATER # Containers & W=WASTE ☐ Detroit ☐ New York WP=WIPE CODE: SL=SLUDGE DW=DRINKING WATER O=OIL A=AIR Preservatives £105 Other MARQUETTE YEAR SAMPLE TAG MATRIX **MERIT IDENTIFICATION-DESCRIPTION** LAB NO Special Instructions DATE TIME FOR LAB'USE ONLY 2 Microgram XGI DATE TIME RELINQUISHED BY: DATE RELINQUISHED BY: 2:000M SIGNATURE/ORGANIZATION SIGNATURE/ORGANIZATION DATE TIME RECEIVED BY: RECEIVED BY: SIGNATURE/ORGANIZATION SIGNATURE/ORGANIZATION INITIALS NOTES: TEMP. ON ARRIVAL SEAL INTACT RELINQUISHED BY: SEAL NO. SIGNATURE/ORGANIZATION

SEAL NO.

SEAL INTACT

S ADHERENCE TO MERIT'S SAMPLE ACCEPTANCE POLICY ON REVERSE SIDE

INITIALS