

Report ID: S25544.01(01) Generated on 07/08/2021

Report to

Attention: Don Popma Biotech Agronomics, Inc. 1651 Beulah Highway Beulah, MI 49617

Phone: 616-835-0100 FAX: Email: dpopma@biotechag.com Report produced by

Merit Laboratories, Inc. 2680 East Lansing Drive East Lansing, MI 48823

Phone: (517) 332-0167 FAX: (517) 332-6333

Contacts for report questions: John Laverty (johnlaverty@meritlabs.com) Barbara Ball (bball@meritlabs.com)

Report Summary

Lab Sample ID(s): S25544.01 Project: Petersburg WWTP Collected Date(s): 06/22/2021

Submitted Date/Time: 06/22/2021 14:08

Sampled by: Don Popma

P.O. #:

Table of Contents

Cover Page (Page 1)

General Report Notes (Page 2)

Report Narrative (Page 2)

Laboratory Certifications (Page 3)

Qualifier Descriptions (Page 3)

Glossary of Abbreviations (Page 3)

Method Summary (Page 4)

Sample Summary (Page 5)

Maya Murshak Technical Director

Naya Mushah



General Report Notes

Analytical results relate only to the samples tested, in the condition received by the laboratory.

Methods may be modified for improved performance.

Results reported on a dry weight basis where applicable.

'Not detected' indicates that parameter was not found at a level equal to or greater than the reporting limit (RL).

40 CFR Part 136 Table II Required Containers, Preservation Techniques and Holding Times for the Clean Water Act specify that samples

for acrolein and acrylonitrile need to be preserved at a pH in the range of 4 to 5 or if not preserved, analyzed within 3 days of sampling.

QA/QC corresponding to this analytical report is a separate document with the same Merit ID reference and is available upon request.

Full accreditation certificates are available upon request. Starred (*) analytes are not NELAP accredited.

Samples are held by the lab for 30 days from the final report date unless a written request to hold longer is provided by the client.

Report shall not be reproduced except in full, without the written approval of Merit Laboratories, Inc.

Limits for drinking water samples, are listed as the MCL Limits (Maximum Contaminant Level Concentrations)

PFAS requirement: Section 9.3.8 of U.S. EPA Method 537.1 states "If the method analyte(s) found in the Field Sample is present in the

FRB at a concentration greater than 1/3 the MRL, then all samples collected with that FRB are invalid and must be recollected and reanalyzed."

Samples submitted without an accompanying FRB may not be acceptable for compliance purposes.

Report Narrative

There is no additional narrative for this analytical report



Laboratory Certifications

Authority	Certification ID
Michigan DEQ	#9956
DOD ELAP/ISO 17025	#69699
WBENC	#2005110032
Ohio VAP	#CL0002
Indiana DOH	#C-MI-07
New York NELAC	#11814
North Carolina DENR	#680
North Carolina DOH	#26702
Alaska CSLAP	#17-001
Pennsylvania DEP	#68-05884

Qualifier Descriptions

Qualifier	Description
!	Result is outside of stated limit criteria
В	Compound also found in associated method blank
E	Concentration exceeds calibration range
F	Analysis run outside of holding time
G	Estimated result due to extraction run outside of holding time
Н	Sample submitted and run outside of holding time
I	Matrix interference with internal standard
J	Estimated value less than reporting limit, but greater than MDL
L	Elevated reporting limit due to low sample amount
M	Result reported to MDL not RDL
0	Analysis performed by outside laboratory. See attached report.
R	Preliminary result
S	Surrogate recovery outside of control limits
Т	No correction for total solids
X	Elevated reporting limit due to matrix interference
Υ	Elevated reporting limit due to high target concentration
b	Value detected less than reporting limit, but greater than MDL
е	Reported value estimated due to interference
j	Analyte also found in associated method blank
р	Benzo(b)Fluoranthene and Benzo(k)Fluoranthene integrated as one peak.
X	Preserved from bulk sample

Glossary of Abbreviations

7 lbbi c viation	Beschption
RL/RDL	Reporting Limit
MDL	Method Detection Limit
MS	Matrix Spike
MSD	Matrix Spike Duplicate
SW	EPA SW 846 (Soil and Wastewater) Methods
E	EPA Methods
SM	Standard Methods
LN	Linear
BR	Branched



Method Summary

Method Version

ASTM D7968-17M ASTM Method D7968 - 17 Modified (Isotopic Dilution)

SM2540B Standard Method 2540 B 2011

Parameter Summary

Parameter	Synonym	Cas #
PFBA	Perfluorobutanoic Acid	375-22-4
PFPeA	Perfluoropentanoic Acid	2706-90-3
4:2 FTSA	4:2 Fluorotelomer Sulfonic Acid	757124-72-4
PFHxA	Perfluorohexanoic Acid	307-24-4
PFBS	Perfluorobutane sulfonic Acid	375-73-5
PFHpA	Perfluoroheptanoic Acid	375-85-9
PFPeS	Perfluoropentane Sulfonic Acid	2706-91-4
6:2 FTSA	6:2 Fluorotelomer Sulfonic Acid	27619-97-2
PFOA	Perfluorooctanoic Acid	335-67-1
PFHxS	Perfluorohexane Sulfonic Acid	355-46-4
PFHxS-LN	Perfluorohexane Sulfonic Acid - LN	355-46-4-LN
PFHxS-BR	Perfluorohexane Sulfonic Acid - BR	355-46-4-BR
PFNA	Perfluorononanoic Acid	375-95-1
8:2 FTSA	8:2 Fluorotelomer Sulfonic Acid	39108-34-4
PFHpS	Perfluoroheptane Sulfonic Acid	375-92-8
PFDA	Perfluorodecanoic Acid	335-76-2
N-MeFOSAA	N-methyl perfluorooctanesulfonamidoacetic acid	2355-31-9
EtFOSAA	N-Ethyl Perfluorooctane Sulfonamidoacetic Acid	2991-50-6
PFOS	Perfluorooctane Sulfonic Acid	1763-23-1
PFOS-LN	Perfluorooctane Sulfonic Acid - LN	1763-23-1-LN
PFOS-BR	Perfluorooctane Sulfonic Acid - BR	1763-23-1-BR
PFUnDA	Perfluoroundecanoic Acid	2058-94-8
PFNS	Perfluorononane Sulfonic Acid	68259-12-1
PFDoDA	Perfluorododecanoic Acid	307-55-1
PFDS	Perfluorodecane Sulfonic Acid	335-77-3
PFTrDA	Perfluorotridecanoic Acid	72629-94-8
FOSA	Perfluorooctane Sulfonamide	754-91-6
PFTeDA	Perfluorotetradecanoic Acid	376-06-7
11CI-PF3OUdS	11-chloroeicosafluoro-3-oxaundecane-1-sulfonic acid	763051-92-9
9CI-PF3ONS	9-chlorohexadecafluoro-3-oxanone1-sulfonic acid	756426-58-1
ADONA	4,8-dioxa-3H-perfluorononanoic acid	919005-14-4
HFPO-DA	Hexafluoropropylene oxide dimer	13252-13-6



Sample Summary (1 samples)

Sample ID Sample Tag Matrix Collected Date/Time

S25544.01 Biosolids Sludge 06/22/21 12:05



Lab Sample ID: S25544.01

Sample Tag: Biosolids

Collected Date/Time: 06/22/2021 12:05

Matrix: Sludge

COC Reference: 145923

Sample Containers

#	Туре	Preservative(s)	Refrigerated?	Arrival Temp. (C)	Thermometer #
1	15ml Centrifuge Tube	None	Yes	5.8	IR
1	250ml Plastic	None	Yes	5.8	IR

Extraction / Prep.

Parameter	Result	Method	Run Date	Analyst	Flags
Initial wt. (g) / Final wt. (g) / Volume (ml)*	13.19/7.02/10	ASTM D7968-17M	06/25/21 08:45	KCV	

Inorganics

Method: SM2540B, Run Date: 06/24/21 14:50, Analyst: ELR

Parameter	Result	RL	MDL	Units	Dilution	CAS#	Flags
Total Solids*	2.8	1		%	1		

Organics

28 PFAs, Method: ASTM D7968-17M, Run Date: 06/26/21 01:24, Analyst: KCV

Parameter	Result	RL	MDL	Units	Dilution	CAS#	Flags
PFBA*	Not detected	1.2		ug/kg	57.9	375-22-4	1
PFPeA*	1.4	0.58		ug/kg	57.9	2706-90-3	1
4:2 FTSA*	Not detected	0.58		ug/kg	57.9	757124-72-4	1
PFHxA*	2.7	0.58		ug/kg	57.9	307-24-4	1
PFBS*	0.84	0.58		ug/kg	57.9	375-73-5	
PFHpA*	Not detected	0.58		ug/kg	57.9	375-85-9	
PFPeS*	Not detected	0.58		ug/kg	57.9	2706-91-4	
6:2 FTSA*	Not detected	0.58		ug/kg	57.9	27619-97-2	1
PFOA*	5	0.58		ug/kg	57.9	335-67-1	
PFHxS*	Not detected	0.58		ug/kg	57.9	355-46-4	
PFHxS-LN*	Not detected	0.58		ug/kg	57.9	355-46-4-LN	
PFHxS-BR*	Not detected	0.58		ug/kg	57.9	355-46-4-BR	
PFNA*	0.95	0.58		ug/kg	57.9	375-95-1	
8:2 FTSA*	Not detected	0.58		ug/kg	57.9	39108-34-4	1
PFHpS*	Not detected	0.58		ug/kg	57.9	375-92-8	
PFDA*	9.4	0.58		ug/kg	57.9	335-76-2	
N-MeFOSAA*	16	0.58		ug/kg	57.9	2355-31-9	
EtFOSAA*	5.4	0.58		ug/kg	57.9	2991-50-6	
PFOS*	16	0.58		ug/kg	57.9	1763-23-1	
PFOS-LN*	15	0.58		ug/kg	57.9	1763-23-1-LN	
PFOS-BR*	1.6	0.58		ug/kg	57.9	1763-23-1-BR	
PFUnDA*	0.83	0.58		ug/kg	57.9	2058-94-8	
PFNS*	Not detected	0.58		ug/kg	57.9	68259-12-1	
PFDoDA*	2.4	0.58		ug/kg	57.9	307-55-1	1
PFDS*	Not detected	0.58		ug/kg	57.9	335-77-3	
PFTrDA*	Not detected	0.58		ug/kg	57.9	72629-94-8	1
FOSA*	5.2	0.58		ug/kg	57.9	754-91-6	
PFTeDA*	Not detected	0.58		ug/kg	57.9	376-06-7	I 1
11CI-PF3OUdS*	Not detected	0.58		ug/kg	57.9	763051-92-9	
				0 0			

I-Matrix interference with internal standard

1-IS recovery <10%



Lab Sample ID: S25544.01 (continued)

Sample Tag: Biosolids

28 PFAs, Method: ASTM D7968-17M, Run Date: 06/26/21 01:24, Analyst: KCV (continued)

zorrzej memearzerm z	1000 IIIII, Itali Batol 00/20/2	- · · · · · · · · · · · · · · · · · · ·	rinaryou rior (oonanaoa,			
Parameter	Result	RL	MDL	Units	Dilution	CAS#	Flags
9CI-PF3ONS*	Not detected	0.58		ug/kg	57.9	756426-58-1	
ADONA*	Not detected	0.58		ug/kg	57.9	919005-14-4	
HFPO-DA*	Not detected	0.58		ua/ka	57.9	13252-13-6	

Merit Laboratories Login Checklist

Lab Set ID:S25544

Client:BIOTECHAGRO (Biotech Agronomics, Inc.)

Project: Petersburg WWTP

Submitted: 06/22/2021 14:08 Login User: MMC

Attention: Don Popma

Address: Biotech Agronomics, Inc. 1651 Beulah Highway Beulah, MI 49617

Phone: 616-835-0100 FAX: Email: dpopma@biotechag.com

Selection	Description	Note
Sample Receiving		
01. X Yes No N/A	Samples are received at 4C +/- 2C Thermometer #	IR 5.8
02. X Yes No N/A	Received on ice/ cooling process begun	
03. Yes X No N/A	Samples shipped	
04. Yes X No N/A	Samples left in 24 hr. drop box	
05. Yes No X N/A	Are there custody seals/tape or is the drop box locked	
Chain of Custody		
06. X Yes No N/A	COC adequately filled out	
07. X Yes No No	COC signed and relinquished to the lab	
08. X Yes No N/A	Sample tag on bottles match COC	
09. Yes X No N/A	Subcontracting needed? Subcontacted to:	
Preservation		
10. X Yes No N/A	Do sample have correct chemical preservation	
11. Yes No X N/A	Completed pH checks on preserved samples? (no VOAs)	
12. Yes X No N/A	Did any samples need to be preserved in the lab?	
Bottle Conditions		
13. X Yes No N/A	All bottles intact	
14. X Yes No N/A	Appropriate analytical bottles are used	
15. X Yes No N/A	Merit bottles used	
16. X Yes No N/A	Sufficient sample volume received	
17. Yes X No N/A	Samples require laboratory filtration	
18. X Yes No N/A	Samples submitted within holding time	
19. Yes No X N/A	Do water VOC or TOX bottles contain headspace	

Corrective action f	or all exceptions is to	call the client and to	notify the project	manager.
Client Review By:			Date:	



2680 East Lansing Dr., East Lansing, MI 48823 Phone (517) 332-0167 Fax (517) 332-4034 www.meritlabs.com

C.O.C. PAGE #	OF	A
	The second second	1/

145923

REPORT TO CHAIN OF CUS																					
									CONTACT NAME												
									COMPANY ADDRESS												
PHONE NO. 616 · 835 - 0100 FAX NO.				P.O. NO.			PHONE NO. E-MAIL ADDRESS											37 1/2 1/3 1/3			
E-MAIL ADDRESS dADDMA & biotechag. Com				QUOTE NO.			ANALYSIS (AT								ATTACH LIST IF MORE SPACE IS REQUIRED)						
IE Dol	1	1 CLAPP	SAMPLER(S) - PL	EAST PRINT/SIG	NAN	ΛΕ L	18					21	2 - 12	· ·			H.	Certifications			
THE PROPERTY WATER					IFR	- Opma					®				7 12.		☐ OHIO VAP ☐ Drinking Water				
																		□ DoD □ NPDES			
							# 0	nto	inoro	0	9				303			Project Locations			
MATRIX GW=GROUNDWATER WW=WASTEWATER S=SOIL L=LIQUID SD=SOLID CODE: SL=SLUDGE DW=DRINKING WATER O=OIL WP=WIPE A=AIR W=WASTE											2	2		(C. 14)			☐ Detroit ☐ New York				
YE	AR 21	SAMPLE TA	AG .	TRIX	OF TLES	ONE	<u>5</u>	SO.	НОВ	HER SO	77							Other			
DATE	TIME		CHIFTION				1 3	보 ェ	Ž	ž lo					_	+-	Special Instructions				
6/22	12:05	Biosolids		P2	4	4		-						9110-7		7 5%	+	1 181638 x 1 1 1 1 1 1 1 2 3			
	- Heff	and the state of t		I Fla	ty)		100	-			- He						-	The state of the s			
														17.50		/444	-	2 THE WHITE A STREET THE COLUMN			
	10.22	is Luggagare to a	pl in 942	alse(b)			1								-	1 10	10-1	9 5			
							8														
		TO DESCRIPTION ALLEGADOR	13/00/1	1 1	45 "					H				Lilla I	1			200 200 2 - 1			
4. 1		- aerobbi zo ena e	UCM 9110	1764 4	2 12		20	SI P				F .	n N	Ober				NA ALL D. C. L. FAIR			
1				1.50 11%	19		10				5/94										
	1 1 2	Goza i Jessa La La com Sa	April 10 years	191						-	2 19				- 1-			and the second			
	.Jost	superior and table in the co	* y C Bl if i	i - 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	- 14		14			1 1				7				1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			
	DIRA	(36)	was the	1.10	1		Til.														
er Hid	áni p	a descent grouped a	kapya sa T	maj Dielo	, di		3/14	-83		Ru	1 1 1	14.3	- 2- 1		193	y i	1	mi ja jayte kur arialis i			
		D- B	Sampler 6	12272 Z	IME OR	-					ATION						Į.	DATE TIME			
SIGNATURE/ORGANIZATION RECEIVED BY: SIGNATURE/ORGANIZATION MILEON DATE TIME 1/22/21 1/08									RECEIVED BY: DATE TIME SIGNATURE/ORGANIZATION												
RELINQUISHED BY: DATE TIME SIGNATURE/ORGANIZATION									SEAL NO. SEAL INTACT INITIALS NOTES: TEMP. ON ARRIVAL YES NO SEAL INTACT INITIALS SEAL NO. SEAL INTACT INITIALS SEAL NO. SEAL INTACT INITIALS												
RÉCEIVED BY: SIGNATURE/ORGANIZATION DATE TIME								SEAL IN SEAL IN IAC													
	Don 1076 651 Clah C-83S- Apoput S-83S- D-TIME REC S REQUIR GW=GROUN SL=SLUDG VE DATE 6/22	DON Popma 10 Tech Ag 651 Beula Alah 6.835-0100 Apopma e Pefecshum Time required SREQUIRED SREQUIRED W= YEAR 21 DATE TIME 6/22 12:05 BANIZATION BANIZATION BANIZATION BANIZATION	Don Popme JoTech Agronomics, IX. 651 Beujah Hwy Jah	Don Popma IOTELL Agronomics, IN. 651 Beulah Huy IAH STATE ME 18-835-0100 FAXNO. PO.NO. DOTIME REQUIRED 1 DAY 2 DAYS 3 DAYS STANDA SREQUIRED STD LEVEL II LEVEL III LEVEL IV GW-GROUNDWATER WW-WASTEWATER S-SOIL L-LIQUID SL-SLUDGE DW-DRINKING WATER 0-OIL WP-WIPE A-A YEAR 21 DATE TIME IDENTIFICATION-DESCRIPTION 6/22 12.05 BIOSOIIds SANIZATION ANIZATION DATE TIME GANIZATION BY: SANIZATION DATE TO DATE TO DESCRIPTION BY: SANIZATION DATE TO DESCRIPTION DATE TO DESCRIPTION BY: SANIZATION DATE TO DESCRIPTION DATE TO DESCRIPTION DATE TO DESCRIPTION BY: SANIZATION DATE TO DESCRIPTION DESCRIPTIO	Don Popme To Tech Agronomics Tax 651 Beulah Huy Jah Beulah Huy Jah Belah Huy Jah Belah Huy Jah Belah Huy Jah Jah Belah Huy Jah Belah Huy Jah Belah Huy Jah Belah Huy Jah Jah Belah Huy Jah Belah Huy Jah Jah Belah Huy Jah Belah Huy Jah Jah Belah Huy Jah Jah Belah Huy Jah Jah Belah Huy Jah Jah Jah Jah Jah Jah Jah Ja	Don Popme JOTELL Agronomics, INC 651 Beulah Huy JIAN JANDER STATE JEFFORM JOTEL AGRONOMICS, INC GSS Beulah Huy JIAN JANDER STATE JEFFORM JOHN JOHN JOHN JOHN JOHN JOHN JOHN JOHN JOHN REQUIRED JOHN JOHN JOHN REQUIRED JOHN JOHN JOHN JOHN	Don Popme (10) Tech Agronomics, IX. (65) Beulah Hwy Liah STATE ZIPCOBLIT (10) B35-0160 FAXNO. PO.NO. QUOTENO. PEPERSTRANDARD OTHER STATE ZIPCOBLIT (10) BAMPLER(S)-PLEAS DEINT/SIGNAME STANDARD OTHER SREQUIRED DID LEVEL II LEVEL III LEVEL IV DEDD OTHER SREQUIRED DW-DRINKING WATER O-OIL WP-WIPE A-AIR W-WASTE YEAR 21 DATE TIME SAMPLETAG. 10 DENTIFICATION-DESCRIPTION SAMPLETAG. 10 DENTIFICA	Don Popma (OTECH Agronomics, TK. (65) Beulah Huy Alah STATE ZIPFOBLY PHONI ADDRE APOPMA PONO. BE PECSBURG LIVET SAMPLER(S)-PLEAS PRINTIFSIGNAME OTHER SREQUIRED PONO. APOPMA PONO. BE PECSBURG LIVET SAMPLER(S)-PLEAS PRINTIFSIGNAME OTHER SREQUIRED PONO. BAMPLER(S)-PLEAS PRINTIFSIGNAME OTHER SREQUIRED PONO. BAMPLER(S)-PLEAS PRINTIFSIGNAME OTHER SREQUIRED PONO. BAMPLER(S)-PLEAS PRINTIFSIGNAME APOPMA BAMPLER(S)-PLEAS PRINTIFSIGNAME APOPMA BAMPLER(S)-PLEAS PRINTIFSIGNAME APOPMA BAMPLER(S)-PLEAS PRINTIFSIGNAME BAMPLER(S)-PLEAS PRINTIFSICNAME BAMPLER(S)-PLEAS PRINTIFSIONA BAMPLER(S)-PLEAS PRINTIFSICNAME BAMPLER(S)-PLEAS PRINTIFSIONA BAMPLER(S)-PLEAS PRINTIFSIONA BAMPLER(S)-PLEAS PRINTIFSIONA BAMPLER(S)-PLEAS PRINTIFSIONA BAMPLER(S)-PLEAS PRINTIFSIONA BAMPLER(S)-PLEAS PRINTIFSIONA BAMPLER(S)-PLEAS PRINTIFS BAMPLER(S)-	Don Popma CONTACT N CONTACT N	Don Popma LOTELL Agronomics TX. 651 Beulah Huy LIAH STATE PONO. Apopma Photechag.com PONO. Apopma Photechag.com PONO. Apopma Photechag.com BE Petershurg WUTP SAMPLERIS-PLEASIFIENT/SIGN.JAME OTHER STEREGUIRED STOPPED OTHER SW-GROUNDWATER WW-WASTEWATER S-SOIL L-LIQUID SD-SOULD SW-GROUNDWATER WW-WASTEWATER S-SOIL L-LIQUID SD-SOLD YEAR 21 DATE TIME IDENTIFICATION-DESCRIPTION SAMPLETAG. SAMPLETAG. DATE TIME SAMPLETAG. SAMPLETAG	Don Popma Internation Dan Dan Dan Dan Dan Dan Dan Dan Dan Da	DON POPMS NOTE: Agronomics, T.K. 651 Beulah Huy Alah SASS-OND PO.NO. PO.	Don Porme IDTECLE Agronomics TIK 651 Beulah Hay IDTECLE Agronomics TIK 651 Beulah Hay IDTECLE Agronomics TIK 651 Beulah Hay IDTECLE Agronomics TIK ADDRESS OITY PHONE NO. ANALYSIS PE PE (Shurg WWTP SAMPLER(S)-PLEAT DINTYSIGNAME OUTE ON TO THER STANDARD OTHER STANDARD OTHER STANDARD OTHER STANDARD OTHER SW-GROUNDWATER WW-WASTEWATER S-SOIL L-LIQUID SD-SOLID SUS-SLUDGE DW-DRINKING WATER O-OIL WP-WIPE A-AIR W-WASTE YEAR 21 IDENTIFICATION-DESCRIPTION SUS-STANDARD OTHER SAMILETAG, IDENTIFICATION-DESCRIPTION STANDARD OTHER SIGNATION STANDARD OTHER SOLID OTHER SUS-SEALING OTHER SUS-STANDARD	DON POPME CONTACT NAME CONTACT	DON POPME (CTEL Agronomics, Inc. 651 Beulah Huy 18 18 18 18 18 18 18 18 18 18 18 18 18 1	Don Popme ICTEL Agronomics, TK. 651 Beylah Hay Istate 2PG9617 ADDRESS COMPANY ADDRESS CITY FOND ADDRESS CITY FOND ANALYSIS (ATTACH LIST IF M E PELECHALLY WUTF DIMEREQUIRED WID LEVEL II DEVELIN DEDD OTHER SEREQUIRED WID PRINKING WATER O-OIL WID-WIPE A-AIR W-WASTE VEAR 21 DATE TIME BIOSOIIds ANALYSIS (ATTACH LIST IF M BIOSOIIds FRENOUSHED BY FRENOUSHED BY RELINCUISH WASTER WW-WASTERING ANALYSIS (ATTACH LIST IF M BIOSOIIds FRENOUSHED BY RELINCUISHED BY	DON POPMU (OTEL Agronomics, IX. (S) Beylah Huy (A) BASS-ORDO ANALYSIS (ATTACH LIST IF MORES DIMEREQUIRED LID LEVEL II DLEVEL IV DEDD OTHER SERGUIRED WATER WWW.WASTEWATER S-SOIL UNDUNING WATER O-OIL WIN-WIPE A-AR W-WASTE DATE TIME (A) BIOSOI/Ids SEAMMLETION RELICIONS BIOSOI/Ids RELICIONS BIOSOI/INS RELICIONS BIOSOI/IN	DON POPMA CONTACT HAME COMPANY ADDRESS ANALYSIS (ATTACH LIST IF MORE SPACE ANALYSIS (ATTACH L			