

Report ID: S26665.01(01) Generated on 08/30/2021

Report to

Attention: Don Popma Biotech Agronomics, Inc. 1651 Beulah Highway Beulah, MI 49617

Phone: 616-835-0100 FAX: Email: dpopma@biotechag.com Report produced by

Merit Laboratories, Inc. 2680 East Lansing Drive East Lansing, MI 48823

Phone: (517) 332-0167 FAX: (517) 332-6333

Contacts for report questions: John Laverty (johnlaverty@meritlabs.com) Barbara Ball (bball@meritlabs.com)

Report Summary

Lab Sample ID(s): S26665.01 Project: Plainwell WWTP Collected Date(s): 07/28/2021

Submitted Date/Time: 07/29/2021 10:26

Sampled by: Don Popma

P.O. #:

Table of Contents

Cover Page (Page 1)

General Report Notes (Page 2)

Report Narrative (Page 2)

Laboratory Certifications (Page 3)

Qualifier Descriptions (Page 3)

Glossary of Abbreviations (Page 3)

Method Summary (Page 4)

Sample Summary (Page 5)

Maya Murshak Technical Director

Naya Mushah



General Report Notes

Analytical results relate only to the samples tested, in the condition received by the laboratory.

Methods may be modified for improved performance.

Results reported on a dry weight basis where applicable.

'Not detected' indicates that parameter was not found at a level equal to or greater than the reporting limit (RL).

40 CFR Part 136 Table II Required Containers, Preservation Techniques and Holding Times for the Clean Water Act specify that samples

for acrolein and acrylonitrile need to be preserved at a pH in the range of 4 to 5 or if not preserved, analyzed within 3 days of sampling.

QA/QC corresponding to this analytical report is a separate document with the same Merit ID reference and is available upon request.

Full accreditation certificates are available upon request. Starred (*) analytes are not NELAP accredited.

Samples are held by the lab for 30 days from the final report date unless a written request to hold longer is provided by the client.

Report shall not be reproduced except in full, without the written approval of Merit Laboratories, Inc.

Limits for drinking water samples, are listed as the MCL Limits (Maximum Contaminant Level Concentrations)

PFAS requirement: Section 9.3.8 of U.S. EPA Method 537.1 states "If the method analyte(s) found in the Field Sample is present in the

FRB at a concentration greater than 1/3 the MRL, then all samples collected with that FRB are invalid and must be recollected and reanalyzed."

Samples submitted without an accompanying FRB may not be acceptable for compliance purposes.

Report Narrative

There is no additional narrative for this analytical report



Laboratory Certifications

Authority	Certification ID
Michigan DEQ	#9956
DOD ELAP/ISO 17025	#69699
WBENC	#2005110032
Ohio VAP	#CL0002
Indiana DOH	#C-MI-07
New York NELAC	#11814
North Carolina DENR	#680
North Carolina DOH	#26702
Alaska CSLAP	#17-001
Pennsylvania DEP	#68-05884

Qualifier Descriptions

Qualifier	Description
!	Result is outside of stated limit criteria
В	Compound also found in associated method blank
E	Concentration exceeds calibration range
F	Analysis run outside of holding time
G	Estimated result due to extraction run outside of holding time
Н	Sample submitted and run outside of holding time
1	Matrix interference with internal standard
J	Estimated value less than reporting limit, but greater than MDL
L	Elevated reporting limit due to low sample amount
M	Result reported to MDL not RDL
0	Analysis performed by outside laboratory. See attached report.
R	Preliminary result
S	Surrogate recovery outside of control limits
Т	No correction for total solids
X	Elevated reporting limit due to matrix interference
Υ	Elevated reporting limit due to high target concentration
b	Value detected less than reporting limit, but greater than MDL
е	Reported value estimated due to interference
j	Analyte also found in associated method blank
р	Benzo(b)Fluoranthene and Benzo(k)Fluoranthene integrated as one peak.
х	Preserved from bulk sample

Glossary of Abbreviations

Abbreviation	Description
RL/RDL	Reporting Limit
MDL	Method Detection Limit
MS	Matrix Spike
MSD	Matrix Spike Duplicate
SW	EPA SW 846 (Soil and Wastewater) Methods
E	EPA Methods
SM	Standard Methods
LN	Linear
BR	Branched



Method Summary

Method Version

ASTM D7968-17M ASTM Method D7968 - 17 Modified (Isotopic Dilution)

SM2540B Standard Method 2540 B 2011

Parameter Summary

Parameter	Synonym	Cas #
PFBA	Perfluorobutanoic Acid	375-22-4
PFPeA	Perfluoropentanoic Acid	2706-90-3
4:2 FTSA	4:2 Fluorotelomer Sulfonic Acid	757124-72-4
PFHxA	Perfluorohexanoic Acid	307-24-4
PFBS	Perfluorobutane sulfonic Acid	375-73-5
PFHpA	Perfluoroheptanoic Acid	375-85-9
PFPeS	Perfluoropentane Sulfonic Acid	2706-91-4
6:2 FTSA	6:2 Fluorotelomer Sulfonic Acid	27619-97-2
PFOA	Perfluorooctanoic Acid	335-67-1
PFHxS	Perfluorohexane Sulfonic Acid	355-46-4
PFHxS-LN	Perfluorohexane Sulfonic Acid - LN	355-46-4-LN
PFHxS-BR	Perfluorohexane Sulfonic Acid - BR	355-46-4-BR
PFNA	Perfluorononanoic Acid	375-95-1
8:2 FTSA	8:2 Fluorotelomer Sulfonic Acid	39108-34-4
PFHpS	Perfluoroheptane Sulfonic Acid	375-92-8
PFDA	Perfluorodecanoic Acid	335-76-2
N-MeFOSAA	N-methyl perfluorooctanesulfonamidoacetic acid	2355-31-9
EtFOSAA	N-Ethyl Perfluorooctane Sulfonamidoacetic Acid	2991-50-6
PFOS	Perfluorooctane Sulfonic Acid	1763-23-1
PFOS-LN	Perfluorooctane Sulfonic Acid - LN	1763-23-1-LN
PFOS-BR	Perfluorooctane Sulfonic Acid - BR	1763-23-1-BR
PFUnDA	Perfluoroundecanoic Acid	2058-94-8
PFNS	Perfluorononane Sulfonic Acid	68259-12-1
PFDoDA	Perfluorododecanoic Acid	307-55-1
PFDS	Perfluorodecane Sulfonic Acid	335-77-3
PFTrDA	Perfluorotridecanoic Acid	72629-94-8
FOSA	Perfluorooctane Sulfonamide	754-91-6
PFTeDA	Perfluorotetradecanoic Acid	376-06-7
11CI-PF3OUdS	11-chloroeicosafluoro-3-oxaundecane-1-sulfonic acid	763051-92-9
9CI-PF3ONS	9-chlorohexadecafluoro-3-oxanone1-sulfonic acid	756426-58-1
ADONA	4,8-dioxa-3H-perfluorononanoic acid	919005-14-4
HFPO-DA	Hexafluoropropylene oxide dimer	13252-13-6



Sample Summary (1 samples)

Sample ID Sample Tag Matrix Collected Date/Time

S26665.01 Biosolids Sludge 07/28/21 11:25



Lab Sample ID: S26665.01

Sample Tag: Biosolids

Collected Date/Time: 07/28/2021 11:25

Matrix: Sludge

COC Reference: 143035

Sample Containers

#	Туре	Preservative(s)	Refrigerated?	Arrival Temp. (C)	Thermometer #
1	15ml Centrifuge Tube	None	Yes	5.7	IR
1	250ml Plastic	None	Yes	5.7	IR

Extraction / Prep.

Parameter	Result	Method	Run Date	Analyst	Flags
Initial wt. (g) / Final wt. (g) / Volume (ml)*	13.75/7.01/10	ASTM D7968-17M	08/19/21 16:00	KCV	
Initial wt. (g) / Final wt. (g) / Volume (ml) (F	Re ß *74/6.89/10	ASTM D7968-17M	08/25/21 15:45	KCV	1

Inorganics

Method: SM2540B, Run Date: 07/29/21 15:30, Analyst: ELR

Parameter	Result	RL	MDL	Units	Dilution	CAS#	Flags
Total Solids*	9.4	1		%	1		

Organics

28 PFAs, Method: ASTM D7968-17M, Run Date: 08/28/21 05:53, Analyst: KCV

Parameter	Result	RL	MDL	Units	Dilution	CAS#	Flags
PFBA*	Not detected	1.7		ug/kg	57.5	375-22-4	IX
PFPeA*	Not detected	0.58		ug/kg	57.5	2706-90-3	
4:2 FTSA*	Not detected	0.58		ug/kg	57.5	757124-72-4	1
PFHxA*	4.6	0.58		ug/kg	57.5	307-24-4	
PFBS*	Not detected	0.58		ug/kg	57.5	375-73-5	
PFHpA*	Not detected	0.58		ug/kg	57.5	375-85-9	
PFPeS*	Not detected	0.58		ug/kg	57.5	2706-91-4	
6:2 FTSA*	Not detected	0.58		ug/kg	57.5	27619-97-2	1
PFOA*	Not detected	0.58		ug/kg	57.5	335-67-1	
PFHxS*	Not detected	0.58		ug/kg	57.5	355-46-4	
PFHxS-LN*	Not detected	0.58		ug/kg	57.5	355-46-4-LN	
PFHxS-BR*	Not detected	0.58		ug/kg	57.5	355-46-4-BR	
PFNA*	Not detected	0.58		ug/kg	57.5	375-95-1	
8:2 FTSA*	1.2	0.58		ug/kg	57.5	39108-34-4	1
PFHpS*	Not detected	0.58		ug/kg	57.5	375-92-8	
PFDA*	Not detected	0.58		ug/kg	57.5	335-76-2	1
N-MeFOSAA*	8.9	0.58		ug/kg	57.5	2355-31-9	1
EtFOSAA*	3.1	0.58		ug/kg	57.5	2991-50-6	1
PFOS*	12	0.58		ug/kg	57.5	1763-23-1	1
PFOS-LN*	11	0.58		ug/kg	57.5	1763-23-1-LN	1
PFOS-BR*	Not detected	0.58		ug/kg	57.5	1763-23-1-BR	1
PFUnDA*	0.73	0.58		ug/kg	57.5	2058-94-8	12
PFNS*	Not detected	0.58		ug/kg	57.5	68259-12-1	1
PFDoDA*	0.91	0.58		ug/kg	57.5	307-55-1	1
PFDS*	0.92	0.58		ug/kg	57.5	335-77-3	1
PFTrDA*	Not detected	0.58		ug/kg	57.5	72629-94-8	1
FOSA*	Not detected	0.58		ug/kg	57.5	754-91-6	

¹⁻subsample

I-Matrix interference with internal standard X-Elevated reporting limit due to matrix interference

2-IS recovery <10%



Lab Sample ID: S26665.01 (continued)

Sample Tag: Biosolids

28 PFAs, Method: ASTM D7968-17M, Run Date: 08/28/21 05:53, Analyst: KCV (continued)

Parameter	Result	RL	MDL	Units	Dilution	CAS#	Flags
PFTeDA*	Not detected	0.58		ug/kg	57.5	376-06-7	1
11CI-PF3OUdS*	Not detected	0.58		ug/kg	57.5	763051-92-9	1
9CI-PF3ONS*	Not detected	0.58		ug/kg	57.5	756426-58-1	1
ADONA*	Not detected	0.58		ug/kg	57.5	919005-14-4	
HFPO-DA*	Not detected	0.58		ug/kg	57.5	13252-13-6	

I-Matrix interference with internal standard

Merit Laboratories Login Checklist

Lab Set ID:S26665

Client:BIOTECHAGRO (Biotech Agronomics, Inc.)

Project: Plainwell WWTP

Submitted: 07/29/2021 10:26 Login User: SRS

Attention: Don Popma

Address: Biotech Agronomics, Inc. 1651 Beulah Highway Beulah, MI 49617

Phone: 616-835-0100 FAX: Email: dpopma@biotechag.com

Selec	tion			Description	Note
Samı	ole Recei	ving			
01.	X Yes	☐ No	□ N/A	Samples are received at 4C +/- 2C Thermometer #	# IR 5.7
02.	X Yes	☐ No	□ N/A	Received on ice/ cooling process begun	
03.	Yes	X No	N/A	Samples shipped	
04.	Yes	X No	N/A	Samples left in 24 hr. drop box	
05.	Yes	☐ No	X N/A	Are there custody seals/tape or is the drop box locked	ked
Chaiı	n of Cust	ody			
06.	X Yes	☐ No	□ N/A	COC adequately filled out	
07.	X Yes	☐ No	N/A	COC signed and relinquished to the lab	
08.	X Yes	☐ No	N/A	Sample tag on bottles match COC	
09.	Yes	X No	N/A	Subcontracting needed? Subcontacted to:	
Pres	ervation				
10.	Yes	☐ No	X N/A	Do sample have correct chemical preservation	
11.	Yes	☐ No	X N/A	Completed pH checks on preserved samples? (no V	VOAs)
12.	Yes	X No	N/A	Did any samples need to be preserved in the lab?	
Bottl	e Conditi	ons			
13.	X Yes	No	□ N/A	All bottles intact	
14.	X Yes	No	N/A	Appropriate analytical bottles are used	
15.	X Yes	☐ No	N/A	Merit bottles used	
16.	X Yes	☐ No	N/A	Sufficient sample volume received	
17.	Yes	X No	□ N/A	Samples require laboratory filtration	
18.	X Yes	☐ No	N/A	Samples submitted within holding time	
19.	Yes	No	X N/A	Do water VOC or TOX bottles contain headspace	

Corrective action for	all exceptions is to	call the client and to	notify the project	manager.
Client Review By:			Date:	

Merit Laboratories, Inc.

2680 East Lansing Dr., East Lansing, MI 48823
Phone (517) 332-0167 Fax (517) 332-4034
www.meritlabs.com

0	.C.	PAGE	#	OF	 4	4	2	0	0	L
					- 1	4	.5	U	5	J

REPORT TO Laboratories, Inc. CHAIN OF CUS										CO	RD			INVOICE TO										
CONTACT NAME DOD PROMED									CONTACT NAME											CISAME				
COMPANY BIRTICH ASSESSMENT TOC.										COMPANY														
ADDRESS 1651 BOW STATE HAND										10	o bo	4505	o d	elia i	2 sle	(X)			. oni	Lamb garbloi	laborati	3.37		
CONTACT NAME DON Popma COMPANY BIOTECH Agronomics, Inc. ADDRESS 1651 Bewlah Hwy CITY Beulah PHONE NO. PO. NO.									Til 1991	101			or or la	STATE ZIP CODE				3118						
PHONE NO. 16-835-0100 FAX NO. P.O. NO.								PHONE NO.							ADDRE	SS		2.5						
PHONE NO 616-835-0100 FAX NO. E-MAIL ADDRESS Apopma a biotechag, com QUOTE NO. SAMPLED OF DIEAS PRINT/SIGN NAME										ANALYSIS (ATTACH LIST IF MO										ORE SPACE IS REQUIRED)				
PROJECT NO./NAM	PI	ainwe	II WWTP	SAMPLER (S) PLEASE	PRINT/SIG	GN NAM	ME			17 31	160		00400	n Tis	N S	la y	56			Certifications	REO(ME)	s kdž		
TURNAROUND TIME REQUIRED 1 DAY 2 DAYS 3 DAYS STANDARD 0 OTHER _										1968										OHIO VAP				
SI			D LEVEL LEVEL				R	ji.			DZ					100	le s	3425	20		□NPDES	0		
MATRIX GW=GROUNDWATER WW=WASTEWATER S=SOIL L=LIQUID SD=SOLID CODE: SL=SLUDGE DW=DRINKING WATER 0=OIL WP=WIPE A=AIR W=WASTE										# Containers & Preservatives									9.3	man Description I speci	ons ⊒New Yo	rk		
MERIT LAB NO. FOR LAB USE ONLY	YEAR 21		SAMPLE TAG IDENTIFICATION-DESCRIPTION			# OF BOTTLES	NONE	HNO	H ₂ SO ₄	МеОН				201837			1 2 3 6 3		N. F. 191	☐ Other Special Instruc	ctions			
24665.01	7/28	11:25A	Biosolids		P2 MATRIX		4				×					1				n visotiza.	io nis	io (
		sati mai		al License of a	ici ne	1160			wile.			1.	di ko	able.	1 51	deo		120	1	es intern	don in	n/s		
	, v , -										M.R.	3.11		& 30	[Hill	100	115 (2)	y 181 I		n o cristoriy	iado uri	(\$1)		
817 (89)	VIII	10 300	lean baseau uu a a aks	active entrage		Inv		A ne	0			fa _n sy	-			10	vei	100 2 (5)		Rodae of Bene	n estar	135.72		
														18 10	1570	det.	bids			d boot to be	8000000	ii)		
	er Sittille		eno seoto, vol le devoiro	iog za smilli				(8)								Ja - 1				ot cyntus				
al electro	A book	ezar ban	Special places of the are	i sanipha coca	10.4	ijogs		эľи			hivi	in all			0.813	d to	ión			in a pentil	10.7 10			
al savan	income.		ron / 1 35 Z Rionski		97			32 W/ 8 J							100					Dan Dange Kum				
	18071	1635151	conditions and constants	y ite name bu	71 00			52 11	lo l						1-0				1,2	of Landing are	/1 (2009)	163-2		
The Living	nikiew	witor is	unco no susti essil si bets	apor siluem et	April 618) jer	18	1514 15		18	dali	71	14 9				X.	lint (seach)	jo podle.			
	TO THE STATE OF TH				1110 (2111)			1000,4					334 16		.43 8	5 18758				23.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.) G 8(0)		
	en e tid	nai ya	n so line i i gasti e	into profit into	(sibl)	1.0		1			F & 1		1/4/2	14 4		100	119		AIGT		a grani	11.5		
RELINQUISHED B'		Do	fy 0	Sampler DA		TIME 102	EA	SIGNA		PRGANIZ	ZATION						11()	γ	1	P1 43 C 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1	DATE	TIME		
RECEIVED BY: SIGNATURE/ORGA	ANIZATION	Bou	mon	7/29	21 1	020	e		VED BY TURE/C	RGANIZ	ATION									opsiness heir	DATE	TIME		
RELINQUISHED BY SIGNATURE/ORGA			Con and analysis reques	DA	National Control	TIME	6	SEAL	NO.	MIS2	y its	SEAL IN		00	INITIA	LS		NOTE	S:	TEMP. ON ARRIV	AL	<u></u>)		
RECEIVED BY: DATE TIME SIGNATURE/ORGANIZATION										SEAL NO. SEAL INTACT INITIALS S.7														