Report ID: S23381.01(02) Generated on 05/05/2021

Replaces report S23381.01(01) generated on 04/30/2021

Report to

Attention: Sam Bibler Mason P.O.T.W. 345 N. Jefferson Mason, MI 48854

Phone: O: 517-676-1166 FAX: Email: samb@mason.mi.us

Addtional Contacts: Jeff Rewerts

Report Summary

Lab Sample ID(s): S23381.01-S23381.02

Project: Monitoring

Collected Date(s): 04/20/2021

Submitted Date/Time: 04/21/2021 10:55

Sampled by: Michael Hersey

P.O. #:

#### **Table of Contents**

Cover Page (Page 1)

General Report Notes (Page 2)

Report Narrative (Page 2)

Laboratory Certifications (Page 3)

Qualifier Descriptions (Page 3)

Glossary of Abbreviations (Page 3)

Naya Mushah

Method Summary (Page 4)

Sample Summary (Page 5)

Report produced by

Merit Laboratories, Inc. 2680 East Lansing Drive East Lansing, MI 48823

Phone: (517) 332-0167 FAX: (517) 332-6333

Contacts for report questions:

John Laverty (johnlaverty@meritlabs.com)
Barbara Ball (bball@meritlabs.com)

Maya Murshak Technical Director



Revised Report

### **General Report Notes**

Analytical results relate only to the samples tested, in the condition received by the laboratory.

Methods may be modified for improved performance.

Results reported on a dry weight basis where applicable.

'Not detected' indicates that parameter was not found at a level equal to or greater than the reporting limit (RL).

40 CFR Part 136 Table II Required Containers, Preservation Techniques and Holding Times for the Clean Water Act specify that samples

for acrolein and acrylonitrile need to be preserved at a pH in the range of 4 to 5 or if not preserved, analyzed within 3 days of sampling.

QA/QC corresponding to this analytical report is a separate document with the same Merit ID reference and is available upon request.

Full accreditation certificates are available upon request. Starred (\*) analytes are not NELAP accredited.

Samples are held by the lab for 30 days from the final report date unless a written request to hold longer is provided by the client.

Report shall not be reproduced except in full, without the written approval of Merit Laboratories, Inc.

Limits for drinking water samples, are listed as the MCL Limits (Maximum Contaminant Level Concentrations)

PFAS requirement: Section 9.3.8 of U.S. EPA Method 537.1 states "If the method analyte(s) found in the Field Sample is present in the

FRB at a concentration greater than 1/3 the MRL, then all samples collected with that FRB are invalid and must be recollected and reanalyzed."

Samples submitted without an accompanying FRB may not be acceptable for compliance purposes.

#### **Report Narrative**

Re-reported with corrected total solid results.

Page 2 of 8



### **Laboratory Certifications**

Authority	Certification ID
Michigan DEQ	#9956
DOD ELAP/ISO 17025	#69699
WBENC	#2005110032
Ohio VAP	#CL0002
Indiana DOH	#C-MI-07
New York NELAC	#11814
North Carolina DENR	#680
North Carolina DOH	#26702
Alaska CSLAP	#17-001
Pennsylvania DEP	#68-05884

### **Qualifier Descriptions**

Qualifier	Description
!	Result is outside of stated limit criteria
В	Compound also found in associated method blank
E	Concentration exceeds calibration range
F	Analysis run outside of holding time
G	Estimated result due to extraction run outside of holding time
Н	Sample submitted and run outside of holding time
1	Matrix interference with internal standard
J	Estimated value less than reporting limit, but greater than MDL
L	Elevated reporting limit due to low sample amount
M	Result reported to MDL not RDL
0	Analysis performed by outside laboratory. See attached report.
R	Preliminary result
S	Surrogate recovery outside of control limits
Т	No correction for total solids
X	Elevated reporting limit due to matrix interference
Υ	Elevated reporting limit due to high target concentration
b	Value detected less than reporting limit, but greater than MDL
е	Reported value estimated due to interference
j	Analyte also found in associated method blank
р	Benzo(b)Fluoranthene and Benzo(k)Fluoranthene integrated as one peak.
х	Preserved from bulk sample

### **Glossary of Abbreviations**

Abbreviation	Description
RL/RDL	Reporting Limit
MDL	Method Detection Limit
MS	Matrix Spike
MSD	Matrix Spike Duplicate
SW	EPA SW 846 (Soil and Wastewater) Methods
E	EPA Methods
SM	Standard Methods
LN	Linear
BR	Branched



### **Method Summary**

MethodVersionASTM D7968-17MASTM Method D7968 - 17 Modified (Isotopic Dilution)ASTMD7979-19MASTM Method D7979 - 19 Modified (Isotopic Dilution)SM2540BStandard Method 2540 B 2011

#### **Parameter Summary**

Parameter	Synonym	Cas #
PFBA	Perfluorobutanoic Acid	375-22-4
PFPeA	Perfluoropentanoic Acid	2706-90-3
4:2 FTSA	4:2 Fluorotelomer Sulfonic Acid	757124-72-4
PFHxA	Perfluorohexanoic Acid	307-24-4
PFBS	Perfluorobutane sulfonic Acid	375-73-5
PFHpA	Perfluoroheptanoic Acid	375-85-9
PFPeS	Perfluoropentane Sulfonic Acid	2706-91-4
6:2 FTSA	6:2 Fluorotelomer Sulfonic Acid	27619-97-2
PFOA	Perfluorooctanoic Acid	335-67-1
PFHxS	Perfluorohexane Sulfonic Acid	355-46-4
PFHxS-LN	Perfluorohexane Sulfonic Acid - LN	355-46-4-LN
PFHxS-BR	Perfluorohexane Sulfonic Acid - BR	355-46-4-BR
PFNA	Perfluorononanoic Acid	375-95-1
8:2 FTSA	8:2 Fluorotelomer Sulfonic Acid	39108-34-4
PFHpS	Perfluoroheptane Sulfonic Acid	375-92-8
PFDA	Perfluorodecanoic Acid	335-76-2
N-MeFOSAA	N-methyl perfluorooctanesulfonamidoacetic acid	2355-31-9
EtFOSAA	N-Ethyl Perfluorooctane Sulfonamidoacetic Acid	2991-50-6
PFOS	Perfluorooctane Sulfonic Acid	1763-23-1
PFOS-LN	Perfluorooctane Sulfonic Acid - LN	1763-23-1-LN
PFOS-BR	Perfluorooctane Sulfonic Acid - BR	1763-23-1-BR
PFUnDA	Perfluoroundecanoic Acid	2058-94-8
PFNS	Perfluorononane Sulfonic Acid	68259-12-1
PFDoDA	Perfluorododecanoic Acid	307-55-1
PFDS	Perfluorodecane Sulfonic Acid	335-77-3
PFTrDA	Perfluorotridecanoic Acid	72629-94-8
FOSA	Perfluorooctane Sulfonamide	754-91-6
PFTeDA	Perfluorotetradecanoic Acid	376-06-7
11CI-PF3OUdS	11-chloroeicosafluoro-3-oxaundecane-1-sulfonic acid	763051-92-9
9CI-PF3ONS	9-chlorohexadecafluoro-3-oxanone1-sulfonic acid	756426-58-1
ADONA	4,8-dioxa-3H-perfluorononanoic acid	919005-14-4

13252-13-6

HFPO-DA

Hexafluoropropylene oxide dimer



Revised Report

Sample Summary (2 samples)

Sample ID	Sample Tag	Matrix	Collected Date/Time
S23381.01	PFAS	Sludge	04/20/21 10:30
S23381.02	Field Blank	Water	04/20/21 10:30



Lab Sample ID: S23381.01

Sample Tag: PFAS

Collected Date/Time: 04/20/2021 10:30

Matrix: Sludge

COC Reference: 137314

### Sample Containers

#	Туре	Preservative(s)	Refrigerated?	Arrival Temp. (C)	Thermometer #
1	250ml Plastic	None	Yes	4.2	IR
1	15ml Centrifuge Tube	None	Yes	4.2	IR

### Extraction / Prep.

Parameter	Result	Method	Run Date	Analyst	Flags
Initial wt. (g) / Final wt. (g) / Volume (ml)*	8.21/6.88/12	ASTM D7968-17M	04/27/21 14:30	KCV	
Initial wt. (g) / Final wt. (g) / Volume (ml) (F	Re <b>ß</b> *48/6.80/10	ASTM D7968-17M	04/29/21 14:00	KCV	1

### Inorganics

### Method: SM2540B, Run Date: 04/29/21 14:45, Analyst: ELR

Parameter	Result	RL	MDL	Units	Dilution	CAS#	Flags
Total Solids*	5.0	1		%	1		

### Organics

28 PFAs, Method: ASTM D7968-17M, Run Date: 04/30/21 02:00, Analyst: KCV

Parameter	Result	RL	MDL	Units	Dilution	CAS#	Flags
PFBA*	Not detected	2.4		ug/kg	119	375-22-4	
PFPeA*	Not detected	1.2		ug/kg	119	2706-90-3	
4:2 FTSA*	Not detected	1.2		ug/kg	119	757124-72-4	1
PFHxA*	1.7	1.2		ug/kg	119	307-24-4	
PFBS*	Not detected	1.2		ug/kg	119	375-73-5	
PFHpA*	Not detected	1.2		ug/kg	119	375-85-9	
PFPeS*	Not detected	1.2		ug/kg	119	2706-91-4	
6:2 FTSA*	1.3	1.2		ug/kg	119	27619-97-2	1
PFOA*	Not detected	1.2		ug/kg	119	335-67-1	
PFHxS*	Not detected	1.2		ug/kg	119	355-46-4	
PFHxS-LN*	Not detected	1.2		ug/kg	119	355-46-4-LN	
PFHxS-BR*	Not detected	1.2		ug/kg	119	355-46-4-BR	
PFNA*	Not detected	1.2		ug/kg	119	375-95-1	
8:2 FTSA*	Not detected	1.2		ug/kg	119	39108-34-4	1
PFHpS*	Not detected	1.2		ug/kg	119	375-92-8	
PFDA*	Not detected	1.2		ug/kg	119	335-76-2	1
N-MeFOSAA*	5.6	1.2		ug/kg	119	2355-31-9	
EtFOSAA*	7.4	1.2		ug/kg	119	2991-50-6	
PFOS*	3	1.2		ug/kg	119	1763-23-1	
PFOS-LN*	2	1.2		ug/kg	119	1763-23-1-LN	
PFOS-BR*	Not detected	1.2		ug/kg	119	1763-23-1-BR	
PFUnDA*	Not detected	1.2		ug/kg	119	2058-94-8	1
PFNS*	Not detected	1.2		ug/kg	119	68259-12-1	
PFDoDA*	1.3	1.2		ug/kg	119	307-55-1	1
PFDS*	Not detected	1.2		ug/kg	119	335-77-3	
PFTrDA*	Not detected	1.2		ug/kg	119	72629-94-8	1
FOSA*	2.3	1.2		ug/kg	119	754-91-6	
PFTeDA*	Not detected	1.2		ug/kg	119	376-06-7	

1-centrifuge, pour off water

I-Matrix interference with internal standard





Lab Sample ID: S23381.01 (continued)

Sample Tag: PFAS

28 PFAs, Method: ASTM D7968-17M, Run Date: 04/30/21 02:00, Analyst: KCV (continued)

Parameter	Result	RL	MDL	Units	Dilution	CAS#	Flags
11Cl-PF3OUdS*	Not detected	1.2		ug/kg	119	763051-92-9	
9CI-PF3ONS*	Not detected	1.2		ug/kg	119	756426-58-1	
ADONA*	Not detected	1.2		ug/kg	119	919005-14-4	
HFPO-DA*	Not detected	1.2		ua/ka	119	13252-13-6	

Page 7 of 8



Lab Sample ID: S23381.02

Sample Tag: Field Blank

Collected Date/Time: 04/20/2021 10:30

Matrix: Water

COC Reference: 137314

Sample Containers

#	Туре	Preservative(s)	Refrigerated?	Arrival Temp. (C)	I hermometer #
1	15ml Centrifuge Tube	None	Yes	4.2	IR

### Extraction / Prep.

Parameter	Result	Method	Run Date	Analyst	Flags	
Initial wt. (g) / Final wt. (g) / Volume (ml)*	11.99/6.84/11	ASTMD7979-19M	04/23/21 11:00	KCV		

### Organics

28 PFAs, Method: ASTMD7979-19M, Run Date: 04/26/21 19:50, Analyst: KCV

Parameter	Result	RL	MDL	Units	Dilution	CAS#	Flags
PFBA*	Not detected	0.011		ug/L	2.14	375-22-4	
PFPeA*	Not detected	0.0043		ug/L	2.14	2706-90-3	
4:2 FTSA*	Not detected	0.0021		ug/L	2.14	757124-72-4	
PFHxA*	Not detected	0.0021		ug/L	2.14	307-24-4	
PFBS*	Not detected	0.0021		ug/L	2.14	375-73-5	
PFHpA*	Not detected	0.0021		ug/L	2.14	375-85-9	
PFPeS*	Not detected	0.0021		ug/L	2.14	2706-91-4	
6:2 FTSA*	Not detected	0.0021		ug/L	2.14	27619-97-2	
PFOA*	Not detected	0.0021		ug/L	2.14	335-67-1	
PFHxS*	Not detected	0.0021		ug/L	2.14	355-46-4	
PFHxS-LN*	Not detected	0.0021		ug/L	2.14	355-46-4-LN	
PFHxS-BR*	Not detected	0.0021		ug/L	2.14	355-46-4-BR	
PFNA*	Not detected	0.0021		ug/L	2.14	375-95-1	
8:2 FTSA*	Not detected	0.0021		ug/L	2.14	39108-34-4	
PFHpS*	Not detected	0.0021		ug/L	2.14	375-92-8	
PFDA*	Not detected	0.0021		ug/L	2.14	335-76-2	
N-MeFOSAA*	Not detected	0.0021		ug/L	2.14	2355-31-9	
EtFOSAA*	Not detected	0.0043		ug/L	2.14	2991-50-6	
PFOS*	Not detected	0.0021		ug/L	2.14	1763-23-1	
PFOS-LN*	Not detected	0.0021		ug/L	2.14	1763-23-1-LN	
PFOS-BR*	Not detected	0.0021		ug/L	2.14	1763-23-1-BR	
PFUnDA*	Not detected	0.0021		ug/L	2.14	2058-94-8	
PFNS*	Not detected	0.0021		ug/L	2.14	68259-12-1	
PFDoDA*	Not detected	0.0021		ug/L	2.14	307-55-1	
PFDS*	Not detected	0.0021		ug/L	2.14	335-77-3	
PFTrDA*	Not detected	0.0021		ug/L	2.14	72629-94-8	
FOSA*	Not detected	0.0021		ug/L	2.14	754-91-6	
PFTeDA*	Not detected	0.0043		ug/L	2.14	376-06-7	
11CI-PF3OUdS*	Not detected	0.0021		ug/L	2.14	763051-92-9	
9CI-PF3ONS*	Not detected	0.0021		ug/L	2.14	756426-58-1	
ADONA*	Not detected	0.0021		ug/L	2.14	919005-14-4	
HFPO-DA*	Not detected	0.0021		ug/L	2.14	13252-13-6	

### Merit Laboratories Login Checklist

Lab Set ID:S23381

Client: MASON (Mason P.O.T.W.)

Project: Monitoring

Submitted:04/21/2021 10:55 Login User: MMC

Attention: Sam Bibler Address: Mason P.O.T.W. 345 N. Jefferson Mason, MI 48854

Phone: O: 517-676-1166 FAX: Email: samb@mason.mi.us

Selecti	ion			Description	Note
Sampl	le Receiv	/ing			
01.	X Yes	No	□ N/A	Samples are received at 4C +/- 2C Thermometer #	IR 4.2
02.	X Yes	No	□ N/A	Received on ice/ cooling process begun	
03.	Yes	X No	□ N/A	Samples shipped	
04.	Yes	X No	N/A	Samples left in 24 hr. drop box	
05.	Yes	No	X N/A	Are there custody seals/tape or is the drop box locked	
Chain	of Custo	ody			
06.	X Yes	☐ No	□ N/A	COC adequately filled out	
07.	X Yes	No	N/A	COC signed and relinquished to the lab	
08.	X Yes	No	N/A	Sample tag on bottles match COC	
09.	Yes	X No	N/A	Subcontracting needed? Subcontacted to:	
Presei	rvation				
10.	X Yes	☐ No	N/A	Do sample have correct chemical preservation	
11.	Yes	No	X N/A	Completed pH checks on preserved samples? (no VOAs)	
12.	Yes	X No	N/A	Did any samples need to be preserved in the lab?	
Bottle	Condition	ons			
13.	X Yes	☐ No	N/A	All bottles intact	
14.	X Yes	☐ No	N/A	Appropriate analytical bottles are used	
15.	X Yes	No	N/A	Merit bottles used	
16.	X Yes	No	N/A	Sufficient sample volume received	
17.	Yes	X No	□ N/A	Samples require laboratory filtration	
18.	X Yes	☐ No	N/A	Samples submitted within holding time	
19.	Yes	No	X N/A	Do water VOC or TOX bottles contain headspace	

Corrective action fo	r all exceptions is	to call the client	and to notify t	the project m	nanager.
Client Review By: _			Date:		



Merit 2680 East Lansing Dr., East Lansing, MI 48823
Phone (517) 332-0167 Fax (517) 332-4034
www.meritlabs.com

	1 1	
C.O.C. PAGE #	OF_1	137314

REPOR	тто		Laboratories, Inc.	CHAIN	OF C	US	STO	DY	RE	COF	RD									INVOICE T	0
CONTACT NAME Sam BIGIER						CONTACT NAME SAME														□SAME	
COMPANY CIT	400	MAS	ON W.W.T.	P.		COMPANY ADDRESS															
ADDRESS 34	SN	. 20	ferson st.	37 , 3	ō s																
MY MASON MI 48854					CITY											STATE ZIP CODE					
PHONE NO SI7	-763-7	7439	FAX NO.	P.O. NO.			PHO	ONE N	Ο.	12.1.6			E	-MAIL	ADDRE	SS		45			
E-MAIL ADDRESS	iam t	O M	thon . mi . us .	QUOTE NO.	i.		0 033	901	User	10 1	A	NAL	/SIS (	ATTAC	CH LIS	STIF	MOF	RESP	ACE	IS REQUIRED)	
PROJECT NO ANAM	# \FF	FRO	DMASON. Mi, US.	SAMPLER(S) - PLEASE PRI	NT/SIGN N	IAME	IM	rick	TA	ley	2		L		14.5		HIM			Certifications	
TURNAROUNI	D TIME RE	QUIRED	□1 DAY □2 DAYS □3 D	AYS STANDARD D	OTHER	/ / R _		,,,		1	Solids									☐ OHIO VAP ☐ Drinking Wat	ter
			D DLEVEL II DLEVEL III								- 2	1				45				□ DoD □ NPDES	
A STATE OF THE PARTY OF THE PAR	GW=GROUN		WW=WASTEWATER S=SO		SOLID =WASTE	1	# Containers & a Preservatives													Project Locations  □ Detroit □ New York	
MERIT		AR	SAMPLE			ES	ш				7	3			je t E	12		211		□ Other	_
LAB NO.	DATE	TIME	IDENTIFICATION-DE	ESCRIPTION	MATRIX # OF		NON H	HNO	H <sub>2</sub> SO <sub>4</sub>	MeOH	17								-	Special Instructions	
2338   .01	420-21	10,30	PFATubes 1,2,3	/ PFA Tomiscirds	W 4	4					X				11:97	He.	19	17		nybersal) te viru.	
	4-20-21			: orb P bb	× 1	0			Į, A	3.0		X	5.5		150		1111			AR STATE OF STREET	
						1					. 83			1	179	730				CHAIR CONTRACTOR	
20053			_ 1 W 1 1 92 - 1799	- m - Ah		7	210	Age!			10		rigg		1.				J. 1	man a bark as a	
						1	1		_				15								
stalice.		Latinate Service	001 101 1000	nu H dat			36	18.35		16	al i	e en		.4.1	17	1				1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
eleylar		ma yna	saffing a pins	e gama ba		1	19.0	gluz.			4 8	e i	La l	1	016 10		100			181 201 101 101 101	
25, 400		Pale S High	Grant James and Alberta			1				200				-	-		-		_	location and and	
ancers.			1 4 4 P. A. D. 108 B. F.	7.1.1		4	/31		3	Rb.		1.1	4		ZLE	10		1986		Clbara in the	
1,4557			u redradu	And the second total of		1		- 9	21 19	CA 10					-	1	1			1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	_
			0 01 010 0	- 1 C) D(1) D(1)		4							_		+	-	-				_
14868	114 1 - 1	1/1	n to bus ar your	1 Supr 13	May .			1 0	1 / 8	15.5		1 [36]	- 2	4				FIL.		1 9 3 3 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
RELINQUISHED E	611	Michael	PARLIE	Sampler 4-70-21	10.7	Oa	R		UISHE URE/O	BY: RGANIZ	ATION						1643	ř h	υÝ	DATE TIME	E
RECEIVED BY: SIGNATURE/ORG	GANIZATION	17	house to Committee	DATE	TIM	E	100		ED BY: URE/O	RGANIZ	ATION	E 1	9 - 0	M	1	(	lhe	col	A	> 4/21/21 10E	55
RELINQUISHED E			r and analysis requers	DATE	TIM	E	S	EALN	0.	19,4	gi Li	SEAL IN		0 🗆	INITIA	LS	arlı	NOTE	S:	TEMP. ON ARRIVAL	
RECEIVED BY: SIGNATURE/ORG				DATE	TIM	E	S	EAL N	Ο.			SEAL IN	TACT	0 🗆	INITIA	LS				1.2	