

Report ID: S25084.01(01) Generated on 06/30/2021

Report to

Attention: Don Popma Biotech Agronomics, Inc. 1651 Beulah Highway Beulah, MI 49617

Phone: 616-835-0100 FAX: Email: dpopma@biotechag.com

Report produced by

Merit Laboratories, Inc. 2680 East Lansing Drive East Lansing, MI 48823

Phone: (517) 332-0167 FAX: (517) 332-6333

Contacts for report questions: John Laverty (johnlaverty@meritlabs.com) Barbara Ball (bball@meritlabs.com)

Report Summary

Lab Sample ID(s): S25084.01 Project: Birch Run Pond 2 Collected Date(s): 06/09/2021

Submitted Date/Time: 06/09/2021 14:06

Sampled by: Don Popma

P.O. #:

Table of Contents

Cover Page (Page 1)

General Report Notes (Page 2)

Report Narrative (Page 2)

Laboratory Certifications (Page 3)

Qualifier Descriptions (Page 3)

Glossary of Abbreviations (Page 3)

Method Summary (Page 4)

Sample Summary (Page 5)

Maya Murshak Technical Director

Naya Mushah



General Report Notes

Analytical results relate only to the samples tested, in the condition received by the laboratory.

Methods may be modified for improved performance.

Results reported on a dry weight basis where applicable.

'Not detected' indicates that parameter was not found at a level equal to or greater than the reporting limit (RL).

40 CFR Part 136 Table II Required Containers, Preservation Techniques and Holding Times for the Clean Water Act specify that samples

for acrolein and acrylonitrile need to be preserved at a pH in the range of 4 to 5 or if not preserved, analyzed within 3 days of sampling.

QA/QC corresponding to this analytical report is a separate document with the same Merit ID reference and is available upon request.

Full accreditation certificates are available upon request. Starred (*) analytes are not NELAP accredited.

Samples are held by the lab for 30 days from the final report date unless a written request to hold longer is provided by the client.

Report shall not be reproduced except in full, without the written approval of Merit Laboratories, Inc.

Limits for drinking water samples, are listed as the MCL Limits (Maximum Contaminant Level Concentrations)

PFAS requirement: Section 9.3.8 of U.S. EPA Method 537.1 states "If the method analyte(s) found in the Field Sample is present in the

FRB at a concentration greater than 1/3 the MRL, then all samples collected with that FRB are invalid and must be recollected and reanalyzed."

Samples submitted without an accompanying FRB may not be acceptable for compliance purposes.

Report Narrative

There is no additional narrative for this analytical report



Laboratory Certifications

Authority	Certification ID
Michigan DEQ	#9956
DOD ELAP/ISO 17025	#69699
WBENC	#2005110032
Ohio VAP	#CL0002
Indiana DOH	#C-MI-07
New York NELAC	#11814
North Carolina DENR	#680
North Carolina DOH	#26702
Alaska CSLAP	#17-001
Pennsylvania DEP	#68-05884

Qualifier Descriptions

Qualifier	Description
!	Result is outside of stated limit criteria
В	Compound also found in associated method blank
E	Concentration exceeds calibration range
F	Analysis run outside of holding time
G	Estimated result due to extraction run outside of holding time
Н	Sample submitted and run outside of holding time
1	Matrix interference with internal standard
J	Estimated value less than reporting limit, but greater than MDL
L	Elevated reporting limit due to low sample amount
M	Result reported to MDL not RDL
0	Analysis performed by outside laboratory. See attached report.
R	Preliminary result
S	Surrogate recovery outside of control limits
Т	No correction for total solids
X	Elevated reporting limit due to matrix interference
Υ	Elevated reporting limit due to high target concentration
b	Value detected less than reporting limit, but greater than MDL
е	Reported value estimated due to interference
j	Analyte also found in associated method blank
р	Benzo(b)Fluoranthene and Benzo(k)Fluoranthene integrated as one peak.
x	Preserved from bulk sample

Glossary of Abbreviations

Abbreviation	Description
RL/RDL	Reporting Limit
MDL	Method Detection Limit
MS	Matrix Spike
MSD	Matrix Spike Duplicate
SW	EPA SW 846 (Soil and Wastewater) Methods
E	EPA Methods
SM	Standard Methods
LN	Linear
BR	Branched



Method Summary

Method Version

ASTM D7968-17M ASTM Method D7968 - 17 Modified (Isotopic Dilution)

SM2540B Standard Method 2540 B 2011

Parameter Summary

Parameter	Synonym	Cas#
PFBA	Perfluorobutanoic Acid	375-22-4
PFPeA	Perfluoropentanoic Acid	2706-90-3
4:2 FTSA	4:2 Fluorotelomer Sulfonic Acid	757124-72-4
PFHxA	Perfluorohexanoic Acid	307-24-4
PFBS	Perfluorobutane sulfonic Acid	375-73-5
PFHpA	Perfluoroheptanoic Acid	375-85-9
PFPeS	Perfluoropentane Sulfonic Acid	2706-91-4
6:2 FTSA	6:2 Fluorotelomer Sulfonic Acid	27619-97-2
PFOA	Perfluorooctanoic Acid	335-67-1
PFHxS	Perfluorohexane Sulfonic Acid	355-46-4
PFHxS-LN	Perfluorohexane Sulfonic Acid - LN	355-46-4-LN
PFHxS-BR	Perfluorohexane Sulfonic Acid - BR	355-46-4-BR
PFNA	Perfluorononanoic Acid	375-95-1
8:2 FTSA	8:2 Fluorotelomer Sulfonic Acid	39108-34-4
PFHpS	Perfluoroheptane Sulfonic Acid	375-92-8
PFDA	Perfluorodecanoic Acid	335-76-2
N-MeFOSAA	N-methyl perfluorooctanesulfonamidoacetic acid	2355-31-9
EtFOSAA	N-Ethyl Perfluorooctane Sulfonamidoacetic Acid	2991-50-6
PFOS	Perfluorooctane Sulfonic Acid	1763-23-1
PFOS-LN	Perfluorooctane Sulfonic Acid - LN	1763-23-1-LN
PFOS-BR	Perfluorooctane Sulfonic Acid - BR	1763-23-1-BR
PFUnDA	Perfluoroundecanoic Acid	2058-94-8
PFNS	Perfluorononane Sulfonic Acid	68259-12-1
PFDoDA	Perfluorododecanoic Acid	307-55-1
PFDS	Perfluorodecane Sulfonic Acid	335-77-3
PFTrDA	Perfluorotridecanoic Acid	72629-94-8
FOSA	Perfluorooctane Sulfonamide	754-91-6
PFTeDA	Perfluorotetradecanoic Acid	376-06-7
11CI-PF3OUdS	11-chloroeicosafluoro-3-oxaundecane-1-sulfonic acid	763051-92-9
9CI-PF3ONS	9-chlorohexadecafluoro-3-oxanone1-sulfonic acid	756426-58-1
ADONA	4,8-dioxa-3H-perfluorononanoic acid	919005-14-4
HFPO-DA	Hexafluoropropylene oxide dimer	13252-13-6



Sample Summary (1 samples)

Sample ID Sample Tag Matrix Collected Date/Time

S25084.01 Biosolids Sludge 06/09/21 12:30



Lab Sample ID: S25084.01

Sample Tag: Biosolids

Collected Date/Time: 06/09/2021 12:30

Matrix: Sludge

COC Reference: 137674

Sample Containers

#	Туре	Preservative(s)	Refrigerated?	Arrival Temp. (C)	Thermometer #
1	15ml Centrifuge Tube	None	Yes	4.7	IR
1	250ml Plastic	None	Yes	4.7	IR

Extraction / Prep.

Parameter	Result	Method	Run Date	Analyst	Flags
Initial wt. (g) / Final wt. (g) / Volume (ml)*	14.00/6.95/10	ASTM D7968-17M	06/21/21 16:00	KCV	

Inorganics

Method: SM2540B, Run Date: 06/10/21 12:40, Analyst: ELR

Parameter	Result	RL	MDL	Units	Dilution	CAS#	Flags
Total Solids*	3.3	1		%	1		

Organics

28 PFAs, Method: ASTM D7968-17M, Run Date: 06/23/21 01:28, Analyst: KCV

Parameter	Result	RL	MDL	Units	Dilution	CAS#	Flags
PFBA*	Not detected	0.86		ug/kg	43	375-22-4	1
PFPeA*	Not detected	0.43		ug/kg	43	2706-90-3	1
4:2 FTSA*	Not detected	0.43		ug/kg	43	757124-72-4	1
PFHxA*	Not detected	0.43		ug/kg	43	307-24-4	1
PFBS*	Not detected	0.43		ug/kg	43	375-73-5	
PFHpA*	Not detected	0.43		ug/kg	43	375-85-9	
PFPeS*	Not detected	0.43		ug/kg	43	2706-91-4	
6:2 FTSA*	Not detected	0.43		ug/kg	43	27619-97-2	1
PFOA*	0.95	0.43		ug/kg	43	335-67-1	
PFHxS*	1.4	0.43		ug/kg	43	355-46-4	
PFHxS-LN*	0.48	0.43		ug/kg	43	355-46-4-LN	
PFHxS-BR*	0.9	0.43		ug/kg	43	355-46-4-BR	
PFNA*	Not detected	0.43		ug/kg	43	375-95-1	
8:2 FTSA*	Not detected	0.43		ug/kg	43	39108-34-4	1
PFHpS*	Not detected	0.43		ug/kg	43	375-92-8	
PFDA*	0.69	0.43		ug/kg	43	335-76-2	1
N-MeFOSAA*	28	0.43		ug/kg	43	2355-31-9	1
EtFOSAA*	62	0.43		ug/kg	43	2991-50-6	1
PFOS*	8.7	0.43		ug/kg	43	1763-23-1	1
PFOS-LN*	7.5	0.43		ug/kg	43	1763-23-1-LN	1
PFOS-BR*	0.93	0.43		ug/kg	43	1763-23-1-BR	1
PFUnDA*	0.83	0.43		ug/kg	43	2058-94-8	1
PFNS*	Not detected	0.43		ug/kg	43	68259-12-1	1
PFDoDA*	2	0.43		ug/kg	43	307-55-1	I1
PFDS*	6.7	0.43		ug/kg	43	335-77-3	1
PFTrDA*	Not detected	0.43		ug/kg	43	72629-94-8	I1
FOSA*	2.1	0.43		ug/kg	43	754-91-6	1
PFTeDA*	Not detected	0.43		ug/kg	43	376-06-7	I1
11CI-PF3OUdS*	Not detected	0.43		ug/kg	43	763051-92-9	1

I-Matrix interference with internal standard

1-IS recovery <10%



Lab Sample ID: S25084.01 (continued)

Sample Tag: Biosolids

28 PFAs, Method: ASTM D7968-17M, Run Date: 06/23/21 01:28, Analyst: KCV (continued)

Parameter	Result	RL	MDL	Units	Dilution	CAS#	Flags
9CI-PF3ONS*	Not detected	0.43		ug/kg	43	756426-58-1	1
ADONA*	Not detected	0.43		ug/kg	43	919005-14-4	
HFPO-DA*	Not detected	0.43		ug/kg	43	13252-13-6	1

I-Matrix interference with internal standard

Merit Laboratories Login Checklist

Lab Set ID:S25084

Client:BIOTECHAGRO (Biotech Agronomics, Inc.)

Project: Birch Run Pond 2

Submitted: 06/09/2021 14:06 Login User: SRS

Attention: Don Popma

Address: Biotech Agronomics, Inc. 1651 Beulah Highway Beulah, MI 49617

Phone: 616-835-0100 FAX: Email: dpopma@biotechag.com

Selection	Description	Note
Sample Receiving		
01. X Yes No N/A	Samples are received at 4C +/- 2C Thermometer #	IR 4.7
02. X Yes No N/A	Received on ice/ cooling process begun	
03. Yes X No N/A	Samples shipped	
04. Yes X No N/A	Samples left in 24 hr. drop box	
05. Yes No XNA	Are there custody seals/tape or is the drop box locked	
Chain of Custody		
06. X Yes No N/A	COC adequately filled out	
07. X Yes No N/A	COC signed and relinquished to the lab	
08. X Yes No N/A	Sample tag on bottles match COC	
09. Yes X No N/A	Subcontracting needed? Subcontacted to:	
Preservation		
10. Yes No XNA	Do sample have correct chemical preservation	
11. Yes No X N/A	Completed pH checks on preserved samples? (no VOAs)	
12. Yes X No N/A	Did any samples need to be preserved in the lab?	
Bottle Conditions		
13. X Yes No N/A	All bottles intact	
14. X Yes No N/A	Appropriate analytical bottles are used	
15. X Yes No N/A	Merit bottles used	
16. X Yes No N/A	Sufficient sample volume received	
17. Yes X No N/A	Samples require laboratory filtration	
18. X Yes No N/A	Samples submitted within holding time	
19. Yes No X N/A	Do water VOC or TOX bottles contain headspace	

Corrective action for all exceptio	ns is to call the client and to notify the project manager.
Client Review By:	Date:

Merit Laboratories, Inc.

2680 East Lansing Dr., East Lansing, MI 48823 Phone (517) 332-0167 Fax (517) 332-4034 www.meritlabs.com

C.O.C. F	AGE #	ŧ	OF	1	3	7	6	7	Δ
				4	-	- (U		T

REPOR	TTO		Laboratories, Inc.	CH	IAIN C	FC	US	OTO	DΥ	REC	COF	RD										. ,	INV	OICI	E TO		
										CONTACT NAME SOMBANY																	
CONTACT NAME Don Pormo COMPANY Biotech Agronomics, Inc. ADDRESS 1651 Beulah Hwy. STATE ZIPGODE											COMPANY ADDRESS																
ADDRESS 1/5/ Roule Human de la Human de la la Human de la la la Human de la la la Human de la la la la Human de la la la la la Human de la										HE.	isi-A	f bala	1000	a set		nji s	siqi		100	100		Scott j	getildika	r isola.	dadi		
BRUIAL STATE ZIRCODE 17								CITY		gar	dor	lass	mio	91.9/		716	to a c	100		legra.		STATE	ZIP	CODE	Sert		
PHONE NO.	P.O. NO. */				PHOI		E-MAIL ADDRESS																				
E-MAIL ADDRÉSS	1000	and be	QUOTE NO.					ANALYSI								YSIS (ATTACH LIST IF MORE SPACE IS REQUIRED)											
PROJECT NO./NAM	E R	L Rus	otechag.com	SAMPLER(S) - P	LEASE PRIN	T/ g) GN N	NAME	Ε,						ng/k	Ail	lone					100	Certific	ations	suchts			
								a			4 7	100									ď.	□ОНЮ	VAP	☐ Drinkir	ng Water		
]1 DAY □2 DAYS □3 DA					1			,5,	7968									n. i	□DoD		NPDE	S		
	S REQUIF		WW=WASTEWATER S=SO						Contr	ainers	2.	a	1			17				135		Project	: Locati	ons	political.		
	SL=SLUD(RINKING WATER O=OIL V			WASTE				vative		45		0.00			715					□ Detro		□ New Y	ork		
MERIT LAB NO.	YEAR 2021		SAMPLE I	TAG SCRIPTION	MATRIX # OF	BOTTLES	NONE	HNO3	H ₂ SO ₄	MeOH	PFA										Other Special Instructions			TANT			
FOR LAB USE ONLY	DATE TIME								I :	I Z	≥ 0	×	A					France		73) u tan	in location	CHOILE			
25084.01	6/9	12:30	Biosolids			65	4	4				-			16.81	1,231		1884.		15			at the same	el com	774 A		
	diam	120	Polymes habitation	od bluone /	11 31	MOL	+	113	DI K	301					ici A			0.0	i i i	AT IN		1	ju lo c	liero s	10-		
							-																				
		10.55	And Joseph Line		110	rieti i		15	In:	1			100	815 	1,61						age se v	rowa d bedâ	est ess reti as	219081	3 32C		
						-,4	\dashv				1	_		AGE L. SERV	10.00												
	7 495	4,419.65 85 9	nos izom seb bala varo	<u> </u>		<u>falls</u>	-			OS A) V/#	<u> 1 2 </u>			1/3	0.731		3 08 17			90 - 21 <u>0</u>	Mar.		
		177	iv semblacent of the		11 1 3 18		100	90	77 8				11110	32.2			16.75		100					71.7	EUI)		
4	MANUE.	00533					4	19.0					-	7.CO			37) 22		hha		1						
	32.00	1.00	<u>Carrier og homerfister</u>	7 11 (14)				2.100					Pist				90		Control of	2 7 1/2		15.33 S.255 S.	(SIEST)		i bas		
THE RESERVE			upo en maril essi nu leste	on proceedings.	31 - V - V 18													10.0					ORIGINA		Total Control		
	(4.78)	3 2 3 3 3 3 4 7 7 3 3	the trust the same and							-														The state of	7.79		
		lidni ye	a recipies qui proci	into perent	14	Olyd		1			13 0	101				1 12.4			1 23				111111		1.100.40		
RELINQUISHED E		120	R	Sampler	6/9/21	2,0	160	-		JISHED JRE/OR		ATION							116)	1 1	7.71		1.11	DATE	TIME		
RECEIVED BY: SIGNATURE/ORG		G	Sun Such	botto C	49751	14	Dio			D BY: JRE/OF	RGANIZ	ZATION				/ N				sa T		profiles	7111211	DATE	TIME		
RELINQUISHED BY: DATE TIME								SE	AL NO	D.		rib	SEAL II		NOE		NITIAL	S		NOTE	ES:	TEM	P. ON ARRI	IVAL	L600		
SIGNATURE/ORGANIZATION RECEIVED BY: DATE TIME									AL NO	O			SEAL II	NTACT	NOE	II	NITIAL	S					til				
SIGNATURE/ORG	BANIZATION		PLEASE NOTE: SIGNII	NG ACKNOWLE	EDGES A	HERE	NCI	ETON	MERI	T'S S	AMPL	E AC	CEPT	ANCE	PO	LICY	ONF	REVE	RSE	SIDE					Rev. 5.18.12		