

Report ID: S24891.01(01) Generated on 06/24/2021

Report to

Attention: Don Popma Biotech Agronomics, Inc. 1651 Beulah Highway Beulah, MI 49617

Phone: 616-835-0100 FAX: Email: dpopma@biotechag.com

Report produced by

Merit Laboratories, Inc. 2680 East Lansing Drive East Lansing, MI 48823

Phone: (517) 332-0167 FAX: (517) 332-6333

Contacts for report questions: John Laverty (johnlaverty@meritlabs.com) Barbara Ball (bball@meritlabs.com)

Report Summary

Lab Sample ID(s): S24891.01 Project: Leland Lagoon Collected Date(s): 06/01/2021

Submitted Date/Time: 06/03/2021 14:30

Sampled by: Don Popma

P.O. #:

#### **Table of Contents**

Cover Page (Page 1)

General Report Notes (Page 2)

Report Narrative (Page 2)

Laboratory Certifications (Page 3)

Qualifier Descriptions (Page 3)

Glossary of Abbreviations (Page 3)

Method Summary (Page 4)

Sample Summary (Page 5)

Maya Murshak Technical Director

Naya Mushah



#### **General Report Notes**

Analytical results relate only to the samples tested, in the condition received by the laboratory.

Methods may be modified for improved performance.

Results reported on a dry weight basis where applicable.

'Not detected' indicates that parameter was not found at a level equal to or greater than the reporting limit (RL).

40 CFR Part 136 Table II Required Containers, Preservation Techniques and Holding Times for the Clean Water Act specify that samples

for acrolein and acrylonitrile need to be preserved at a pH in the range of 4 to 5 or if not preserved, analyzed within 3 days of sampling.

QA/QC corresponding to this analytical report is a separate document with the same Merit ID reference and is available upon request.

Full accreditation certificates are available upon request. Starred (\*) analytes are not NELAP accredited.

Samples are held by the lab for 30 days from the final report date unless a written request to hold longer is provided by the client.

Report shall not be reproduced except in full, without the written approval of Merit Laboratories, Inc.

Limits for drinking water samples, are listed as the MCL Limits (Maximum Contaminant Level Concentrations)

PFAS requirement: Section 9.3.8 of U.S. EPA Method 537.1 states "If the method analyte(s) found in the Field Sample is present in the

FRB at a concentration greater than 1/3 the MRL, then all samples collected with that FRB are invalid and must be recollected and reanalyzed."

Samples submitted without an accompanying FRB may not be acceptable for compliance purposes.

#### **Report Narrative**

There is no additional narrative for this analytical report



#### **Laboratory Certifications**

Authority	Certification ID
Michigan DEQ	#9956
DOD ELAP/ISO 17025	#69699
WBENC	#2005110032
Ohio VAP	#CL0002
Indiana DOH	#C-MI-07
New York NELAC	#11814
North Carolina DENR	#680
North Carolina DOH	#26702
Alaska CSLAP	#17-001
Pennsylvania DEP	#68-05884

#### **Qualifier Descriptions**

Qualifier	Description
!	Result is outside of stated limit criteria
В	Compound also found in associated method blank
E	Concentration exceeds calibration range
F	Analysis run outside of holding time
G	Estimated result due to extraction run outside of holding time
Н	Sample submitted and run outside of holding time
I	Matrix interference with internal standard
J	Estimated value less than reporting limit, but greater than MDL
L	Elevated reporting limit due to low sample amount
М	Result reported to MDL not RDL
0	Analysis performed by outside laboratory. See attached report.
R	Preliminary result
S	Surrogate recovery outside of control limits
T	No correction for total solids
Χ	Elevated reporting limit due to matrix interference
Υ	Elevated reporting limit due to high target concentration
b	Value detected less than reporting limit, but greater than MDL
е	Reported value estimated due to interference
j	Analyte also found in associated method blank
p	Benzo(b)Fluoranthene and Benzo(k)Fluoranthene integrated as one peak.
X	Preserved from bulk sample

#### **Glossary of Abbreviations**

Abbreviation	Description
RL/RDL	Reporting Limit
MDL	Method Detection Limit
MS	Matrix Spike
MSD	Matrix Spike Duplicate
SW	EPA SW 846 (Soil and Wastewater) Methods
E	EPA Methods
SM	Standard Methods
LN	Linear
BR	Branched



#### **Method Summary**

Method Version

ASTM D7968-17M ASTM Method D7968 - 17 Modified (Isotopic Dilution)

SM2540B Standard Method 2540 B 2011

#### **Parameter Summary**

Parameter	Synonym	Cas #
PFBA	Perfluorobutanoic Acid	375-22-4
PFPeA	Perfluoropentanoic Acid	2706-90-3
4:2 FTSA	4:2 Fluorotelomer Sulfonic Acid	757124-72-4
PFHxA	Perfluorohexanoic Acid	307-24-4
PFBS	Perfluorobutane sulfonic Acid	375-73-5
PFHpA	Perfluoroheptanoic Acid	375-85-9
PFPeS	Perfluoropentane Sulfonic Acid	2706-91-4
6:2 FTSA	6:2 Fluorotelomer Sulfonic Acid	27619-97-2
PFOA	Perfluorooctanoic Acid	335-67-1
PFHxS	Perfluorohexane Sulfonic Acid	355-46-4
PFHxS-LN	Perfluorohexane Sulfonic Acid - LN	355-46-4-LN
PFHxS-BR	Perfluorohexane Sulfonic Acid - BR	355-46-4-BR
PFNA	Perfluorononanoic Acid	375-95-1
8:2 FTSA	8:2 Fluorotelomer Sulfonic Acid	39108-34-4
PFHpS	Perfluoroheptane Sulfonic Acid	375-92-8
PFDA	Perfluorodecanoic Acid	335-76-2
N-MeFOSAA	N-methyl perfluorooctanesulfonamidoacetic acid	2355-31-9
EtFOSAA	N-Ethyl Perfluorooctane Sulfonamidoacetic Acid	2991-50-6
PFOS	Perfluorooctane Sulfonic Acid	1763-23-1
PFOS-LN	Perfluorooctane Sulfonic Acid - LN	1763-23-1-LN
PFOS-BR	Perfluorooctane Sulfonic Acid - BR	1763-23-1-BR
PFUnDA	Perfluoroundecanoic Acid	2058-94-8
PFNS	Perfluorononane Sulfonic Acid	68259-12-1
PFDoDA	Perfluorododecanoic Acid	307-55-1
PFDS	Perfluorodecane Sulfonic Acid	335-77-3
PFTrDA	Perfluorotridecanoic Acid	72629-94-8
FOSA	Perfluorooctane Sulfonamide	754-91-6
PFTeDA	Perfluorotetradecanoic Acid	376-06-7
11CI-PF3OUdS	11-chloroeicosafluoro-3-oxaundecane-1-sulfonic acid	763051-92-9
9CI-PF3ONS	9-chlorohexadecafluoro-3-oxanone1-sulfonic acid	756426-58-1
ADONA	4,8-dioxa-3H-perfluorononanoic acid	919005-14-4
HFPO-DA	Hexafluoropropylene oxide dimer	13252-13-6



Sample Summary (1 samples)

Sample ID Sample Tag Matrix Collected Date/Time

S24891.01 Biosolids Sludge 06/01/21 11:00



Lab Sample ID: S24891.01

Sample Tag: Biosolids

Collected Date/Time: 06/01/2021 11:00

Matrix: Sludge

COC Reference: 137691

#### Sample Containers

#	Туре	Preservative(s)	Refrigerated?	Arrival Temp. (C)	Thermometer #
1	15ml Centrifuge Tube	None	Yes	14.1	IR
1	250ml Plastic	None	Yes	14.1	IR

#### Extraction / Prep.

Parameter	Result	Method	Run Date	Analyst	Flags
Initial wt. (g) / Final wt. (g) / Volume (ml)*	13.05/6.99/10	ASTM D7968-17M	06/07/21 12:00	KCV	

#### Inorganics

Method: SM2540B, Run Date: 06/04/21 17:40, Analyst: ELR

Parameter	Result	RL	MDL	Units	Dilution	CAS#	Flags
Total Solids*	3.8	1		%	1		

#### Organics

28 PFAs, Method: ASTM D7968-17M, Run Date: 06/09/21 10:06, Analyst: KCV

Parameter	Result	RL	MDL	Units	Dilution	CAS#	Flags
PFBA*	Not detected	0.87		ug/kg	43.4	375-22-4	
PFPeA*	Not detected	0.43		ug/kg	43.4	2706-90-3	
4:2 FTSA*	Not detected	0.43		ug/kg	43.4	757124-72-4	1
PFHxA*	0.63	0.43		ug/kg	43.4	307-24-4	
PFBS*	Not detected	0.43		ug/kg	43.4	375-73-5	
PFHpA*	Not detected	0.43		ug/kg	43.4	375-85-9	
PFPeS*	Not detected	0.43		ug/kg	43.4	2706-91-4	
6:2 FTSA*	Not detected	0.43		ug/kg	43.4	27619-97-2	1
PFOA*	0.84	0.43		ug/kg	43.4	335-67-1	
PFHxS*	0.61	0.43		ug/kg	43.4	355-46-4	
PFHxS-LN*	0.48	0.43		ug/kg	43.4	355-46-4-LN	
PFHxS-BR*	Not detected	0.43		ug/kg	43.4	355-46-4-BR	
PFNA*	1.1	0.43		ug/kg	43.4	375-95-1	
8:2 FTSA*	0.74	0.43		ug/kg	43.4	39108-34-4	1
PFHpS*	Not detected	0.43		ug/kg	43.4	375-92-8	
PFDA*	4.4	0.43		ug/kg	43.4	335-76-2	
N-MeFOSAA*	46	0.43		ug/kg	43.4	2355-31-9	
EtFOSAA*	120	0.43		ug/kg	43.4	2991-50-6	
PFOS*	6.7	0.43		ug/kg	43.4	1763-23-1	
PFOS-LN*	5.7	0.43		ug/kg	43.4	1763-23-1-LN	
PFOS-BR*	0.73	0.43		ug/kg	43.4	1763-23-1-BR	
PFUnDA*	6.5	0.43		ug/kg	43.4	2058-94-8	1
PFNS*	Not detected	0.43		ug/kg	43.4	68259-12-1	
PFDoDA*	8.7	0.43		ug/kg	43.4	307-55-1	1
PFDS*	9.5	0.43		ug/kg	43.4	335-77-3	
PFTrDA*	0.52	0.43		ug/kg	43.4	72629-94-8	1
FOSA*	3.9	0.43		ug/kg	43.4	754-91-6	
PFTeDA*	2.4	0.43		ug/kg	43.4	376-06-7	<b>I</b> 1
11CI-PF3OUdS*	Not detected	0.43		ug/kg	43.4	763051-92-9	

I-Matrix interference with internal standard

1-IS recovery <10%



#### Lab Sample ID: S24891.01 (continued)

Sample Tag: Biosolids

28 PFAs, Method: ASTM D7968-17M, Run Date: 06/09/21 10:06, Analyst: KCV (continued)

20117to, modical form 51000 17th, Rail Satol Colonia 1000, Final Josi 100 (Continuous)								
Parameter	Result	RL	MDL	Units	Dilution	CAS#	Flags	
9CI-PF3ONS*	Not detected	0.43		ug/kg	43.4	756426-58-1		
ADONA*	Not detected	0.43		ug/kg	43.4	919005-14-4		
HFPO-DA*	Not detected	0.43		ua/ka	43.4	13252-13-6		

### Merit Laboratories Login Checklist

Lab Set ID:S24891

Client:BIOTECHAGRO (Biotech Agronomics, Inc.)

Project: Leland Lagoon

Submitted: 06/03/2021 14:30 Login User: REJ

Attention: Don Popma

Address: Biotech Agronomics, Inc. 1651 Beulah Highway Beulah, MI 49617

Phone: 616-835-0100 FAX: Email: dpopma@biotechag.com

Selec	tion			Description	Note
Samp	ole Receiv	ving			
01.	Yes	X No	□ N/A	Samples are received at 4C +/- 2C Thermometer #	IR 14.1
02.	Yes	X No	□ N/A	Received on ice/ cooling process begun	
03.	Yes	X No	□ N/A	Samples shipped	
04.	Yes	X No	N/A	Samples left in 24 hr. drop box	
05.	Yes	No	X N/A	Are there custody seals/tape or is the drop box locked	
Chaiı	n of Custo	ody			
06.	X Yes	☐ No	N/A	COC adequately filled out	
07.	X Yes	No	N/A	COC signed and relinquished to the lab	
08.	X Yes	No	N/A	Sample tag on bottles match COC	
09.	Yes	X No	N/A	Subcontracting needed? Subcontacted to:	
Prese	ervation				
10.	X Yes	☐ No	N/A	Do sample have correct chemical preservation	
11.	Yes	No	X N/A	Completed pH checks on preserved samples? (no VOAs)	
12.	Yes	X No	□ N/A	Did any samples need to be preserved in the lab?	
Bottle	e Conditi	ons			
13.	X Yes	No	□ N/A	All bottles intact	
14.	X Yes	No	N/A	Appropriate analytical bottles are used	
15.	X Yes	No	N/A	Merit bottles used	
16.	X Yes	No	N/A	Sufficient sample volume received	
17.	Yes	X No	N/A	Samples require laboratory filtration	
18.	X Yes	No	N/A	Samples submitted within holding time	
19.	Yes	No	X N/A	Do water VOC or TOX bottles contain headspace	

Corrective action for	or all exceptions is	to call the client	and to notify	the project ma	nager.
Oliant Daview Dw			Data		
Client Review By: <sub>.</sub>			Date:		

Merit Laboratories, Inc.

2680 East Lansing Dr., East Lansing, MI 48823 Phone (517) 332-0167 Fax (517) 332-4034 www.meritlabs.com

c.o.c.	PAGE	#	OF	
0.0.0.		**	 ٠.	

137691

REPOR			Laboratories, Inc.	CH	IAIN OF CU	JS	TOE	YC	RE	CO	RD								INV	OIC	ETC		
CONTACT NAME DON POPMO  COMPANY BIOTELL AGRONOMIS, Inc  ADDRESS 1651 Beulah Huy  CITY Beulah Huy  STATE ZIPCORE 17									CONTACT NAME									SAME					
COMPANY BioTech Agrmonis Inc									W.	40.1	Lir					and a state of							
ADDRESS 1651 Beylah Huy									10-1		al seg	-44	1	4,5	igh a		in.		ب بازدار		1 1		
CITY Beulah STATE ZIPCOPE 17							CITY									A	STATE ZIP CODE						
PHONE NO. 61	6.835.	6/00	FAX NO.	P.O. NO.			PHON	NE NC	D.				E-MA	IL ADDRI	ESS								
E-MAIL ADDRESS d Popma@ Diotechag. Com QUOTE NO.							ANALYSIS (ATTACH LIST IF MORE SPACE IS REQUIRED)																
PROJECT NO./NAM			Lagoon	SAMPLER(S) - PI	PASE PRIOSIGN NA	AME	8	P/fo/		7 - F		100	i T	i. Im	4	46.		Certifi	cations				
TURNAROUNE			□1 DAY □2 DAYS □3 D								90							□ OHIC			ing Wate		
DELIVERABLE	S REQUIR	ED <b>K</b> STI	D   LEVEL      LEVEL	□ LEVEL IV [	□EDD □OTHE	R _					761							□ DoD		□NPDE	:S		
MATRIX GW=GROUNDWATER WW=WASTEWATER S=SOIL L=LIQUID SD=SOLID CODE: SL=SLUDGE DW=DRINKING WATER O=OIL WP=WIPE A=AIR W=WASTE								# Containers & Preservatives										□ Detr	t Location	ons □ New '	York		
MERIT	YE	AR 2021	SAMPLE		TRIX OF PLES	NE E	5	000	OH OO	МеОН	PFAS				1,6			□ Othe			-		
LAB NO. FOR LAB USE ONLY	DATE	TIME	IDENTIFICATION-D	ESCRIPTION	MATRIX # OF			HNO	H <sub>2</sub> SO <sub>4</sub>	MeOH								Specia	Special Instructions				
24890.01	6/1	11:00A	Brosolids		bs 4	14	/				8			o Pitty	1 2	, p	1	- E /ks	1		294.4		
		2	- patrice to the production	applantin		1	gor		f egg	1		F:	10	-14	-1 - 2				n, na -	I Y			
						╀		_							1. 1.								
210,00		<u></u>	de out -ut to	SAME TO A SECTION	2 1 7 1 3 h	1				11 2	1 .				A					2 11_	E- 1		
						1		_								Pd-1			. Ha .		211.7		
Street		0.00		n ar zi di ar	A CONTRACTOR	-	0																
		ge (1.15	Capacitation grant and a			1	01																
		200				1			-			_		_	4		- 1			to the same			
<b>一种独立的</b>		M N	centrolly builting	Same a	1. 20 14	+		13				anglear'		_	- G 1 1	3 -					' Mile		
2,256 5	11/100	1	1 177 160 Ann 1 00	motory i status In for esse		-	7.0	2				- 1 37		-									
						_		+	+			_		_			-						
2027		1	n selbergigse	olina, a jest -	r summer y		94	3/1				- del-	2 1	7.10		5		-11		334	F L'Es		
RELINQUISHED B SIGNATURE/ORG		Do	rho	Sampler 6	13 /21 2:30	P			JISHED JRE/OF		ATION		4	363		1		·	1. 1.	DATE	TIME		
RECEIVED BY: SIGNATURE/ORG	ANIZATION	U/	1	6	B/11 /48	3	11000000000		D BY: JRE/OF	RGANIZ	ATION				8				in.	DATE	TIME		
RELINQUISHED BY: SIGNATURE/ORGANIZATION				. Albert title	DATE TIME	SEAL NO. SEAL INTACT INITIALS NOT YES NOT										NOTES:	TES: TEMP. ON ARRIVAL						
RECEIVED BY: SIGNATURE/ORG					DATE TIME		SEA	AL NO	).		SE	AL INTAC		INITIA	ALS			4	.(				