ILikeBrowsers

Prestashop Modules

Γιώργος Πατσιαούρας

Prestashop και Presta Modules

- Prestashop
  - Πλατφόρμα ανάπτυξης ηλεκτ. Καταστήματος
  - Modular Κατασκευή
- Prestashop Modules
  - Δωρεάν, Ομάδα του Presta, Βασικές λειτουργίες
  - ~200 modules
  - Στατιστικά, Τρόποι Πληρωμής, έξτρα λειτουργίες

Τι είχα πεί ότι θα κάνω

- 1. Paypal Error 11812
- 2. Προσθήκη υποστήριξης πολλαπλών λογαριασμών για το module (κατάθεση σε τράπεζα)
- 3. Χρέωση της αντικαταβολής ανάλογα με τον τρόπο αποστολής

Paypal Error 11812

- Περιορισμός σε 127 χαρακτήρες περιγραφής
- Προσαρμογή Module στους 100 χαρακτήρες
- **Single-Byte
- Ελληνικά, Εβραϊκά κτλ. = Double Byte

Please try to contact the merchant:
- PayPal response:
- TIMESTAMP -> 2014-01-08T18:49:06Z
- L_ERRORCODE0 -> 11812
- L_SHORTMESSAGE0 -> Invalid Data
- L_LONGMESSAGE0 -> The value of Description parameter has been truncated.
- L_SEVERITYCODE0 -> Warning

« Back

Λύση

```
vate function setProductsList(&$fields, &$index, &$total)

if (isset($product['attributes']) && (empty($product['attributes']) === false))
        $fields['L_PAYMENTREQUEST_0_NAME'.$index] .= ' - '.$product['attributes'];

$fields['L_PAYMENTREQUEST_0_DESC'.$index] = Tools::substr(strip_tags($product['description_short']), 0, 100).'...';
$fields['L_PAYMENTREQUEST_0_DESC'.$index] = Tools::substr(strip_tags($product['description_short']), 0, 50).'...';

$fields['L_PAYMENTREQUEST_0_AMT'.$index] = Tools::ps_round($product['price_wt'], $this->decimals);
$fields['L_PAYMENTREQUEST_0_QTY'.$index] = $product['quantity'];

vate function setDiscountsList(&$fields, &$index, &$total)

        $fields['L_PAYMENTREQUEST_0_NAME'.$index] = $discount['name'];
        if (isset($discount['description']) && !empty($discount['description']))
                $fields['L_PAYMENTREQUEST_0_DESC'.$index] = Tools::substr(strip_tags($discount['description']), 0,
                $fields['L_PAYMENTREQUEST_0_DESC'.$index] = Tools::substr(strip_tags($discount['description']), 0,

        /* It is a discount so we store a negative value */
        $fields['L_PAYMENTREQUEST_0_AMT'.$index] = - 1 * Tools::ps_round($discount['value_real'], $this->decimals);
```

Bankwire Module

- Installation

```
public function install()
        {
                if (!parent::install() || !$this->registerHook('payment') || !$this->registerHook('paymentReturn'))
                        return false;
                return Db::getInstance()->execute('
                CREATE TABLE IF NOT EXISTS `'._DB_PREFIX_.'bankwire` (
                        `id` int(6) NOT NULL AUTO_INCREMENT,
                        `id_shop` INTEGER UNSIGNED NOT NULL DEFAULT \'1\',
                        `id_shop_group` INTEGER UNSIGNED NOT NULL DEFAULT \'1\',
                        `owner` varchar(255) NOT NULL,
                        `details` text NOT NULL,
                        `address` text NOT NULL,
                        PRIMARY KEY(`id`)
                ) ENGINE='._MYSQL_ENGINE_.' default CHARSET=utf8');
        }
```

- Unistallation

```php
public function uninstall()
    {
        Db::getInstance()->execute('DROP TABLE '._DB_PREFIX_.'bankwire');
        return parent::uninstall();
    }
```

```php
public function renderList() {
    $records_table = array(
            'id' => array(
                'title' => $this->l('Id'),
                'width' => 140,
                'type' => 'text',
                ),
            'owner' => array(
                'title' => $this->l('Account Owner'),
                'width' => 140,
                'type' => 'text',
                ),
            'details' => array(
                'title' => $this->l('Details'),
                'width' => 140,
                'type' => 'text',
                ),
            'address' => array(
                'title' => $this->l('Bank address'),
                'width' => 140,
                'type' => 'text',
                )
        );

    $helper = new HelperList();
    $helper->shopLinkType = '';
    $helper->simple_header = true;
    $helper->_select = $this->getBankAccounts();
    $helper->actions = array('delete');
    $helper->identifier = 'id';
    $helper->show_toolbar = true;
    $helper->_defaultOrderBy = 'id';
    $helper->title = $this->l('Existing Accounts');

    $helper->token = Tools::getAdminTokenLite('AdminModules');
    $helper->currentIndex = AdminController::$currentIndex.'&configure='.$this->name;
    $helper->table = "bankwire";
    return $helper->generateList($helper->_select, $records_table);
}
```

Δήλωση πεδιών πίνακα
χρησιμοποιώντας τη κλάση

HelperList.php

Ενέργειες για κάθε (row)
στη βάση δεδομένων

•••

Έξτρα Μέθοδοι

```php
public function getBankAccounts()
{
            $sql = 'SELECT *
            FROM '._DB_PREFIX_.'bankwire';
            return Db::getInstance()->executeS($sql);
}


public function deleterow($id)
{
            if ($id != null)
            {
                        Db::getInstance()->execute('DELETE FROM '._DB_PREFIX_.'bankwire WHERE `id` = '.$id);
                        $this->_html .= $this->displayConfirmation($this->l('Bank Account was deleted successfully'));
            }
}


public function checkAccounts()
{
            $sql = 'SELECT COUNT(*) FROM'._DB_PREFIX_.'bankwire';
            $totalaccounts = Db::getInstance()->getValue($sql);
            return $totalaccounts;
}
```

```php
public function getContent()
        {
        if (Tools::isSubmit('btnSubmit'))
        {
                    $this->_postValidation();
                    if (!count($this->_postErrors))
                            $this->_postProcess();
                    else

                            foreach ($this->_postErrors as $err)
                                    $this->_html .= $this->displayError($err);
        }
        elseif (Tools::isSubmit('deletebankwire'))
        {
                    //action button of helper list "delete" was pressed
                    $this->deleterow(Tools::getValue('id'));
        }
        else

                    $this->_html .= '<br />';
        $this->_html .= $this->_displayBankWire();
        $this->_html .= $this->renderForm();
        $this->_html .= $this->renderList();

        return $this->_html;
        }
```

Τελική Εικόνα Διαχειριστικού

Τελική εικόνα Front end

Your order on My shop is complete.

Please send us a bank wire with

- Amount **54,61 €**

on one of the following accounts:

-- Owner: **asd**
-- Details: **asd**
-- Bank Name: **asd**

-- Owner: **sadasd**
-- Details: **asdas**
-- Bank Name: **dasdasd**

- Do not forget to insert your order reference GATTLTQEO in the subject of your bank wire.

An email has been sent with this information.

Your order will be sent as soon as we receive payment.

If you have questions, comments or concerns, please contact our expert customer support team. .

Αντικαταβολή(CashOnDelivery)

- Παρομοίως με Bankwire
  - Install/Unistall = δημιουργία/ καταστροφή πινακα
  - Μέθοδος εισαγωγής νέας εγγραφής / Διαγραφής
  - Μέθοδος για δημιουργία λίστας εγγραφών

- Δύο μοναδικές μέθοδοι
- Μεταβλητές στο Front end

Δύο έξτρα μέθοδοι

```php
public function getCarriername($id_carrier)
{
        $results = Db::getInstance()->executeS('SELECT name FROM '._DB_PREFIX_.'carrier WHERE `id_carrier` = '.$id_carrier);
        return $results[0]['name'];
}


public function getExtrafee($id_carrier)
{
        $results =  Db::getInstance()->executeS('SELECT extra_fee FROM '._DB_PREFIX_.'cashondelivery WHERE `id_carrier` = '.$id_carrier);
        return $results[0]['extra_fee'];
}
```

Μεταφορά μεταβλητών

```
'carrier_name' => $this->getCarriername($this->context->cart->id_carrier),

'extra_fee'   => $this->getExtrafee($this->context->cart->id_carrier)

return $this->display(__FILE__, 'payment.tpl');
```

Pull Requests - Paypal

PayPal Error 11812 Fix: Non Latin Characters #336

Open **giorgosp92** wants to merge 1 commit into `PrestaShop:master` from `giorgosp92:master`

| Conversation 0 | Commits 1 | Files changed 1 |

giorgosp92 commented 4 hours ago

PayPal can handle up to 127 single byte characters for the description of a product. Non Latin character languages like Greek or Hebrew have characters that are double-byte. So the 100 character limit, in Greek seems like a 200 single-byte character limit and that's the reason of the Error 11812. This limits the description to 50 characters so that the double-characters will be ok.

PayPal Error 11812 Fix: Non Latin Characters ···

b80cd48

Pull Requets - Bankwire

Support for multiple Accounts #1

Open **giorgosp92** wants to merge 8 commits into `PrestaShop:master` from `giorgosp92:master`

💬 Conversation 0   ○ Commits 8   📋 Files changed 4

giorgosp92 commented Saturday at 12:41 PM

Hello,

Added support for multiple accounts on bankwire by saving details in a database table. Now users can choose from multiple accounts depending on the Bank that they use.

Thank you

giorgosp92 added some commits on Jun 1

○	This my first step and my first commit on github	fb5000c
○	Added in the creation of the database table when the module is being … ⋯	35acbc4
○	Added unistall and insert on submit on database	221b6d1
○	Added not working table	b719e5b
○	Bankwire completed. Functions created are, New account and delete acc… ⋯	87ea122
○	Final Commit everything is ready	f02870b
○	Cleaned up old stuff	1328f4a
○	Removed old commented values	0a52d3f

Add more commits by pushing to the **master** branch on **giorgosp92/bankwire**.

Pull Request – CashOnDelivery

Ομάδα Ανάπτυξης

Καμία απάντηση...

Ευχαριστώ πολύ

<?php echo "Ερωτήσεις;"; ?>

System.out.println("Ερωτήσεις;");

<p>Ερωτήσεις;</p>

Alert("Ερωτήσεις;")

{$ερωτήσεις};