

150002283084



验报

TEST REPORT

中心编号(No.): 201702AW020

样品名称:

砌筑砂浆

Sample Name

委托单位:

北京立异创新工贸有限公司

Client

检验类别:

委托检验

Test Type

(国家)建筑材料工业技术监督研究中心。

建筑材料工业于混砂浆产品质量监督检验测试中心

China Building Material hidustry Center for Quality Supervision and Test of Dry-mixed Mortar



(国家)建筑材料工业技术监督研究中心

建筑材料工业干混砂浆产品质量监督检验测试中心

China Building Material Industry Center for Quality Supervision and Test of Dry-mixed Mortar

验报告

TEST REPORT

中心编号(No.): 201702AW020

第1页共2页

	检验类别	委托检验 200
北京立异创新工资有限公司	商品标	
河南之恒节能科技有限公司	等公级	
	样品编号	
2017年02月16日	规格型号	
20kg	样品状态	
GB/T 25181-2010《预拌砖浆》		
1.保水率 2.凝结时间 3.28d 抗压强度		
※後日期 :	《检验测	
	北京立舟创新工贸有限公司 河南之恒节能科技有限公司 2017年02月16日 20kg GB/T25181-2010《预拌砂浆》 1、保水率 2、凝结时间 3:28d.抗压强力 *经检验,送检释品的保水率、凝结时符合标准(GB/T25181-2010中干混物筑砂 标要求。*	北京立身创新工贸有限公司

制、芬亮

(国家)建筑材料工业技术监督研究中心

建筑材料工业干混砂浆产品质量监督检验测试中心

China Building Material Industry Center for Quality Supervision and Test of Dry-mixed Mortar

检验报告 TEST REPORT

中心编号(No.0: 201702AW020

	TATUTA	TO TO TO	TOUTA	*100 MEDIT
强		标准要求		
一种是	检验项目	普通砌筑砂浆。	检验结果	单项结论
	保水率/%	23.M5).74		
		3-1-88 1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-	88.8	
	一种种种种种			
TO THE	28d 抗压强度/MPa		258225A	132

(以下空白)

备注: 配比: 粉:水=1.0:0.16。

说 明

Notice

- 1、不报告无由心"检验测试章"和骑缝章无效。
 - This test report is invalid without the seal.
- 2、本报告无广编制、审核、批准"一签字无效。 This test report is invalid without the signatures of the related persons.
- 3、本报告涂改、部分复印无效。
 - This test report is invalid if erased, altered or copied partially.
- 4、对本报告若有异议,应于收到报告之目起中五个工作目内向本中心提出,逾 期恕不受理。
 - Any doubt should inform us within 15 workdays after receiving the test report.
- 5、委托检验样品和委托信息由委托太提供,中心不对真实性负责,委托检验结 果仅对来样负责。
 - The commissioned testing samples and commission information are provided by the applicant. The results shown in the test report refer only to the sample(s) tested unless otherwise stated. Identifying authenticity of the supplied samples and information is out of our responsibility.
- 6、本报告的法律责任由建筑材料工业技术监督研究中心承担。 The legal responsibility of this test report is charged with Technical Supervision and Research Center of the Building Materials Industry.
- 7、本报告采用防伤纸张,复印后应带有网络底纹。 This test report is printed on anti-counterfeiting paper. Its copy should have grid shading

本中心联系方式:

地址(Address):北京市朝阳区管庄东里一号北楼

No.1 Guanzhuang Dongli, Chaoyang District, Beijing 100024, P.R. China.

邮编《Post Code》:100024

电话(Tel):(010)51164723-51164718

传真(Fax):(010)51164724

报告真伪查询(Tel):(010) 51164716

MH (Web): http://www.dmtc.org.en/

电子邮箱(E-mail): dmtc2007@163.com