

RAIN Will Stop the Fires

Crypto Conservation: Preventing Amazon Deforestation Utilizing Blockchain

A proposal by Aaron Devaney, Carlos Tacchi, Dhruv Mudambi, Feng Zhang and Zach Green

Amazon Deforestation

- Deforestation of the Amazon has persisted at a rapid rate over the past decade, with 6,890 square miles of rainforest lost in 2020 alone.
 - For comparison, this approximately the size of New Jersey
 - It is estimated that 40 football fields of rainforest are destroyed every minute
 - It is estimated that 17% of the Amazon was lost by 2018
 - Scientist believe that the Amazon biome is currently approaching a tipping point which could result in the emission of 90 gigatons of greenhouse gasses
- Deforestation is largely driven by development, with substantial portions of the rainforest systematically removed or burned in order to create fields which may be utilized for agricultural activities such as cattle grazing and soya cultivation.
- The Amazon Rainforest is the most biodiverse region on earth, providing shelter to three million species of plants and animals Additionally, it is estimated that trees in the Amazon produce 20% of the earth's oxygen.

Amazon deforestation highest since 2008 Annual rate in square kilometres 30,000 25,000 20,000 15,000 10,000 5.000 2004 2010 2015 2020 Note: Annual figures August-July Source: PRODES, Inpe BBC Wildfires in Brazil's Amazon 2019-2020 2019 2020 35,000 30.000 25,000 20.000 15.000 10,000 5.000

Note: 2020 data up to 1 November

Source: INPE

Preventing Deforestation

- While a number of charitable organizations exist, which are dedicated to preserving the Amazon rainforest, the problem of deforestation is primarily driven by the economic needs of individuals living within the ecosystem: people are positively incented to make additional agricultural land for grazing and crop cultivation as agriculture is an important means of earning a living.
- In order to prevent the burning of the Amazon, it must be economically more attractive to maintain the natural ecosystem than to develop the land for alternative uses.
- We are launching Crypto Conservation as a non profit which utilizes blockchain as a means to prevent Amazon deforestation. On a daily basis, The Crypto Conservation provides subsidies to landowners who do not set fire to their land.






Charity Operations Overview

- Landowner's receive subsidies from Crypto Conservation so long as they do not set fire to their land to make way for development or their land is caught up in a fire irrespective of who set it on fire. Crypto Conservation works to incentivize land owners to maintain the Amazon Rainforest as follows:
 - 1. Ether is raised for the charity through donations.
 - 2. Landowners register their land within a blockchain land registry and land owners are issued a token, RAIN, which stores basic information about their land parcel including latitude, longitude, owner name, wallet address and a fire registry ultimately used to determine whether or not the landowner should be paid.
 - 3. On a periodic basis, which could be as often as daily and no less than once a month, each RAIN is referenced against NASA data which has information regarding the location of fires in the Amazon. If the Land Owner's land is on fire, then the fire counter is increased and such token is no longer entitled to payment.

Rain Coin Workflow





Fire Information for Resource Management System (FIRMS)

NASA FIRMS uses satellite observations from the Moderate Resolution Imaging Spectroradiometer (MODIS) and Visible Infrared Imaging Radiometer Suite (VIIRS) instruments to detect active fires and thermal anomalies and deliver this information in near real-time to decision makers through email alerts, analysis ready data, online maps and web services.

FIRMS was originally developed by the University of Maryland, with funds from NASA's Applied Sciences Program and the United Nations Food and Agriculture Organization (UN FAO). It was transitioned to NASA LANCE in 2012.



MODIS C6 South America 24h

latitude	longitude	brightness	scan	track	acq_date	acq_time	satellite	confidence	version	bright_t31	frp	daynight
-27.168	-55.143	301.7	1.6	1.3	2021-03-02	205	Т	43	6.0NRT	290.7	6.8	N
-26.131	-60.846	304.3	4	1.9	2021-03-02	205	T	24	6.0NRT	285.2	44.8	N
-24.565	-56.302	307.8	1.8	1.3	2021-03-02	205	Т	72	6.0NRT	291.8	16.6	N
-23.296	-58.239	311.4	2.4	1.5	2021-03-02	205	Т	82	6.0NRT	293.8	31	N
-23.298	-58.262	315.3	2.4	1.5	2021-03-02	205	Т	91	6.0NRT	293.8	42	N
-23.282	-58.24	311.5	2.4	1.5	2021-03-02	205	Т	83	6.0NRT	293.7	31.3	N
-23.284	-58.264	318	2.4	1.5	2021-03-02	205	T	96	6.0NRT	294.1	50.5	N
-23.288	-58.246	327.4	2.4	1.5	2021-03-02	205	Т	100	6.0NRT	294.5	85.3	N
-23.29	-58.27	316	2.4	1.5	2021-03-02	205	Т	92	6.0NRT	294	43.4	N
-22.035	-53.8	326.2	1.2	1.1	2021-03-02	205	T	100	6.0NRT	279.7	33.1	N
-22.657	-61.451	323.5	4	1.9	2021-03-02	205	Т	100	6.0NRT	292.3	148	N
-22.66	-61.49	307.2	4.1	1.9	2021-03-02	205	Т	70	6.0NRT	292.9	45.2	N
-22.67	-61.457	303.9	4	1.9	2021-03-02	205	Т	57	6.0NRT	292.1	30.1	N
-22.653	-61.458	323.3	4	1.9	2021-03-02	205	T	100	6.0NRT	292.5	146.4	N
-21.664	-60.657	313.3	3.4	1.7	2021-03-02	205	T	86	6.0NRT	294.9	54.5	N
-21.67	-60.664	319.1	3.4	1.7	2021-03-02	205	Т	98	6.0NRT	295.1	86.4	N
-21.49	-59.846	303.8	3	1.6	2021-03-02	205	Т	53	6.0NRT	293.4	19.9	N
-21.316	-61.283	304	3.8	1.8	2021-03-02	205	Т	53	6.0NRT	293.6	25.6	N
-20.567	-56.055	303	1.5	1.2	2021-03-02	205	Т	29	6.0NRT	290	7.6	N
-20.848	-59.559	306.4	2.8	1.6	2021-03-02	205	Т	65	6.0NRT	294.1	20.1	N
-20.857	-59.538	304.6	2.8	1.6	2021-03-02	205	Т	56	6.0NRT	293.9	17	N
-17.96	-56.389	304.1	1.5	1.2	2021-03-02	205	Т	58	6.0NRT	293.2	6.2	N
-15.913	-60.819	304.6	3	1.6	2021-03-02	205	Т	61	6.0NRT	292.1	22.4	N

Data Preparation

- NASA maintains a daily database of coordinates on earth at which they believe a fire exists based on fire radio active power(frp) score.
 https://firms.modaps.eosdis.nasa.gov/active-fire/#firms-txt
- Utilizing raw data from the NASA MODIS file, filtered through roughly 3000 coordinate locations.
- Post research, a fire is located based an above average frp score.
- Resulting in 600 on-fire locations and 2400 non-fire locations.
- Hand picked 10 locations, 5 on fire and 5 not, to test against contracts.



Tokens Overview

- We use the Non Fungible Token standard ERC721 to create our token, RAIN
- The problem at hand required the use of a non fungible token, as each RAIN represents not only is it linked to different pieces of land but also it is entitled to different revenue streams (fire vs no fire)
- Additional flexibility and customization can be achieved. e.g. offer a different revenue stream if the owner of a piece of land has a many dependents



Contracts Overview

- The ERC721 contract, which we called LandFax, contains a series of functions that allows to
 - Register the land in exchange of RAIN
 - Report a fire and keep count of them
 - c. Transfer money from the foundation wallet to each token holder, if certain conditions are met

```
contract LandFax is ERC721Full {
    constructor() ERC721Full("LandToken", "RAIN") public { }
    using Counters for Counters.Counter;
    Counters.Counter token_ids;
    struct Land {
        string LatLon;
        uint fire;
    }
    mapping(uint => Land) public lands;
    event fire(uint token_id);
```

```
function registerLand(address payable Landowner, string memory Coordinates, string memory token_uri) public returns(uint) {
    token_ids.increment();
    uint token_id = token_ids.current();

    _mint(Landowner, token_id);
    _setTokenURI(token_id, token_uri);

    lands[token_id] = Land(Landowner, Coordinates, 0);

    return token_id;
}


function reportFire(uint token_id) public returns(uint) {
    lands[token_id].fire += 1;

    emit fire(token_id);
    return lands[token_id].fire;
}

function pay(uint amount, uint token_id, bool Fire) public payable {
    if (Fire = false) {
        lands[token_id].Landowner.transfer(amount);
    }
}
```


Deployed Contracts


The Fundraiser contract allows the donor to donate ETH to the beneficiary address and keeps track of the number of donations and the total amount donated.




Deployed Contracts

The LandFax contract allows
landowners in the Amazon Rainforest
to register their land and they receive
a RAIN token, which entitles them to
subsidies.









Deployed Contracts

If a fire is detected, it is reported to the contract and written to the blockchain. As long as no fires are reported, the landowner will continue to receive subsidies; however, if a fire has been written to the blockchain, the landowner will no longer be eligible to receive subsidies.





Project Improvements

- Creating a front end to give donors the platform to learn more about the contributions made
- Automate the fire registry process, pulling the data from NASA and updating the fire registry on a daily basis
- Automate the periodic payment to all the landowners or RAIN holders with no registered fires



www.shutterstock.com · 1723612417

Questions?