

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area (checked with vnu 26.4.20)

Checker Input

Show

☐

source

☐

outline

☐

image report

☐

errors & warnings only

Options...

Check by

text input ▼

☐

check as CSS

faster. Sequential scans are very bad.
</p>

References

<a href="https://malisper.me/the-file-layout-of-postgres-tables/"
target="_blank">

The File Layout of Postgres Tables (Blog Post)

<a href="http://rachbelaid.com/introduction-to-postgres-physical-
storage/" target="_blank">

Introduction to PostgreSQL physical storage

 (Blog Post)

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

1. **Error** CSS: min-width: only 0 can be a unit. You must put a unit after your number.

[From line 53, column 1; to line 53, column 55](#)

own. </p> <div style="float: right; width: 50%; min-width: 250;"><a href

2. **Error** No p element in scope but a p end tag seen.

[From line 70, column 1; to line 70, column 4](#)

li> </p> <p> W

3. **Warning** The clear attribute on the br element is obsolete. [Use CSS instead.](#)

[From line 102, column 1; to line 102, column 17](#)

```
li></ul><br clear="all"/><h2 i
```

4. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

[From line 102, column 1; to line 102, column 17](#)

```
li></ul><br clear="all"/><h2 i
```

5. **Error** No `p` element in scope but a `p` end tag seen.

[From line 127, column 1; to line 127, column 4](#)

```
inserted.</p><p>P
```

6. **Error** No `p` element in scope but a `p` end tag seen.

[From line 138, column 1; to line 138, column 4](#)

```
li></ul></p><b>Re
```

7. **Error** No `p` element in scope but a `p` end tag seen.

[From line 168, column 1; to line 168, column 4](#)

```
f rows...</p><p>Th
```

8. **Error** Attribute `target` not allowed on element `a` at this point.

[From line 190, column 9; to line 190, column 69](#)

```
><li><a href="https://youtu.be/6x0cAzQ7PVs?t=559" target="_blank">
```

Attributes for element `a`:

[Global attributes](#)

[href](#) — Address of the [hyperlink](#)

[target](#) — [Navigable](#) for [hyperlink navigation](#)

[download](#) — Whether to download the resource instead of navigating to it, and its filename if so

[ping](#) — [URLs](#) to ping

[rel](#) — Relationship between the location in the document containing the [hyperlink](#) and the destination resource

[hreflang](#) — Language of the linked resource

[type](#) — Hint for the type of the referenced resource

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

9. **Error** CSS: `min-width`: only `0` can be a `unit`. You must put a unit after your number.

[From line 202, column 1; to line 202, column 55](#)

```
/a></h2><div style="float: right; width: 25%; min-width: 250;"><a href
```

10. **Warning** The `clear` attribute on the `br` element is obsolete. [Use CSS instead.](#)

[From line 269, column 1; to line 269, column 17](#)

```
i></ul><br clear="all"/><h2 i
```

11. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values.](#)

[From line 269, column 1; to line 269, column 17](#)

```
i></ul><br clear="all"/><h2 i
```

12. **Error** Named character reference was not terminated by a semicolon. (Or `&` should have been escaped as `&`.)

[At line 313, column 8](#)

```
</pre>The &lt@ is looking fo
```

13. **Error** Named character reference was not terminated by a semicolon. (Or `&` should have been escaped as `&`.)

[At line 321, column 53](#)

```
E '{learn}' &lt@ string_to_arr
```

14. **Error** Named character reference was not terminated by a semicolon. (Or `&` should have been escaped as `&`.)

[At line 326, column 40](#)

```
n}'::text[] &lt@ string_to_arr
```

15. **Error** Named character reference was not terminated by a semicolon. (Or `&` should have been escaped as `&`.)

[At line 328, column 44](#)

```
n}'::text[] &lt@ string_to_arr
```

16. **Warning** The `clear` attribute on the `br` element is obsolete. [Use CSS instead.](#)

[From line 338, column 1; to line 338, column 17](#)

```
li></ul><br clear="all"/><h2 i
```

17. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values.](#)

[From line 338, column 1; to line 338, column 17](#)

```
li></ul><br clear="all"/><h2 i
```

18. **Error** CSS: `min-width: only 0` can be a `unit`. You must put a unit after your number.

[From line 345, column 1; to line 345, column 55](#)

```
/a></h2><div style="float: right; width: 25%; min-width: 250;"><a href
```

19. **Error** No `p` element in scope but a `p` end tag seen.

[From line 472, column 1; to line 472, column 4](#)

```
h'</pre></p><p>I
```

20. **Error** No `p` element in scope but a `p` end tag seen.

[From line 485, column 1; to line 485, column 4](#)

```
t</pre></p><b>Re
```

21. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

[From line 596, column 1; to line 596, column 5](#)

```
: 50px;"><hr/><p>C
```

Document checking completed.

Used the HTML parser.

Total execution time 394 milliseconds.

[About this checker](#) • [Report an issue](#)