

Лабораторна робота №2

Мета: навчитися створювати та керувати віртуальними машинам Windows та Linux в Azure.

Хід роботи

1. Створити віртуальну машину Windows в Azure
<https://learn.microsoft.com/en-us/training/modules/create-windows-virtualmachinein-azure/>
2. Створити віртуальну машину Linux в Azure
<https://learn.microsoft.com/en-us/training/modules/create-linux-virtualmachine-inazure/>
3. Керування віртуальними машинами за допомогою Azure CLI
<https://learn.microsoft.com/en-us/training/modules/manage-virtualmachines-withazure-cli/>

Для повного зарахування лабораторних робіт ви повинні робити скріншот всього екрану, в іншому випадку, я можу знімати бали. Для спрощення виконання звіту з лабораторної роботи, можна використовувати MS Windows Steps Recorder, вбудований в вашу ОС додаток для покрокових скріншотів.

Звіти відправляти на пошту

- kkn_chio@ztu.edu.ua – ІПЗ-21-3
- kkik_mv@ztu.edu.ua – ІПЗ-21-4, ІПЗк-23-1
- kkn_zhvv@ztu.edu.ua – ІПЗ-21-1, ІПЗ-21-2, ІПЗ-21-5, ВТ-21-1

В темі вказувати «Звіт ЛР № # | Група | ПБ», звіт не потребує спеціального оформлення рамкою(за бажанням) та повинен бути в форматі PDF відправлений з вашої університетської пошти як додаток до листа.

Приклади скріншотів ви можете знайти на наступній сторінці.

Create a storage account ...

Basics **Advanced** Networking Data protection Encryption Tags Review

The Data Lake Storage Gen2 hierarchical namespace accelerates big data analytics workloads and enables file-level access control lists (ACLs). [Learn more](#)

Enable hierarchical namespace ☐

Blob storage

Enable SFTP ⓘ ☐

ⓘ To enable SFTP, 'hierarchical namespace' must be enabled.

Enable network file system v3 ⓘ ☐

 To enable NFS v3 'hierarchical namespace' must be enabled. [Learn more about NFS v3](#)

Allow cross-tenant replication ⓘ ☐

Access tier

☒ Hot: Frequently accessed data and day-to-day usage scenarios

☐ Cool: Infrequently accessed data and backup scenarios

Review

[< Previous](#)

Next : Networking

The screenshot shows the Microsoft SQL Server Enterprise Manager interface. The left pane displays the 'Обозреватель объектов' (Object Explorer) tree, showing the server hierarchy. The central pane shows a query window with the following SQL query:

```
SELECT * FROM sys.dm_os_wait_stats
ORDER BY waiting_tasks_count DESC;
```

The bottom pane displays the 'Результаты' (Results) tab, showing the execution results of the query. The results are presented in a table with the following columns: wait_type, waiting_tasks_count, wait_time_ms, max_wait_time_ms, and signal_wait_time_ms. The table contains 17 rows of data, with the first row being the header and the subsequent rows representing the wait statistics.

	wait_type	waiting_tasks_count	wait_time_ms	max_wait_time_ms	signal_wait_time_ms
1	MEMORY_ALLOCATION_EXT	160465	224	6	0
2	LOGMGR_QUEUE	7636	964032	156	25
3	XE_TIMER_EVENT	4530	479437	828	478684
4	SOS_WORK_DISPATCHER	4418	19657769	377978	279
5	DIRTY_PAGE_POLL	4408	482036	124	10
6	PREEMPTIVE_XE_CALLBACKEXECUTE	3269	7	0	0
7	RESERVED_MEMORY_ALLOCATION_EXT	2721	2	0	0
8	SLEEP_TASK	2163	1223630	5001	10131
9	HADR_FILESTREAM_IOMGR_IOCOMPLETION	935	478212	515	6
10	SOS_SCHEDULER_YIELD	792	138	15	138
11	PREEMPTIVE_XE_GETTARGETSTATE	596	9	0	0
12	PAGEIOLATCH_SH	533	846	31	5
13	LAZYWRITER_SLEEP	483	481519	1016	8
14	PREEMPTIVE_OS_FILEOPS	473	283	3	0
15	WRITELOG	427	177	17	14
16	WRITE_COMPLETION	399	493	421	0
17	XE_DISPATCHER_WAIT	250	041277	30010	0

The status bar at the bottom indicates that the query was executed successfully ('Запрос успешно выполнен.').