

Math 220-01: Mathematical Reasoning and Proof  
Instructor: David Zureick-Brown (“DZB”)

**All assignments**

Last updated: April 21, 2024

Gradescope code: 7DP8JD

**Show all work for full credit!**

*Proofs should be written in full sentences whenever possible.*

## Contents

<b>1</b>	<b>(due Feb 08): Introduction to course. Mathematical reasoning. Logic</b>	<b>2</b>
<b>2</b>	<b>(due Feb 15): “Direct” proofs, proof by cases and divisibility problems</b>	<b>4</b>
<b>3</b>	<b>(due Feb 22): Proof by contradiction</b>	<b>5</b>
<b>4</b>	<b>(due Feb 29): Induction</b>	<b>6</b>
<b>5</b>	<b>(due Mar 07): Set theory. Basic operations. Proofs with sets</b>	<b>7</b>
	<b>(On Mar 14): Midterm 1</b>	<b>9</b>
<b>6</b>	<b>(due Mar 28): More sets. DeMorgans laws. Cartesian Products. Power sets</b>	<b>10</b>
<b>7</b>	<b>(due Apr 04): Introduction to functions; images and surjectivity</b>	<b>12</b>
<b>8</b>	<b>(due Apr 11): Inverse Image (or Preimage)</b>	<b>14</b>
<b>9</b>	<b>(due Apr 19): Injectivity</b>	<b>16</b>
	<b>(On Apr 23): Midterm 2</b>	<b>17</b>
<b>10</b>	<b>(due May 02): Composition of functions</b>	<b>18</b>
<b>11</b>	<b>(due May 07): Inverse functions</b>	<b>19</b>
	<b>(On May 15): Final Exam</b>	<b>20</b>

---

Assignment 1: Introduction to course. Mathematical reasoning. Logic

---

Due by 9:55am, eastern, on Thursday, Feb 08

---

**Suggested readings for this problem set:** Chapter 1, except for proof by contradiction.

All readings are from Bond and Keane, *An Introduction to Abstract Mathematics*.

---

**Extra Practice Problems** from *An Introduction to Abstract Mathematics* (not to turn in):

- With answers or hints (in the back of the book):
    - Section 1.1, #1(adg), 2(adj), 3(adg), 5(ad), 6(a)
    - Section 1.2, #2(ac), 4(ac), 5(ad), 7(a), 10(a), 11(a), 12(a)
    - Section 1.3, #1(ad), 3(a), 5(ac), 7(ac)
    - Section 1.4, #1, 4(a), 6(a), 8, 12(ab), 15(a)
  - [Handout 1](#)
- 

**Assignment:** due Thursday, Feb 08, 9:55am, via Gradescope (7DP8JD):

---

1. Write the negation of each of the following statements.
  - (a) All triangles are isosceles.
  - (b) Every door in the building was locked.
  - (c) Some even numbers are multiples of three.
  - (d) Every real number is less than 100.
  - (e) Every integer is positive or negative.
  - (f) If  $f$  is a polynomial function, then  $f$  is continuous at 0.
  - (g) If  $x^2 > 0$ , then  $x > 0$ .
  - (h) There exists a  $y \in \mathbf{R}$  such that  $xy = 1$ .
  - (i)  $(2 > 1)$  and  $(\forall x, x^2 > 0)$
  - (j)  $\forall \epsilon > 0, \exists \delta > 0$  such that if  $|x| < \delta$ , then  $|f(x)| < \epsilon$ .
2. Write the converse, contrapositive, and negation of each of the following implications.
  - (a) If a quadrilateral is a rectangle, then it has two pairs of parallel sides.
  - (b)  $(P \wedge \neg Q) \Rightarrow R$
  - (c)  $P \Rightarrow (R \Rightarrow \forall x, Q(x))$
3. Let  $P$  and  $Q$  be statements. Write the truth table for
  - (a)  $(\neg P) \vee Q$

(b)  $(P \wedge (\neg Q)) \Rightarrow Q$

4. Are the statements  $(P \vee Q) \wedge R$  and  $P \vee (Q \wedge R)$  equivalent? If so, give a proof. If not, explain why by giving a counterexample.

(Two statement forms are equivalent if they have the same truth tables, and here, a counterexample simply means some choice of truth values for  $P$ ,  $Q$ , and  $R$  such that the two statement forms give different outputs.)

5. Let  $P$  and  $Q$  be statements.

(a) Prove that  $\neg(P \Rightarrow Q)$  is equivalent to  $P \wedge \neg Q$ .

(b) Prove that  $\neg(P \Rightarrow Q)$  is *not* equivalent to  $\neg P \wedge Q$ .

(c) Give an example of statements  $P$  and  $Q$  such that  $\neg P \Rightarrow \neg Q$  is true and  $\neg(P \Rightarrow Q)$  is false.

6. Suppose that  $n$  is an even integer, and let  $m$  be any integer. Prove that  $nm$  is even.

7. Suppose that  $n$  is an odd integer. Prove that  $n^2$  is an odd integer. (Hint: an integer  $n$  is odd if and only if there exists an integer  $k$  such that  $n = 2k + 1$ .)

8. Prove that if  $n^2$  is even, then  $n$  is even. (Click [here](#) for a hint. Also: you are allowed to use the results of previous problems.)

---

## Assignment 2: “Direct” proofs, proof by cases and divisibility problems

---

Due by 9:55am, eastern, on Thursday, Feb 15

---

### ***Suggested readings for this problem set:***

- Finish reading chapter 1.
- Section 5.3

All readings are from Bond and Keane, *An Introduction to Abstract Mathematics*.

---

### ***Extra Practice Problems*** from *An Introduction to Abstract Mathematics* (not to turn in):

- With answers or hints (in the back of the book): Section 5.3, #1(a), 4(a), 6(ac)
  - Without answers: Section 5.3, #2, 4 (without induction), 5 (without induction)
  - [Handout 2](#)
- 

**Assignment:** due Thursday, Feb 15, 9:55am, via Gradescope (7DP8JD):

---

1. Prove that for all  $a \in \mathbb{Z}$  and for  $n \in \mathbb{Z}_{\geq 0}$ ,  $a - 1$  divides  $a^n - 1$ .
2. Suppose that  $a \mid b$ . Prove that for all  $n \in \mathbb{Z}_{>0}$ ,  $a^n \mid b^n$ .
3. Suppose that there exists an integer  $n \in \mathbb{Z}_{>0}$  such that  $a \mid b^n$ . Is it true that  $a \mid b$ ? Prove or disprove your answer. (For a disproof, please give a counterexample that demonstrates that the statement is false.)
4. Prove that for all integers  $n$ ,  $n$  and  $n + 1$  have no common divisors other than  $\pm 1$ .
5. Prove that the product of three consecutive integers is divisible by 6. (It suffices to prove that it is divisible by 2 and 3 separately.)
6. Show that for all integers  $a$  and  $b$ ,
$$a^2b^2(a^2 - b^2)$$
is divisible by 12. (It suffices to prove that it is divisible by 4 and 3 separately.)
7. Find all positive integers  $n$  such that  $n^2 - 1$  is prime. Prove that your answer is correct.
8. Prove that if  $x$  is an integer, then  $x^2 + 2$  is not divisible by 4. (Hint: there are two cases:  $x$  is even,  $x$  is odd. Also, feel free to use basic facts about even or odd, e.g., “odd + odd = even”, without additional proof.)

---

## Assignment 3: Proof by contradiction

---

Due by 9:55am, eastern, on Thursday, Feb 22

---

### ***Suggested readings for this problem set:***

- Section 1.4, p. 41-42 (stop at Historical Comments)
- Section 5.4

All readings are from Bond and Keane, *An Introduction to Abstract Mathematics*.

---

### ***Extra Practice Problems*** from *An Introduction to Abstract Mathematics* (not to turn in):

- Section 1.4 #21
  - Section 5.4 #6, 7, 10(a), 15, 18,
  - [Handout 3](#)
- 

**Assignment:** due Thursday, Feb 22, 9:55am, via Gradescope (7DP8JD):

---

1. Prove that there do not exist integers  $a$ , and  $b$  such that  $21a + 30b = 1$ .
2. Prove that there are no integer solutions to the equation  $x^2 - y^2 = 2$ .
3. Let  $a, b, c$  be integers satisfying  $a^2 + b^2 = c^2$ . Show that at least one of  $a, b$ , or  $c$  is even.
4. Suppose that  $a, b \in \mathbb{Z}$ . Prove that  $a^2 - 4b \neq 2$ .
5. Suppose that  $x$  is a real number such that  $0 \leq x \leq \pi/2$ . Prove that  $\sin x + \cos x \geq 1$ . (Hint: at some point in your proof, use that  $(\sin x)^2 + (\cos x)^2 = 1$ .)
6. Prove that  $2^{1/3}$  is irrational.
7. Prove that  $\log_{10} 7$  is irrational.
8. Suppose that  $a$  and  $n$  are integers that are both at least 2. Suppose that  $a^n - 1$  is prime.
  - (a) Prove that  $a = 2$ .
  - (b) Prove that  $n$  is a prime.

---

## Assignment 4: Induction

---

Due by 9:55am, eastern, on Thursday, Feb 29

---

**Suggested readings for this problem set:** Section 5.2, p. 159-163

All readings are from Bond and Keane, *An Introduction to Abstract Mathematics*.

---

**Fun Video:** Vi Hart, “Doodling in Math: Spirals, Fibonacci, and Being a Plant”

<https://www.youtube.com/watch?v=ahXIMUkSXX0>

---

**Extra Practice Problems** from *An Introduction to Abstract Mathematics* (not to turn in):

- With answers or hints (in the back of the book): Section 5.2 #1(a), 4(a), 8(ad), 9(a), 29
  - Without answers: Section 5.2 #2-9, 13
  - [Handout 4](#)
  - [Handout 5](#)
- 

**Assignment:** due Thursday, Feb 29, 9:55am, via Gradescope (7DP8JD):

---

1. Prove that for every positive integer  $n$ ,

$$1^3 + 2^3 + \cdots + n^3 = \frac{n^2(n+1)^2}{4}.$$

2. Let  $a_n$  be defined recursively by  $a_1 = 1$  and  $a_n = \sqrt{1 + a_{n-1}}$ . Prove that for all positive integers  $n$ ,  $a_n < 2$ .

3. Let  $F_1, F_2, F_3, \dots = 1, 1, 2, 3, 5, 8, \dots$  be the Fibonacci sequence. Prove that  $F_1^2 + \cdots + F_n^2 = F_n F_{n+1}$ .

4. Prove that  $n! > 2^n$  for all  $n \geq 4$ .

5. Prove (using induction) that for all integers  $n \geq 1$ ,  $2^{2n} - 1$  is divisible by 3.

6. *Bernoulli's inequality*: let  $\beta \in \mathbb{R}$  be a real number such that  $\beta > -1$  and  $\beta \neq 0$ . Prove that for all integers  $n \geq 2$ ,  $(1 + \beta)^n > 1 + n\beta$ .

7. Prove that for all integers  $n \geq 1$ ,

$$1 + \frac{1}{\sqrt{2}} + \cdots + \frac{1}{\sqrt{n}} \geq \sqrt{n}.$$

8. Prove by induction that if  $b_1, b_2, \dots, b_n$  are even integers, then  $b_1 + b_2 + \cdots + b_n$  is even.

---

## Assignment 5: Set theory. Basic operations. Proofs with sets

---

Due by 9:55am, eastern, on Thursday, Mar 07

---

### **Suggested readings for this problem set:**

- Section 2.1, p. 49-57;
- Section 2.2, p. 61-65 (stop at DeMorgan's laws)

All readings are from Bond and Keane, *An Introduction to Abstract Mathematics*.

---

### **Extra Practice Problems** from *An Introduction to Abstract Mathematics* (not to turn in):

- With answers or hints (in the back of the book); many of these are calculations; do as many as you need to do to understand the definitions:
    1. Section 2.1, #1(adg), 2(adg), 4(adg), 5(a), 7(a), 8(ae), 9(adf), 10(a), 18(acf), 19(ad), 20(ae), 21
    2. Section 2.2, #1(adgj), 2(ad), 4(ad), 5(ad), 7(a), 9(ad), 14(a),
  - Without answers:
    1. Section 2.1, 13, 14, 15, 16,
    2. Section 2.2, #1-12
  - [Handout 6](#)
- 

**Assignment:** due Thursday, Mar 07, 9:55am, via Gradescope (7DP8JD):

---

1. Let  $A = \{0, 1, 2\}$ . Let  $B = \{1, \{2\}, 3\}$ . Which of the following statements are true? (No justification is needed.)

(a) $0 \in A$	(e) $2 \in B$	(i) $2 \in A \cap B$
(b) $\{0\} \subseteq A$	(f) $\{2\} \in B$	(j) $2 \in A - B$
(c) $\{0\} \in A$	(g) $\{2\} \subseteq B$	
(d) $A = B$	(h) $2 \in A \cup B$	
2. Let  $A = \{n \in \mathbb{Z} \mid n \text{ is a multiple of } 4\}$  and  $B = \{n \in \mathbb{Z} \mid n^2 \text{ is a multiple of } 4\}$ 
  - (a) Prove or disprove:  $A \subseteq B$ .
  - (b) Prove or disprove:  $B \subseteq A$ .
3. Recall that  $(a, b) = \{x : x \in \mathbb{R} \mid a < x < b\}$ . Prove or disprove each of the following:
  - (a)  $(-1, 1) \subseteq (-2, 2)$ .
  - (b)  $(-1, 2) \subseteq (-2, 1)$ .

4. Prove that  $(-10, 5] \cap [0, 10] = [0, 5]$ .
5. Prove that if  $A \not\subseteq C$  then  $A \not\subseteq B$  or  $B \not\subseteq C$ . (Remember that you can reference and use lemmas and other things we proved in class.)
6. Let  $A, B$  be sets. Prove each of the following:
  - (a)  $A \cap B \subseteq A$ ;
  - (b)  $A \cap \emptyset = \emptyset$ ;
7. Prove that  $A \cup (A \cap B) = A$ .
8. Let  $n$  and  $m$  be integers. Prove that if  $m$  divides  $n$  then  $n\mathbb{Z} \subseteq m\mathbb{Z}$ .



---

## Midterm 1 study guide

---

*In class on Thursday, Mar 14*

---

**Content:** The questions will all be either

1. homework problems,
2. suggested problems,
3. problems we worked in class, or
4. minor variations of one of these.

Problems with very long proofs or that involved some unusual trick will not be on the exam.

You are allowed to use any previous problem from class or from the homework (e.g., “additivity of divisibility” or “the 2 out of 3 rule”) on the exam without reproving it, unless otherwise noted on the exam. (E.g., if I ask you to prove “additivity of divisibility” on the exam, you will need to prove this using only the definition of divisibility, and I will remind you of this in the statement of the problem.)

A typical exam will have one or two questions from each week of the course, and this exam will cover **assignments 1-5**. You can expect problems about following:

- Negations
- Give definitions (e.g., divides, rational, subset)
- Direct proofs
- Proof by contrapositive
- Divisibility problems
- Contradiction
- Induction
- Proofs with sets.
- True/False problems.

There will be a negation problem, at least one definition, and around 4-6 problems involving proofs (possibly including “prove or disprove” problems).

For sets: I will ask one problem, verbatim, from the homework or from class.

For definitions, I want a definition, in prose (complete sentences), and I want “just” the definition, and not any additional facts about the definition. (E.g., if you give the definition of rational, do not include that a rational number can be written in reduced form; that is a fact about rational numbers not part of the definition of rational.)

---

## Assignment 6: More sets. DeMorgans laws. Cartesian Products. Power sets

---

Due by 9:55am, eastern, on Thursday, Mar 28

---

### **Suggested readings for this problem set:**

- Section 2.2, p. 65-66;
- Section 2.3, p. 72, just the part about power sets.

All readings are from Bond and Keane, *An Introduction to Abstract Mathematics*.

---

### **Extra Practice Problems** from *An Introduction to Abstract Mathematics* (not to turn in):

- With answers or hints (see the back of the book):
    1. Section 2.2, 13(a), 16(a)
    2. Section 2.3, #1(a), 3, 5(adg),
  - Without answers:
    1. Section 2.2, 14, 16-19, 21, 23-27
    2. Section 2.3, #1(b), 2,4
  - [Handout 7](#)
- 

**Assignment:** due Thursday, Mar 28, 9:55am, via Gradescope (7DP8JD):

---

1. Let  $A, B$  and  $C$  be sets.
  - (a) Prove that  $(A \subseteq C) \wedge (B \subseteq C) \Rightarrow A \cup B \subseteq C$ .
  - (b) State the contrapositive of part (a).
  - (c) State the converse of part (a). Prove or disprove it.
2. Let  $A, B$ , and  $C$  be sets. Prove or disprove the following. (For a disproof, please give an explicit counterexample; i.e., give an example of sets  $A, B$  and  $C$  demonstrating that the statement is false.)
  - (a) If  $A \not\subseteq B$  and  $B \not\subseteq C$ , then  $A \not\subseteq C$ .
  - (b) If  $A \subseteq B$  and  $B \not\subseteq C$ , then  $A \not\subseteq C$ .
3. Let  $A, B, C$  be sets. Prove each of the following:
  - (a) Suppose that  $B \subseteq C$ . Prove that  $A - C \subseteq A - B$ .
  - (b)  $A \subseteq B$  if and only if  $A \cap B = A$ .
4. Let  $A, B$  and  $C$  be sets. Prove or disprove each of the following. (For a disproof, please give an explicit counterexample; i.e., give an example of sets  $A, B$  and  $C$  demonstrating that the statement is false.)
  - (a)  $(A \cap B) \cup C = A \cap (B \cup C)$ .
  - (b)  $(A \cap B) \cup C = (A \cup C) \cap (B \cup C)$ .
5. Let  $A$  and  $B$  be sets. Prove that  $(A \cup B) - (A \cap B) = (A - B) \cup (B - A)$ .

6. Let  $A$  and  $B$  be sets. Prove that  $(A \cup B) \cap \overline{A} = B - A$ .
7. Let  $A$  and  $B$  be sets. Prove that if  $A \subseteq B$ , then  $P(A) \subseteq P(B)$ . State the converse of this and prove or disprove it.
8. Let  $A = \{0, 1, 2\}$ . Which of the following statements are true? (No justification is needed.)
- |                                     |  |
|-------------------------------------|--|
| (a) $0 \in P(A)$ ;                  | (f) $\{\{0, 1\}, \{1\}\} \subseteq P(A)$ ; |
| (b) $\{0\} \in P(A)$ ;              | (g) $\emptyset \in P(A)$ ;                 |
| (c) $\{0\} \subseteq P(A)$ ;        | (h) $\emptyset \subseteq P(A)$ ;           |
| (d) $\{1, 2\} \in P(A)$ ;           | (i) $\{\emptyset\} \in P(A)$ .             |
| (e) $\{1, \{1\}\} \subseteq P(A)$ . | (j) $\{\emptyset\} \subseteq P(A)$ ;       |

---

## Assignment 7: Introduction to functions; images and surjectivity

---

Due by 9:55am, eastern, on Thursday, Apr 04

---

### ***Suggested readings for this problem set:***

- Section 3.1, p. 81-90 (stop at “Inverse Image”);
- Section 3.2, p. 97-100 (stop at Injective Functions).

All readings are from Bond and Keane, *An Introduction to Abstract Mathematics*.

---

### ***Extra Practice Problems*** from *An Introduction to Abstract Mathematics* (not to turn in):

- With answers or hints (in the back of the book):
    1. Section 3.1, #1(adg), 4(ace), 5(a), 8(a), 10(a), 12(1d)
    2. Section 3.2, #1(adgj), 2(ad)
  - Without answers:
    1. Section 3.1, 1-4,6-13
    2. Section 3.2, 1-6
    3. [Handout 9](#)
- 

**Assignment:** due Thursday, Apr 04, 9:55am, via Gradescope (7DP8JD):

---

1. Let  $f: A \rightarrow B$  be a function. Finish the following sentence: an element  $b \in B$  is not in the image of  $f$  if ...
2. Let  $f: \mathbf{R} \rightarrow \mathbf{R}$  be the function defined by  $f(x) = 6x + 5$ .
  - (a) Prove that  $f(\mathbf{R}) = \mathbf{R}$ .
  - (b) Compute  $f([1, 4])$ . Prove your answer.
3. Let  $g$  be the function  $g: \mathbf{Z} \rightarrow \mathbf{Z}$ , where  $g(x) = 2n + 1$ .
  - (a) Compute the image of  $g$ . Prove that your answer is correct.
4. Let  $f: \mathbf{R} \rightarrow \mathbf{R}$  be the function defined by  $x^4 + x^2$ .
  - (a) Compute the image of  $f$ . Prove that your answer is correct.
  - (b) Compute  $f([-1, 2])$ . Prove that your answer is correct.
5. Let  $g: \mathbf{R} \rightarrow \mathbf{Z}$  be the **ceiling function**  $g(x) = \lceil x \rceil$ , defined to be the smallest integer greater than or equal to  $x$  (i.e., “round  $x$  up to the nearest integer”; so  $g(1.3) = 2$ , and  $g(3) = 3$ .  
Compute the image of  $g$ . Prove that your answer is correct.

6. Consider the function  $\sin: \mathbf{R} \rightarrow \mathbf{R}$ .
- (a) Compute the image of  $\sin$ . Prove that your answer is correct.
  - (b) Compute  $\sin([0, \pi/4])$ . Prove that your answer is correct.
7. Let  $A$  and  $B$  be sets and let  $X$  and  $Y$  be subsets of  $A$ . Let  $f: A \rightarrow B$  be a function. Prove or disprove each of the following. When giving a disproof, please give a counterexample.
- (a)  $f(X \cup Y) \subseteq f(X) \cup f(Y)$ .
  - (b)  $f(X \cup Y) \supseteq f(X) \cup f(Y)$ .
8. Let  $A$  and  $B$  be sets and let  $X$  and  $Y$  be subsets of  $A$ . Let  $f: A \rightarrow B$  be a function. Prove or disprove each of the following. When giving a disproof, please give an counterexample.
- (a)  $f(X) - f(Y) \subseteq f(X - Y)$ .
  - (b)  $f(X) - f(Y) \supseteq f(X - Y)$ .

---

## Assignment 8: Inverse Image (or Preimage)

---

Due by 9:55am, eastern, on Thursday, Apr 11

---

### **Suggested readings for this problem set:**

- Section 3.1, p. 90-92 (stop at the Historical Comments.)

All readings are from Bond and Keane, *An Introduction to Abstract Mathematics*.

---

### **Extra Practice Problems** from *An Introduction to Abstract Mathematics* (not to turn in):

- With answers or hints (in the back of the book): Section 3.1, #17(ad), #18(adg), #19(a), #21(a)
  - Without answers: 17-21
  - [Handout 10](#)
- 

**Assignment:** due Thursday, Apr 11, 9:55am, via Gradescope (7DP8JD):

---

(REMINDER: you are allowed to use the results of previous problem as part of the proof of later problems.)

1. Let  $f: \mathbf{R} \rightarrow \mathbf{R}$  be the function defined by  $f(x) = 3x + 1$ .
  - (a) Compute  $f^{-1}(\{1, 5, 8\})$  (do not give a proof).
  - (b) Compute  $f^{-1}(W)$ , where  $W = (4, \infty)$ , and give a proof that your answer is correct.
  - (c) Compute  $f^{-1}(\mathbf{E})$ , where  $\mathbf{E}$  is the set of even integers, and give a proof that your answer is correct.

2. Let  $f: \mathbf{Z} \rightarrow \mathbf{Z}$  be the function defined by  $f(n) = \begin{cases} \frac{n}{2}, & \text{if } n \text{ is even} \\ 2n + 4, & \text{if } n \text{ is odd.} \end{cases}$

Compute  $f^{-1}(\mathbf{E})$ . Prove that your answer is correct. (Reminder:  $\mathbf{E}$  is the set of even integers.)

3. Let  $A$  and  $B$  be sets and let  $X$  and  $Y$  be subsets of  $B$ . Let  $f: A \rightarrow B$  be a function. Prove or disprove the following. (For a disproof, please give an explicit counterexample.)
  - (a)  $f^{-1}(X \cap Y) \subseteq f^{-1}(X) \cap f^{-1}(Y)$ .
  - (b)  $f^{-1}(X \cap Y) \supseteq f^{-1}(X) \cap f^{-1}(Y)$ .
4. Let  $A$  and  $B$  be sets and let  $X$  be a subset of  $B$ . Let  $f: A \rightarrow B$  be a function. Prove or disprove the following. (For a disproof, please give an explicit counterexample.)
  - (a)  $X \subseteq f(f^{-1}(X))$ .
  - (b)  $X \supseteq f(f^{-1}(X))$ .
5. Let  $A$  and  $B$  be sets. Let  $S \subseteq A$  and let  $T \subseteq B$ . Let  $f: A \rightarrow B$  be a function. Prove or disprove the following. (For a disproof, please give an explicit counterexample.)
  - (a)  $f(S) \subseteq T \Rightarrow S \subseteq f^{-1}(T)$ .
  - (b)  $S \subseteq f^{-1}(T) \Rightarrow f(S) \subseteq T$ .

In each of the following problems, let  $f: A \rightarrow A$  be a function (note that the domain and codomain are the same) and suppose that  $C \subseteq A$ .

6. Prove or disprove the following. (For a disproof, please give an explicit counterexample).
  - (a)  $f^{-1}(C) \subseteq C$ ;
  - (b)  $C \subseteq f^{-1}(C)$ ;
  - (c)  $f(C) \subseteq C$ ;
  - (d)  $C \subseteq f(C)$ ;
7. Prove or disprove the following (for a disproof, please give an explicit counterexample):  $C \subseteq f^{-1}(C) \iff f(C) \subseteq C$ .
8. Prove or disprove the following (for a disproof, please give an explicit counterexample):  $f^{-1}(C) \subseteq C \iff C \subseteq f(C)$ .

---

## Assignment 9: Injectivity

---

Due by **Friday**, 9:55am eastern, on Friday, April 19

---

### **Suggested readings for this problem set:**

- Section 3.2, p. 100-105

All readings are from Bond and Keane, *An Introduction to Abstract Mathematics*.

---

### **Extra Practice Problems** from *An Introduction to Abstract Mathematics* (not to turn in):

- With answers or hints (in the back of the book): 3.2, #12(adg), #13(bd)
  - Without answers: 3.2 #9-14, 19(abc)
  - [Handout 11](#)
- 

**Assignment:** Due by **Friday**, 9:55am eastern, on Friday, April 19, via Gradescope (7DP8JD):

---

1. Let  $A$  and  $B$  be sets and let  $X$  and  $Y$  be subsets of  $B$ . Let  $f: A \rightarrow B$  be a function. Prove or disprove the following. (For a disproof, please give an explicit counterexample.)
  - (a)  $f^{-1}(X - Y) \subseteq f^{-1}(X) - f^{-1}(Y)$ .
  - (b)  $f^{-1}(X - Y) \supseteq f^{-1}(X) - f^{-1}(Y)$ .
2. Let  $f: A \rightarrow B$  be a function. Which of the followings statements are equivalent to the statement ' $f$  is injective'? (No proof necessary.)
  - (a)  $f(a) = f(b)$  if  $a = b$ ;
  - (b)  $f(a) = f(b)$  and  $a = b$  for all  $a, b \in A$ ;
  - (c) If  $a$  and  $b$  are in  $A$  and  $f(a) = f(b)$ , then  $a = b$ ;
  - (d) If  $a$  and  $b$  are in  $A$  and  $a = b$ , then  $f(a) = f(b)$ ;
  - (e) If  $a$  and  $b$  are in  $A$  and  $f(a) \neq f(b)$ , then  $a \neq b$ ;
  - (f) If  $a$  and  $b$  are in  $A$  and  $a \neq b$ , then  $f(a) \neq f(b)$ .
3. Prove that the following functions are not injective.
  - (a)  $f: \mathbf{R} \rightarrow \mathbf{R}, f(x) = x^4 + x^2$ ;
  - (b)  $f: \mathbf{R} \rightarrow \mathbf{R}, f(x) = x^3 + x^2$ ;
  - (c)  $f: P(\mathbf{Z}) \rightarrow P(\mathbf{Z}); f(S) = S \cap \{1, 2\}$ .
4. Prove that the following functions are injective.
  - (a)  $f: \mathbf{R}^2 \rightarrow \mathbf{R}^3; f(x, y) = (x + y, x - y, x^2 + y^2)$ .
  - (b)  $f: \mathbf{R} \rightarrow \mathbf{R}; f(x) = e^{x+1}$ .
  - (c)  $f: \mathbf{R} \rightarrow \mathbf{R}, f(x) = \begin{cases} -x - 1, & \text{if } x > 0 \\ x^2, & \text{if } x \leq 0. \end{cases}$



---

## Midterm 2 study guide

---

*In class on Tuesday, Apr 23*

---

**Content:** The questions will all be either

1. homework problems,
2. suggested problems,
3. problems we worked in class, or
4. minor variations of one of these.

Problems with very long proofs or that involved some unusual trick will not be on the exam.

You are allowed to use any previous problem from class or from the homework (e.g., “ $A \subseteq A \cup B$ ”) on the exam without reproving it, unless otherwise noted on the exam. (E.g., if I ask you to prove “ $A \subseteq A \cup B$ ” on the exam, you will need to prove this using only the definition of subset and union, and I will remind you of this in the statement of the problem.)

A typical exam will have one or two questions from each week of the course. You can expect problems about following:

- Give definitions (e.g., subset, union, intersection, preimage, image)
- Proofs about sets (including power sets)
- Proofs about functions, images, preimages, surjectivity, injectivity

There will be at least one definition, and around 4-5 problems involving proofs (possibly including “prove or disprove” problems).

For definitions, I want a definition, in prose (complete sentences), and I want “just” the definition, and not any additional facts about the definition. (E.g., if you give the definition of rational, do not include that a rational number can be written in reduced form; that is a fact about rational numbers not part of the definition of rational.)

There will be one problem verbatim from Assignment 9 (on injectivity).

---

## Assignment 10: Composition of functions

---

Due by 9:55am, eastern, on Thursday, May 02

---

### *Suggested readings for this problem set:*

- Section 3.3, p. 110-113

All readings are from Bond and Keane, *An Introduction to Abstract Mathematics*.

---

### *Extra Practice Problems* from *An Introduction to Abstract Mathematics* (not to turn in):

- With answers or hints (in the back of the book): 3.2, #12(adg), #13(bd)
  - Without answers: 3.2 #9-14, 19(abc)
  - [Handout 12](#)
- 

**Assignment:** due Thursday, May 02, 9:55am, via Gradescope (7DP8JD):

---

For problems 1, 2, and 3, let  $A, B$  and  $C$  be sets and let  $f: A \rightarrow B$  and  $g: B \rightarrow C$  be functions.

When giving a disproof, **please give a counterexample** (otherwise no credit will be given for the problem).

1. Prove or disprove: If  $g \circ f$  is an injection, then  $g$  is an injection.
2. Prove or disprove each of the following.
  - (a) If  $g \circ f$  is a surjection, then  $f$  is a surjection.
  - (b) If  $g \circ f$  is a surjection, then  $g$  is a surjection.
3. Let  $A$  and  $B$  be sets and let  $f: A \rightarrow B$  and  $g: B \rightarrow A$  be functions. Prove that if  $g \circ f$  and  $f \circ g$  are bijective, then so are  $f$  and  $g$ .
4. We say that a function  $f: \mathbf{R} \rightarrow \mathbf{R}$  is **increasing** if for all  $x_1, x_2 \in \mathbf{R}$ , if  $x_1 < x_2$ , then  $f(x_1) < f(x_2)$ .

We say that a function  $f: \mathbf{R} \rightarrow \mathbf{R}$  is **decreasing** if for all  $x_1, x_2 \in \mathbf{R}$ , if  $x_1 < x_2$ , then  $f(x_1) > f(x_2)$ .

Let  $f: \mathbf{R} \rightarrow \mathbf{R}$  and  $g: \mathbf{R} \rightarrow \mathbf{R}$  be functions. Suppose that  $f$  and  $g$  are both decreasing. Prove that  $g \circ f$  is increasing.



## Assignment 11: Inverse functions

Due by 9:55am, eastern, on Thursday, May 07

### Suggested readings for this problem set:

- Section 3.3, p. 114-116

All readings are from Bond and Keane, *An Introduction to Abstract Mathematics*.

### Extra Practice Problems from *An Introduction to Abstract Mathematics* (not to turn in):

- With answers or hints (in the back of the book): 3.3 #10(adgj), 11(a)
- Without answers: 3.3 #10, 12, 14, 15, 17, 18, 19, 22
- [Handout 13](#)

**Assignment:** due Thursday, May 07, 9:55am, via Gradescope (7DP8JD):

1. Define  $f: \mathbf{R} - \{1\} \rightarrow \mathbf{R} - \{1\}$  by  $f(x) = \frac{x+1}{x-1}$ . Prove that  $f$  is a bijection. Find a formula for the inverse  $f^{-1}(x)$ , and prove that it is correct.
2. Let  $f: \mathbf{R} \rightarrow \mathbf{R}$  be the function  $f(x) = x^3 + x$ . Prove that  $f$  is invertible without finding a formula for  $f^{-1}$ .
3. Let  $A, B$  and  $C$  be sets and let  $f: A \rightarrow B$  and  $g: B \rightarrow C$  be functions. Prove that if  $f$  and  $g$  are invertible, then so is  $g \circ f$ , and prove that  $(g \circ f)^{-1} = f^{-1} \circ g^{-1}$ .
4. Let  $A$  and  $B$  be sets and let  $f: A \rightarrow B$  be a function. Suppose that  $f$  has a *left inverse*  $g$ ; that is, suppose that there exists a function  $g: B \rightarrow A$  such that  $g \circ f = id_A$ . Prove that  $f$  is injective.
5. Let  $f: A \rightarrow B$  be a bijection. Let  $g: B \rightarrow A$  be the inverse of  $f$ . Prove that  $g$  is also a bijection.
6. Let  $A$  be a set and let  $f: A \rightarrow A$  be a function. Prove that  $f$  is invertible and  $f = f^{-1}$  if and only if  $f \circ f = id_A$ .
7. Let  $f, g: A \rightarrow B$  be two functions, and let  $h: B \rightarrow C$  be a function.
  - (a) Prove that if  $h$  is injective and  $h \circ f = h \circ g$  then  $f = g$ .
  - (b) Give an example where  $h$  is not surjective and  $h \circ f = h \circ g$  but  $f \neq g$ .
8. Let  $f: A \rightarrow B$  be a function, and let  $g, h: B \rightarrow C$  be two functions.
  - (a) Prove that if  $f$  is surjective and  $g \circ f = h \circ f$  then  $g = h$ .
  - (b) Give an example where  $f$  is not surjective and  $g \circ f = h \circ f$  but  $g \neq h$ .





---

## Final exam study guide

---

**Final exam** is **May 15**, 9-11am, in SMUD 014.

---

The **last day of class** is Tuesday, May 7.

There will be **office hours** on before the exam. I will send out a survey to find a time that works for everyone who is planning to attend.

The final exam will be comprehensive.

The exam will be, roughly 8-10 questions, with multiple parts. Some questions will be “prove or disprove”. For disproofs, please write out a counterexample as your disproof.

A typical exam will have one or two questions from each week of the course. You can expect a subset of the following:

- Negations
- Give definitions (e.g., divides, rational, subset)
- Direct proofs
- Proof by contrapositive
- Divisibility problems
- Contradiction
- Induction
- Proofs with sets.
- Images
- preimages
- Injectivity
- Surjectivity
- Compositions
- Invertibility
- Relations
- Countability
- Problems from handouts 9-14

