6.2.25.MRI

Brachial Plexus MRI

CAMPBELL COUNTY HEALTH
Campbell Co. Memorial Hospital
501 S. Burma Ave.
P.O. Box 3011
Gillette, WY 82717
Phone #: 307.688.1600
Fax #: 307.688.1640

MRI Report

Patient: PULLIAM,VIKTORIYA A
MR #: M000325769
URN #: E00260914
Acct:V00109957183 Loc: ORAD
DOB: 12/06/1989 Age/Sex: 35 / F
Date of Service: 06/02/25
Attending Prov: Hans L Carlson MD
Ordering Prov: Hans L Carlson, MD
Acc. #(s): A0000594623
CPT: 71552

cc: Carlson,Hans L MD
Doctor,No ~

EXAM: Brachial plexus MRI with and without contrast

REASON FOR EXAM: BRACHIAL PLEXOPATHY

HISTORY: Left-sided weakness. Underwent C5-C7 fusion in November of 2022.

COMPARISON: None available at the time of dictation

PROCEDURE: Multiplanar multisequence MRI images of the brachial plexus were obtained with and without contrast utilizing 7 mL of Vueway
Field strength 1.5 Tesla.

FINDINGS:

There are partially imaged post-surgical changes of surgical fusion from C5-C7. There appears to be canal stenosis at C5 and C6, with abnormal high T2 signal within the left ventral cord at the C5 level (series 8 image 12), and throughout the cord at the C6 level (series 8 image 17)

No signal abnormalities seen in the region of the brachial plexus nerve roots, trunks, divisions, cords, and branches. No areas of abnormal enhancement after contrast administration.

The lung apices are clear.

ORDER #: 0602-0010 MR/MRI brachial plexus wo/w con
IMPRESSION:
1. Normal MR appearance of the left brachial plexus.
2. Finding suggestive of canal stenosis in the lower cervical spine, with suspected areas of high T2 signal within the lower cervical cord, which could reflect myelomalacia or cord edema. Further evaluation with cervical spine MRI recommended.
-Electronically Signed By: Tyler Baldwin
-Electronically Signed On: 6/2/2025 2:54 PM

Some sections of this report may have been generated using a voice to text program. Every effort is made to correct errors, if mistakes are found they should be taken in context.

Dictated/Signed By: <Electronically signed by Tyler J Baldwin MD>06/02/25 1454

DD/DT: 06/02/25 1442
TD/TT: 06/02/25 1442 Transcriptionist: BTJ

CAMPBELL COUNTY HEALTH

Outpatient Imaging
508 Stocktrail Ave.
Suite C, North Entrance
Gillette, WY 82716
Phone #: 307.688.1600
Fax #: 307.688.1640

Patient: PULLIAM,VIKTORIYA A
MR #: M000325769
URN #: E00260914
Acct:V00110103603 Loc: WORIRAD
DOB: 12/06/1989 Age/Sex: 35 / F
Date of Service: 06/17/25
Attending Prov: Sara M Thronburg FNP
Ordering Prov: Sara M FNP Thronburg
Acc. #(s): A0000598307
CPT: 72141

MRI Report

cc: Doctor,No
Thronburg,Sara M FNP~

EXAM: Cervical spine MRI without contrast

REASON FOR EXAM: CERVICAL DISC DEGENERATION

HISTORY: Neck and right arm numbness. History of fusion in 2020.

COMPARISON: Brachial plexus MRI 6/2/2025

PROCEDURE: Multiplanar multisequence MRI images of the cervical spine were obtained including sagittal T1, T2 and STIR sequences, axial 3D TSE and oblique T2 TFE sequences from C3 through T1 at 3-4 mm intervals without contrast. Field strength 1.5 Tesla.

FINDINGS:

Craniocervical and atlantodental alignment are preserved. Straightening of cervical lordosis. No spondylolisthesis. Vertebral body heights are maintained. Status post ACDF from C5-C7. No evidence of hardware complication. No bone marrow edema or suspicious osseous lesions.

The imaged posterior fossa structures are unremarkable.

Small focus of high T2 signal within the left ventral cord at the inferior C5 level (series 9 image 29).. Just inferior to this, at the C5-C6 level, there are punctate foci of T2 hyperintense signal within the left and right central cord (series 9 image 32). No evidence of cord edema. No additional signal abnormalities within the cervical cord.

No potentially concerning extraspinal findings.

Level by level findings:

C2 - C3: No canal or foraminal stenosis.

C3 - C4: No canal stenosis. Bilateral uncovertebral and facet arthropathy, causing mild-moderate right and mild left foraminal narrowing.

C4 - C5: Posterior disc-osteophyte complex, causing mild canal stenosis. Bilateral uncovertebral and facet arthropathy, causing moderate right and mild left foraminal stenosis.

C5 - C6: At the C6 level, there is a central signal abnormality along the ventral thecal sac, causing moderate canal stenosis and deforming the ventral cord. No foraminal stenosis.

C6 - C7: No canal or foraminal stenosis.

Additional copy
Imaging 0617-0079

C7 - T1: No canal or foraminal stenosis. Mild bilateral facet arthropathy and mild disc bulge.

ORDER #: 0617-0013 MR/MRI cervical spine wo con
IMPRESSION:
1. Small foci of high T2 signal within the left ventral cord at the C5 level and within the left and right central cord at the C5-C6 level, favored to reflect myelomalacia.
2. Moderate canal stenosis at the C6 level, possibly from OPLL.
3. Moderate right C5 foraminal stenosis.
4. Additional findings as described.
-Electronically Signed By: Tyler Baldwin
-Electronically Signed On: 6/17/2025 2:41 PM

Some sections of this report may have been generated using a voice to text program. Every effort is made to correct errors, if mistakes are found they should be taken in context.

Dictated/Signed By: <Electronically signed by Tyler J Baldwin MD>06/17/25 1441

DD/DT: 06/17/25 1425
TD/TT: 06/17/25 1425 Transcriptionist: BTJ

Additional copy
Imaging 0617-0079

CAMPBELL COUNTY HEALTH

Campbell Co. Memorial Hospital
501 S. Burma Ave.
P.O. Box 3011
Gillette, WY 82717
Phone #: 307.688.1600
Fax #: 307.688.1640

MRI Report

Patient: PULLIAM,VIKTORIYA A
MR #: M000325769
URN #: E00260914
Acct:V00109957183 Loc: ORAD
DOB: 12/06/1989 Age/Sex: 35 / F
Date of Service: 06/02/25
Attending Prov: Hans L Carlson MD
Ordering Prov: Hans L Carlson, MD
Acc. #(s): A0000594623
CPT: 71552

cc: Carlson,Hans L MD
Doctor,No ~

EXAM: Brachial plexus MRI with and without contrast

REASON FOR EXAM: BRACHIAL PLEXOPATHY

HISTORY: Left-sided weakness. Underwent C5-C7 fusion in November of 2022.

COMPARISON: None available at the time of dictation

PROCEDURE: Multiplanar multisequence MRI images of the brachial plexus were obtained with and without contrast utilizing 7 mL of Vueway
Field strength 1.5 Tesla.

FINDINGS:

There are partially imaged post-surgical changes of surgical fusion from C5-C7. There appears to be canal stenosis at C5 and C6, with abnormal high T2 signal within the left ventral cord at the C5 level (series 8 image 12), and throughout the cord at the C6 level (series 8 image 17)

No signal abnormalities seen in the region of the brachial plexus nerve roots, trunks, divisions, cords, and branches. No areas of abnormal enhancement after contrast administration.

The lung apices are clear.

ORDER #: 0602-0010 MR/MRI brachial plexus wo/w con
IMPRESSION:
1. Normal MR appearance of the left brachial plexus.
2. Finding suggestive of canal stenosis in the lower cervical spine, with suspected areas of high T2 signal within the lower cervical cord, which could reflect myelomalacia or cord edema. Further evaluation with cervical spine MRI recommended.
-Electronically Signed By: Tyler Baldwin
-Electronically Signed On: 6/2/2025 2:54 PM

Some sections of this report may have been generated using a voice to text program. Every effort is made to correct errors, if mistakes are found they should be taken in context.

Dictated/Signed By: <Electronically signed by Tyler J Baldwin MD>06/02/25 1454

DD/DT: 06/02/25 1442
Additional copy
Imaging 0602-0111

TD/TT: 06/02/25 1442 Transcriptionist: BTJ

Additional copy
Imaging 0602-0111

Responsible Party:
PULLIAM,VIKTORIYA A
147 OVERBROOK RD
GILLETTE, WY 82718-4098

Name: PULLIAM,VIKTORIYA A

Account Number: V00110103603
Service Date: 06/17/25 **Bill Date: 09/17/25**

Insurance Coverage	Insurance Policy Number

Total Charges:	2,157.50
Total Credits:	
Total Due:	

Service Date	Code	Description	Quantity	Amount
		061x Magnetic Resonance Technology		
06/17/25	7400000054	MR CERVICAL SPINE W/O CON	1	2,157.50
				2,157.50
			1	
0			1	.22

Responsible Party:
PULLIAM,VIKTORIYA A
147 OVERBROOK RD
GILLETTE, WY 82718-4098

Name: PULLIAM,VIKTORIYA A

Account Number: V00109957183
Service Date: 06/02/25 **Bill Date: 09/17/25**

Insurance Coverage	Insurance Policy Number

Total Charges:	2,596.92
Total Credits:	[illegible]
Total Due:	

Service Date	Code	Description	Quantity	Amount
		061x Magnetic Resonance Technology		
06/02/25	7400000507	MR BRACHIAL PLEXUS WO/W CON	1	2,496.00
				2,496.00
		063x Pharmacy (Extended)		
06/02/25	7700000296	VUEWAY 3.75 MMOL/7.5 ML VIAL	1	100.92
				100.92
		Payments, Adjustments, Refunds		
[illegible]		[illegible]	1	[illegible]
[illegible]			1	[illegible]
[illegible]		[illegible]	1	0

6.17.25.MRI

Cervical Spine MRI

Gillette, WY 82716
Phone #: 307.688.1600
Fax #: 307.688.1640

Acct:V001101103603 Loc: WORRAD
DOB: 12/06/1989 Age/Sex: 35 / F
Date of Service: 06/17/25
Attending Prov: Sara M Thronburg FNP
Ordering Prov: Sara M FNP Thronburg
Acc. #(s): A0000598307
CPT: 72141

MRI Report

cc: Doctor,No
Thronburg,Sara M FNP~

EXAM: Cervical spine MRI without contrast

REASON FOR EXAM: CERVICAL DISC DEGENERATION

HISTORY: Neck and right arm numbness. History of fusion in 2020.

COMPARISON: Brachial plexus MRI 6/2/2025

PROCEDURE: Multiplanar multisequence MRI images of the cervical spine were obtained including sagittal T1, T2 and STIR sequences, axial 3D TSE and oblique T2 TFE sequences from C3 through T1 at 3-4 mm intervals without contrast. Field strength 1.5 Tesla.

FINDINGS:

Craniocervical and atlantodental alignment are preserved. Straightening of cervical lordosis. No spondylolisthesis. Vertebral body heights are maintained. Status post ACDF from C5-C7. No evidence of hardware complication. No bone marrow edema or suspicious osseous lesions.

The imaged posterior fossa structures are unremarkable.

Small focus of high T2 signal within the left ventral cord at the inferior C5 level (series 9 image 29).. Just inferior to this, at the C5-C6 level, there are punctate foci of T2 hyperintense signal within the left and right central cord (series 9 image 32). No evidence of cord edema. No additional signal abnormalities within the cervical cord.

No potentially concerning extraspinal findings.

Level by level findings:

C2 - C3: No canal or foraminal stenosis.

C3 - C4: No canal stenosis. Bilateral uncovertebral and facet arthropathy, causing mild-moderate right and mild left foraminal narrowing.

C4 - C5: Posterior disc-osteophyte complex, causing mild canal stenosis. Bilateral uncovertebral and facet arthropathy, causing moderate right and mild left foraminal stenosis.

C5 - C6: At the C6 level, there is a central signal abnormality along the ventral thecal sac, causing moderate canal stenosis and deforming the ventral cord. No foraminal stenosis.

C6 - C7: No canal or foraminal stenosis.

C7 - T1: No canal or foraminal stenosis. Mild bilateral facet arthropathy and mild disc bulge.

ORDER #: 0617-0013 MR/MRI cervical spine wo con
IMPRESSION:
1. Small foci of high T2 signal within the left ventral cord at the C5 level and within the left and right central cord at the C5-C6 level, favored to reflect myelomalacia.
2. Moderate canal stenosis at the C6 level, possibly from OPLL.
3. Moderate right C5 foraminal stenosis.
4. Additional findings as described.
-Electronically Signed By: Tyler Baldwin
-Electronically Signed On: 6/17/2025 2:41 PM

Some sections of this report may have been generated using a voice to text program. Every effort is made to correct errors, if mistakes are found they should be taken in context.

Dictated/Signed By: <Electronically signed by Tyler J Baldwin MD>06/17/25 1441

DD/DT: 06/17/25 1425
TD/TT: 06/17/25 1425 Transcriptionist: BTJ