











- * NOTE
1. 본도는 DNK모빌리티70kw MOTOR HOUSING 유로계(압입전) LEAK TEST M/C 조립도임 : 제작수량-1대 (기존프레임+지그,마스킹파트 제조)
 2. LOAD'G HEIGHT : 1100mm (제출하연 기준)
 3. 공급 전원 : AC220V * 60Hz * 3ø * 10Kw
 4. 공급 AIR : Min 4.5 kgf/cm²
 5. 도장 색상 : RAL7035-유광
 6. LEAK DETECTOR : LS-R700(COSMO)
 - 1) TEST PRESSURE : 200kPa(2kgf/cm²)
 - 2) 관통검사
 7. MARK'G UNIT : MC2000SF



[illegible]



NO.	DESCRIPTION	QTY	UNIT
P01	VALVE	1	PC
P02	VALVE	1	PC
P03	VALVE	1	PC

NO.	DESCRIPTION	QTY	UNIT
01	VALVE	1	PC
02	VALVE	1	PC
03	VALVE	1	PC
04	VALVE	1	PC
05	VALVE	1	PC

NO.	DESCRIPTION	QTY	UNIT
06	VALVE	1	PC
07	VALVE	1	PC
08	VALVE	1	PC
09	VALVE	1	PC

NO.	DESCRIPTION	QTY	UNIT
10	VALVE	1	PC
11	VALVE	1	PC

NO.	DESCRIPTION	QTY	UNIT
12	VALVE	1	PC
13	VALVE	1	PC

NO.	DESCRIPTION	QTY	UNIT
14	VALVE	1	PC
15	VALVE	1	PC

NO.	DESCRIPTION	QTY	UNIT
16	VALVE	1	PC
17	VALVE	1	PC

NO.	DESCRIPTION	QTY	UNIT
18	VALVE	1	PC
19	VALVE	1	PC

NO.	DESCRIPTION	QTY	UNIT
20	VALVE	1	PC
21	VALVE	1	PC

NO.	DESCRIPTION	QTY	UNIT
22	VALVE	1	PC
23	VALVE	1	PC

NO.	DESCRIPTION	QTY	UNIT
24	VALVE	1	PC
25	VALVE	1	PC

NO.	DESCRIPTION	QTY	UNIT
26	VALVE	1	PC
27	VALVE	1	PC

NO.	DESCRIPTION	QTY	UNIT
28	VALVE	1	PC
29	VALVE	1	PC

NO.	DESCRIPTION	QTY	UNIT
30	VALVE	1	PC
31	VALVE	1	PC

NO.	DESCRIPTION	QTY	UNIT
32	VALVE	1	PC
33	VALVE	1	PC

NO.	DESCRIPTION	QTY	UNIT
34	VALVE	1	PC
35	VALVE	1	PC

NO.	DESCRIPTION	QTY	UNIT
36	VALVE	1	PC
37	VALVE	1	PC

NO.	DESCRIPTION	QTY	UNIT
38	VALVE	1	PC
39	VALVE	1	PC

NO.	DESCRIPTION	QTY	UNIT
40	VALVE	1	PC
41	VALVE	1	PC

NO.	DESCRIPTION	QTY	UNIT
42	VALVE	1	PC
43	VALVE	1	PC

NO.	DESCRIPTION	QTY	UNIT
44	VALVE	1	PC
45	VALVE	1	PC

NO.	DESCRIPTION	QTY	UNIT
46	VALVE	1	PC
47	VALVE	1	PC

NO.	DESCRIPTION	QTY	UNIT
48	VALVE	1	PC
49	VALVE	1	PC

NO.	DESCRIPTION	QTY	UNIT
50	VALVE	1	PC
51	VALVE	1	PC

NO.	DESCRIPTION	QTY	UNIT
52	VALVE	1	PC
53	VALVE	1	PC

NO.	DESCRIPTION	QTY	UNIT
54	VALVE	1	PC
55	VALVE	1	PC

NO.	DESCRIPTION	QTY	UNIT
56	VALVE	1	PC
57	VALVE	1	PC

NO.	DESCRIPTION	QTY	UNIT
58	VALVE	1	PC
59	VALVE	1	PC

NO.	DESCRIPTION	QTY	UNIT
60	VALVE	1	PC
61	VALVE	1	PC

NO.	DESCRIPTION	QTY	UNIT
62	VALVE	1	PC
63	VALVE	1	PC

NO.	DESCRIPTION	QTY	UNIT
64	VALVE	1	PC
65	VALVE	1	PC

NO.	DESCRIPTION	QTY	UNIT
66	VALVE	1	PC
67	VALVE	1	PC

NO.	DESCRIPTION	QTY	UNIT
68	VALVE	1	PC
69	VALVE	1	PC

NO.	DESCRIPTION	QTY	UNIT
70	VALVE	1	PC
71	VALVE	1	PC

NO.	DESCRIPTION	QTY	UNIT
72	VALVE	1	PC
73	VALVE	1	PC

NO.	DESCRIPTION	QTY	UNIT
74	VALVE	1	PC
75	VALVE	1	PC

NO.	DESCRIPTION	QTY	UNIT
76	VALVE	1	PC
77	VALVE	1	PC

NO.	DESCRIPTION	QTY	UNIT
78	VALVE	1	PC
79	VALVE	1	PC

NO.	DESCRIPTION	QTY	UNIT
80	VALVE	1	PC
81	VALVE	1	PC

NO.	DESCRIPTION	QTY	UNIT
82	VALVE	1	PC
83	VALVE	1	PC

NO.	DESCRIPTION	QTY	UNIT
84	VALVE	1	PC
85	VALVE	1	PC

NO.	DESCRIPTION	QTY	UNIT
86	VALVE	1	PC
87	VALVE	1	PC

NO.	DESCRIPTION	QTY	UNIT
88	VALVE	1	PC
89	VALVE	1	PC

NO.	DESCRIPTION	QTY	UNIT
90	VALVE	1	PC
91	VALVE	1	PC

NO.	DESCRIPTION	QTY	UNIT
92	VALVE	1	PC
93	VALVE	1	PC

NO.	DESCRIPTION	QTY	UNIT
94	VALVE	1	PC
95	VALVE	1	PC

NO.	DESCRIPTION	QTY	UNIT
96	VALVE	1	PC
97	VALVE	1	PC

NO.	DESCRIPTION	QTY	UNIT
98	VALVE	1	PC
99	VALVE	1	PC

NO.	DESCRIPTION	QTY	UNIT
100	VALVE	1	PC
101	VALVE	1	PC

NO.	DESCRIPTION	QTY	UNIT
102	VALVE	1	PC
103	VALVE	1	PC

NO.	DESCRIPTION	QTY	UNIT
104	VALVE	1	PC
105	VALVE	1	PC

NO.	DESCRIPTION	QTY	UNIT
106	VALVE	1	PC
107	VALVE	1	PC

NO.	DESCRIPTION	QTY	UNIT
108	VALVE	1	PC
109	VALVE	1	PC

NO.	DESCRIPTION	QTY	UNIT
110	VALVE	1	PC
111	VALVE	1	PC

NO.	DESCRIPTION	QTY	UNIT
112	VALVE	1	PC
113	VALVE	1	PC

NO.	DESCRIPTION	QTY	UNIT
114	VALVE	1	PC
115	VALVE	1	PC

NO.	DESCRIPTION	QTY	UNIT
116	VALVE	1	PC
117	VALVE	1	PC

NO.	DESCRIPTION	QTY	UNIT
118	VALVE	1	PC
119	VALVE	1	PC

NO.	DESCRIPTION	QTY	UNIT
120	VALVE	1	PC
121	VALVE	1	PC

NO.	DESCRIPTION	QTY	UNIT
122	VALVE	1	PC
123	VALVE	1	PC

NO.	DESCRIPTION	QTY	UNIT
124	VALVE	1	PC
125	VALVE	1	PC

NO.	DESCRIPTION	QTY	UNIT
126	VALVE	1	PC
127	VALVE	1	PC

NO.	DESCRIPTION	QTY	UNIT
128	VALVE	1	PC
129	VALVE	1	PC

NO.	DESCRIPTION	QTY	UNIT
130	VALVE	1	PC
131	VALVE	1	PC

NO.	DESCRIPTION	QTY	UNIT
132	VALVE	1	PC
133	VALVE	1	PC

NO.	DESCRIPTION	QTY	UNIT
134	VALVE	1	PC
135	VALVE	1	PC

NO.	DESCRIPTION	QTY	UNIT
136	VALVE	1	PC
137	VALVE	1	PC

NO.	DESCRIPTION	QTY	UNIT
138	VALVE	1	PC
139	VALVE	1	PC

NO.	DESCRIPTION	QTY	UNIT
140	VALVE	1	PC
141	VALVE	1	PC

NO.	DESCRIPTION	QTY	UNIT
142	VALVE	1	PC
143	VALVE	1	PC

NO.	DESCRIPTION	QTY	UNIT
144	VALVE	1	PC
145	VALVE	1	PC

NO.	DESCRIPTION	QTY	UNIT
146	VALVE	1	PC
147	VALVE	1	PC

NO.	DESCRIPTION	QTY	UNIT
148	VALVE	1	PC
149	VALVE	1	PC

NO.	DESCRIPTION	QTY	UNIT
150	VALVE	1	PC
151	VALVE	1	PC

NO.	DESCRIPTION	QTY	UNIT
152	VALVE	1	PC
153	VALVE	1	PC

NO.	DESCRIPTION	QTY	UNIT
154	VALVE	1	PC
155	VALVE	1	PC

NO.	DESCRIPTION	QTY	UNIT
156	VALVE	1	PC
157	VALVE	1	PC

NO.	DESCRIPTION	QTY	UNIT
158	VALVE	1	PC
159	VALVE	1	PC

NO.	DESCRIPTION	QTY	UNIT
160	VALVE	1	PC
161	VALVE	1	PC

NO.	DESCRIPTION	QTY	UNIT
162	VALVE	1	PC
163	VALVE	1	PC

NO.	DESCRIPTION	QTY	UNIT
164	VALVE	1	PC
165	VALVE	1	PC

NO.	DESCRIPTION	QTY	UNIT
166	VALVE	1	PC
167	VALVE	1	PC

NO.	DESCRIPTION	QTY	UNIT
168	VALVE	1	PC
169	VALVE	1	PC

NO.	DESCRIPTION	QTY	UNIT
170	VALVE	1	PC
171	VALVE	1	PC





NO.	DESCRIPTION	QTY	UNIT
172	VALVE	1	PC
173	VALVE	1	PC

NO.	DESCRIPTION	QTY	UNIT
174	VALVE	1	PC
175	VALVE	1	PC

NO.	DESCRIPTION	QTY	UNIT
176	VALVE	1	PC
177	VALVE	1	PC

NO.	DESCRIPTION	QTY	UNIT
178	VALVE	1	PC
179	VALVE	1	PC


도식 DWG. NO	—	—	DATE 2016.05.13	TITLE	LEAK TEST MC UPR FRAME PART	DNK 모빌리티
—	—	—	—	—	—	—
LK2522-30-0000						
차량명 VEHICLE					WETEC	




P06	GULEDCYTLINDER	40xM4 16-1/2Z-49.3L	2	SMC
P07	OTING	M2326(4.5.5.5-479)	1	NBR
P05	MILIGM4	LMK160U	2	THK
P04	ARCYLINDER	C002340-40M2Z-49.3L	1	SMC
P03	ARCYLINDER	C00204640-75M2Z-49.3L	1	SMC
P02	OTING	M2326(4.5.5.5-412.5)	1	NBR
P01	ARCYLINDER	C0023440-20M2Z-49.3L	1	SMC

22	PACING	URETHANE	1	#16
21	SEAL HOLDER	S46C	1	-
20	PACING	URETHANE	1	#16
19	PACING	URETHANE	1	#10
18	CTL BRACKET	SS41	1	-
17	CTL BRACKET	SS41	1	-
16	GUIDE BAR	SLU2	4	-
15	PLATE	SS41	1	-
14	PLATE	SS41	1	-
13	PACING HOLDER(#3)	S46C	1	-
12	PACING(#3)	URETHANE	1	-
11	BLOCK (#3)	S46C	1	-
10	PACING HOLDER(#2)	S46C	1	-
09	PACING(#2)	URETHANE	1	-
08	BRACKET(#2)	SS41	1	-
07	LM SHAFT	SLU2	1	-
06	PACING HOLDER(#1-1)	S46C	1	-
05	PACING HOLDER(#1)	S46C	1	-
04	PACING(#1)	URETHANE	2	-
03	BLOCK	SS41	1	-
02	BRACKET(#1)	SS41	1	-
01	UPPER SEAL PLATE	S46C	1	-


원 치		기호	작업자	필 경 사	필 경 사	필 경 사
		△				
P02	AIR CYLINDER	CD02B40-100DMZ-4B3L	1	SMC		
P03	AIR CYLINDER	CD02B40-75DMZ-4B3L	4	SMC		
P04	AIR CYLINDER	CD02B40-50DMZ-4B3L	1	SMC		






19	BRACKET(#4)	SS41	1	-
18	PACKING HOLDER(#5)	S45C	2	-
17	PACKING(#5)	URETHANE	2	-
16	BRACKET(#5)	SS41	1	-
15	PACKING HOLDER(#4)	S45C	1	-
14	PACKING(#4)	URETHANE	1	-
13	BRACKET(#4)	SS41	1	-
12	PACKING	URETHANE	3	#20
11	PACKING HOLDER	S45C	3	-
01	CTL BRACKET	SS41	1	-



NO		PARTS NAME		MATERIAL		QTY		REMARKS	
1	도면	1	SCALE	70KW MOTOR HOUSING	304SS/CUSTOMER	1			
2	검토	2	DATE	LEAK TEST M/C	DNK 모델러	1			
3	검토	3	DATE	LWR MASKING PART	DNK 모델러	1			
4	검토	4	DATE						
5	검토	5	DATE						
6	검토	6	DATE						
7	검토	7	DATE						
8	검토	8	DATE						
9	검토	9	DATE						
10	검토	10	DATE						
11	검토	11	DATE						
12	검토	12	DATE						
13	검토	13	DATE						
14	검토	14	DATE						
15	검토	15	DATE						
16	검토	16	DATE						
17	검토	17	DATE						
18	검토	18	DATE						
19	검토	19	DATE						
20	검토	20	DATE						
21	검토	21	DATE						
22	검토	22	DATE						
23	검토	23	DATE						
24	검토	24	DATE						
25	검토	25	DATE						
26	검토	26	DATE						
27	검토	27	DATE						
28	검토	28	DATE						
29	검토	29	DATE						
30	검토	30	DATE						
31	검토	31	DATE						
32	검토	32	DATE						
33	검토	33	DATE						
34	검토	34	DATE						
35	검토	35	DATE						
36	검토	36	DATE						
37	검토	37	DATE						
38	검토	38	DATE						
39	검토	39	DATE						
40	검토	40	DATE						
41	검토	41	DATE						
42	검토	42	DATE						
43	검토	43	DATE						
44	검토	44	DATE						
45	검토	45	DATE						
46	검토	46	DATE						
47	검토	47	DATE						
48	검토	48	DATE						
49	검토	49	DATE						
50	검토	50	DATE						
51	검토	51	DATE						
52	검토	52	DATE						
53	검토	53	DATE						
54	검토	54	DATE						
55	검토	55	DATE						
56	검토	56	DATE						
57	검토	57	DATE						
58	검토	58	DATE						
59	검토	59	DATE						
60	검토	60	DATE						
61	검토	61	DATE						
62	검토	62	DATE						
63	검토	63	DATE						
64	검토	64	DATE						
65	검토	65	DATE						
66	검토	66	DATE						
67	검토	67	DATE						
68	검토	68	DATE						
69	검토	69	DATE						
70	검토	70	DATE						
71	검토	71	DATE						
72	검토	72	DATE						
73	검토	73	DATE						
74	검토	74	DATE						
75	검토	75	DATE						
76	검토	76	DATE						
77	검토	77	DATE						
78	검토	78	DATE						
79	검토	79	DATE						
80	검토	80	DATE						
81	검토	81	DATE						
82	검토	82	DATE						
83	검토	83	DATE						
84	검토	84	DATE						
85	검토	85	DATE						
86	검토	86	DATE						
87	검토	87	DATE						
88	검토	88	DATE						
89	검토	89	DATE						
90	검토	90	DATE						
91	검토	91	DATE						
92	검토	92	DATE						
93	검토	93	DATE						
94	검토	94	DATE						
95	검토	95	DATE						
96	검토	96	DATE						
97	검토	97	DATE						
98	검토	98	DATE						
99	검토	99	DATE						
100	검토	100	DATE						

1SET+ 램프



P04	LM GUIDE	HSR15AUU +220L	THK	2	-
P03	FLOAT JOINT	JMAO-14-150	SMC	1	-
P02	AIR CYLINDER	CQ2B40-50DMMZ-AB3L	SMC	1	-
P01	DOT MARKING	MC2000	대우테크놀로지	1	300A 사용

06	LM PLATE	SS41	1	-
05	JOINT	SS41	1	-
04	CYL PLATE	SS41	1	-
03	LM PLATE	SS41	1	-
02	SPACE	SS41	2	-
01	PLATE	SS41	1	-

NO	PARTS NAME	MATERIAL	QTY	REMARKS
06	LM PLATE	SS41	1	-
05	JOINT	SS41	1	-
04	CYL PLATE	SS41	1	-
03	LM PLATE	SS41	1	-
02	SPACE	SS41	2	-
01	PLATE	SS41	1	-
SCALE	DATE	TITLE	70kW MOTOR HOUSING	
JSH	2023.07.04	도면	LEAK TEST M/C	
DWG NO.	LK2522-070-000		DNC 모델러티	
PROJECTION	1:1		WETEC	