RP2040 MACROPAD

Anna Denisova

March 2023

Contents

1	Introduction & Objective	2
2	Theory	2
3	Abstract	2
4	Purpose	2
5	Hypothesis	2
6	Variables	2
7	Materials	2
8	Procedure	3
9	Experiment	3
10	Results & Analysis	3
11	Conclusion & Application	3
12	References	3
13		3

1 Introduction & Objective

The RP2040 Macropad is a raspberry pi microcontroller connected to twelve key pinouts, a small LED screen and one rotary encoder. In this project, we explore software made using the Arduino IDE and C++ code.

2 Theory

3 Abstract

4 Purpose

The purpose of this project is to create software for the RP2040 Macropad.

5 Hypothesis

If I write specific code for the RP2040 Macropad then xyz will happen because of the software created.

6 Variables

Control Dependent Independent

7 Materials

- Full kit with all parts found here: https://www.adafruit.com/product/5128 or alternatively:
- 3x4 Keys
 - Encoder
 - OLED display
 - 12 Mechanical Key Switches
 - 12 Keycaps
 - Adafruit MacroPad bottom plate
 - 3x4 Mechanical keyboard plate
 - D-Shaft Skirted Rubber Knob
 - 4 M3 5mm Machine screw
 - 4 Rubber Feet
- MacOS computer/laptop
- USB cord

8 Procedure

- 1. Download the latest version of the Arduino IDE.
- 2. Add the Philhower Board Manager URL to download additional boards including the RP2040 Macropad.
- 3. In the Arduino IDE, go to Tools Board Boards Manager to select the RP2040 Macropad.
- 4. In the Sketch Tab, go to Port and select the corresponding port.
- 5. Now, the IDE is all set for code to be written in and run directly on the board.
- 6. The board itself can be reset by pressing the reset button on the edge.
- 7. To enter the bootloader, hold don on the rotary encoder and while continuiting to hold it, press and release the reset button. Continue holding the rotary encoder until the RPI-RP2 drive appears on your computer.
- 8. Now, you are all set to write code for the RP2040 Macropad.

9 Experiment

- 10 Results & Analysis
- 11 Conclusion & Application
- 12 References

13