Datasets

- ICCV 2021: 2nd Workshop and Competition on Affective Behavior Analysis in-the-wild (ABAW)
- Synthesizing Coupled 3D Face Modalities by TBGAN
- Face Bio-metrics under COVID (Masked Face Recognition Challenge & Workshop ICCV 2021)
- FG-2020 Competition: Affective Behavior Analysis in-the-wild (ABAW)
- Aff-Wild2 database
- First Affect-in-the-Wild Challenge
- Deformable Models of Ears in-the-wild for Alignment and Recognition
- FG-2020 Workshop "Affect Recognition in-the-wild: Uni/Multi-Modal Analysis & VA-AU-Expression Challenges"
- 4DFAB: A Large Scale 4D Face Database for Expression Analysis and Biometric Applications
- In-The-Wild 3D Morphable Models: Code and Data
- Sound of Pixels
- Lightweight Face Recognition Challenge & Workshop (ICCV 2019)
- Audiovisual Database of Normal-Whispered-Silent Speech
- Special Issue on Behavior Analysis "in-the-wild"
- Body Pose Annotations Correction (CVPR 2016)
- MeDigital
- KANFace
- 300 Videos in the Wild (300-VW) Challenge & Workshop (ICCV 2015)
- Affect "in-the-wild" Workshop
- 2nd Facial Landmark Localisation Competition - The Menpo BenchMark
- 1st 3D Face Tracking in-the-wild Competition
- The Fabrics Dataset
- First Faces in-the-wild Workshop-Challenge
- The Mobiface Dataset
- Large Scale Facial Model (LSFM)
- AgeDB
- AFEW-VA Database for Valence and Arousal Estimation In-The-Wild
- The CONFER Database
- Facial Expression Recognition and Analysis Challenge 2015
- The SEWA Database
- Mimic Me
- 300 Faces In-The-Wild Challenge (300-W), IMAVIS 2014

FG-2020 Competition: Affective Behavior Analysis in-the-wild (ABAW)

Update

Whoever wants to be part of our leaderboard, should send the test set results, the github code and an arxiv paper, as described below.

Leaderboard:

1) Valence - Arousal Challenge:

Team Name	*Results*	*Github*	arXiv
NISL2020	*1) Subm 1: CCC-V = 0.421 CCC-A = 0.387 2) Subm 2: CCC-V = 0.429 CCC-A = 0.414 3) Subm 3: CCC-V = 0.426 CCC-A = 0.452 4) Subm 4: CCC-V = 0.44 CCC-A = 0.454*	Github	Paper
TNT	*1) Subm 1: CCC-V = 0.283 CCC-A = 0.36 2) Subm 2: CCC-V = 0.322 CCC-A = 0.373 3) Subm 3: CCC-V = 0.437 CCC-A = 0.402 4) Subm 4: CCC-V = 0.448 CCC-A = 0.417*	Github	Paper
AIMM	*1) Subm 1: CCC-V = 0.414 CCC-A = 0.449*	Github	Paper
ICT-VIPL	*1) Subm 1: CCC-V = 0.26 CCC-A = 0.309 2) Subm 2: CCC-V = 0.274 CCC-A = 0.327 3) Subm 3: CCC-V = 0.339 CCC-A = 0.383*	Github	Paper

- 300 Faces In-the-Wild Challenge (300-W), ICCV 2013
- MAHNOB-HCI-Tagging database
- MAHNOB Laughter database
- MAHNOB MHI-Mimicry database
- Facial point annotations
- MMI Facial expression database
- SEMAINE database
- iBugMask: Face Parsing in the Wild
- iBUG Eye Segmentation Dataset

Code

- Valence/Arousal Online Annotation Tool
- The Menpo Project
- The Dynamic Ordinal Classification (DOC) Toolbox
- Gauss-Newton Deformable Part Models for Face Alignment in-the-Wild (CVPR 2014)
- Robust and Efficient Parametric Face/Object Alignment (2011)
- Discriminative Response Map Fitting (DRMF 2013)
- End-to-End Lipreading
- DS-GPLVM (TIP 2015)
- Subspace Learning from Image Gradient Orientations (2011)
- Discriminant Incoherent Component Analysis (IEEE-TIP 2016)
- AOMs Generic Face Alignment (2012)
- Fitting AAMs in-the-Wild (ICCV 2013)
- Salient Point Detector (2006/2008)
- Facial point detector (2010/2013)
- Chehra Face Tracker (CVPR 2014)
- Empirical Analysis Of Cascade Deformable Models For Multi-View Face Detection (IMAVIS 2015)
- Continuous-time Prediction of Dimensional Behavior/Affect
- Real-time Face tracking with CUDA (MMSys 2014)
- Facial Point detector (2005/2007)
- Facial tracker (2011)
- Salient Point Detector (2010)
- AU detector (TAUD 2011)
- Action Unit Detector (2016)
- AU detector (LAUD 2010)
- Smile Detectors
- Head Nod Shake Detector (2010/2011)
- Gesture Detector (2011)
- Head Nod Shake Detector and 5 Dimensional Emotion Predictor (2010/2011)
- Gesture Detector (2010)
- HCI^2 Framework
- FROG Facial Tracking Component
- SEMAINE Visual Components (2008/2009)
- SEMAINE Visual Components (2009/2010)

	4) Subm 4: *CCC-V = 0.361* *CCC-A = 0.408*		
CNU_ADL	*1) Subm 1:* *CCC-V = 0.356* *CCC-A = 0.295* *2) Subm 2:* *CCC-V = 0.368* *CCC-A = 0.342* *3) Subm 3:* *CCC-V = 0.381* *CCC-A = 0.383* *4) Subm 4:* *CCC-V = 0.386* *CCC-A = 0.354*	Github	Paper
M-Not	*1) Subm 1:* *CCC-V = 0.389* *CCC-A = 0.321* *2) Subm 2:* *CCC-V = 0.394* *CCC-A = 0.333*	Github	Paper
Nuctech DSAN	*1) Subm 1:* *CCC-V = 0.328* *CCC-A = 0.253*	Github	Paper
FLAB2020	*1) Subm 1:* *CCC-V = 0.152* *CCC-A = 0.289* *2) Subm 2:* *CCC-V = 0.11* *CCC-A = 0.292* *3) Subm 3:* *CCC-V = 0.141* *CCC-A = 0.285* *4) Subm 4:* *CCC-V = 0.194* *CCC-A = 0.294* *5) Subm 5:* *CCC-V = 0.13* *CCC-A = 0.315* *6) Subm 6:* *CCC-V = 0.213* *CCC-A = 0.336*	Github	Paper
SPK@EmoPred	*1) Subm 1:* *CCC-V = 0.164* *CCC-A = 0.094* *2) Subm 2:* *CCC-V = 0.181* *CCC-A = 0.121* *3) Subm 3:* *CCC-V = 0.232* *CCC-A = 0.18*	Github	Paper
DenisRang	*1) Subm 1:* *CCC-V = 0.201* *CCC-A = 0.168* *2) Subm 2:* *CCC-V = 0.193* *CCC-A = 0.171*	Github	Paper

UPF-DTIC-EHIW	*1) Subm 1: CCC-V = 0.134 CCC-A = 0.126 2) Subm 2: CCC-V = 0.147 CCC-A = 0.155 3) Subm 3: CCC-V = 0.171 CCC-A = 0.162*	Github	Paper
ContactYourExpression	*1) Subm 1: CCC-V = 0.133 CCC-A = 0.182 2) Subm 2: CCC-V = 0.06 CCC-A = 0.09 3) Subm 3: CCC-V = 0.078 CCC-A = 0.102*	Github	Paper
Rest4Bs	*1) Subm 1: CCC-V = 0.134 CCC-A = 0.142*	*Github*	Paper
Orgil	*1) Subm 1: CCC-V = 0.007 CCC-A = 0.002*	*Github*	Paper

2) Expression Challenge:

Team Name	*Results*	*Github*	Arxiv
TNT	*1) Subm 1: F1 Score = 0.37 Accuracy = 0.664 Total = 0.467 2) Subm 2: F1 Score = 0.378 Accuracy = 0.683 Total = 0.479 3) Subm 3: F1 Score = 0.404 Accuracy = 0.7 Total = 0.501 4) Subm 4: F1 Score = 0.398 Accuracy = 0.734 Total = 0.509*	Github	Paper
		Github	Paper

SSSIHL DMACS

1) Subm 1:
F1 Score = 0.312
Accuracy = 0.702
Total = 0.441

2) Subm 2:
F1 Score = 0.305
Accuracy = 0.665
Total = 0.424

3) Subm 3:
F1 Score = 0.318
Accuracy = 0.665
Total = 0.434

4) Subm 4:
F1 Score = 0.294
Accuracy = 0.654
Total = 0.412

5) Subm 5:
F1 Score = 0.3
Accuracy = 0.66
Total = 0.418

6) Subm 6:
F1 Score = 0.306
Accuracy = 0.646
Total = 0.418

7) Subm 7:
F1 Score = 0.318
Accuracy = 0.668
Total = 0.434

SIU Github Paper

1) Subm 1:
F1 Score = 0.26
Accuracy = 0.701
Total = 0.406

2) Subm 2:
F1 Score = 0.282
Accuracy = 0.7
Total = 0.419

3) Subm 3:
F1 Score = 0.288
Accuracy = 0.686
Total = 0.42

4) Subm 4:
F1 Score = 0.283
Accuracy = 0.689
Total = 0.417

5) Subm 5:
F1 Score = 0.287
Accuracy = 0.693
Total = 0.421

6) Subm 6:
F1 Score = 0.277
Accuracy = 0.697
Total = 0.416

7) Subm 7:
F1 Score = 0.284
Accuracy = 0.698
Total = 0.418

ICT-VIPL Github Paper

1) Subm 1:
F1 Score = 0.258
Accuracy = 0.66
Total = 0.39

2) Subm 2:
F1 Score = 0.274
Accuracy = 0.669
Total = 0.404

	3) Subm 3: F1 Score = 0.286 Accuracy = 0.655 Total = 0.408 *4) Subm 4: F1 Score = 0.287 Accuracy = 0.652 Total = 0.408*		
NISL2020	*1) Subm 1: F1 Score = 0.292 Accuracy = 0.535 Total = 0.372* *2) Subm 2: F1 Score = 0.303 Accuracy = 0.553 Total = 0.386* *3) Subm 3: F1 Score = 0.271 Accuracy = 0.652 Total = 0.397* *4) Subm 4: F1 Score = 0.27 Accuracy = 0.68 Total = 0.405*	Github	Paper
CNU_ADL	*1) Subm 1: F1 Score = 0.263 Accuracy = 0.546 Total = 0.356* *2) Subm 2: F1 Score = 0.264 Accuracy = 0.48 Total = 0.335* *3) Subm 3: F1 Score = 0.311 Accuracy = 0.547 Total = 0.389* *4) Subm 4: F1 Score = 0.295 Accuracy = 0.565 Total = 0.384*	Github	Paper
FLAB2020	*1) Subm 1: F1 Score = 0.208 Accuracy = 0.653 Total = 0.355* *2) Subm 2: F1 Score = 0.209 Accuracy = 0.678 Total = 0.364* *3) Subm 3: F1 Score = 0.219 Accuracy = 0.666 Total = 0.367* *4) Subm 4: F1 Score = 0.211 Accuracy = 0.668 Total = 0.362* *5) Subm 5: F1 Score = 0.225 Accuracy = 0.663 Total = 0.369* *6) Subm 6: F1 Score = 0.211 Accuracy = 0.648 Total = 0.355*	Github	Paper
Robolab @ UBD	*1) Subm 1: F1 Score = 0.2*	Github	Paper

	Accuracy = 0.63 *Total = 0.342*		
SPK@EmoPred	*1) Subm 1:* *F1 Score = 0.145* *Accuracy = 0.531* *Total = 0.273*	Github	Paper
ContactYourExpression	*1) Subm 1:* *F1 Score = 0.167* *Accuracy = 0.456* *Total = 0.263* *2) Subm 2:* *F1 Score = 0.183* *Accuracy = 0.377* *Total = 0.247* *3) Subm 3:* *F1 Score = 0.177* *Accuracy = 0.456* *Total = 0.27*	Github	Paper
NucTech DSAN	*1) Subm 1:* *F1 Score = 0.11* *Accuracy = 0.317* *Total = 0.179*	Github	Paper
Rest4Bs	*1) Subm 1:* *F1 Score = 0.09* *Accuracy = 0.278* *Total = 0.152*	*Github*	Paper

3) Action Unit Challenge:

Team Name	*Results*	*Github*	Arxiv
FLAB2020	*1) Subm 1:* *F1 Score = 0.366* *Accuracy = 0.926* *Total = 0.646*	Github	Paper
NISL2020	*1) Subm 1:* *F1 Score = 0.196* *Accuracy = 0.933* *Total = 0.565* *2) Subm 2:* *F1 Score = 0.289* *Accuracy = 0.864* *Total = 0.576* *3) Subm 3:*	Github	Paper

	F1 Score = 0.236 *Accuracy = 0.938* *Total = 0.587* *4) Subm 4:* *F1 Score = 0.309* *Accuracy = 0.905* *Total = 0.607*		
TNT	*1) Subm 1:* *F1 Score = 0.204* *Accuracy = 0.928* *Total = 0.566* *2) Subm 2:* *F1 Score = 0.2* *Accuracy = 0.936* *Total = 0.568* *3) Subm 3:* *F1 Score = 0.257* *Accuracy = 0.937* *Total = 0.597* *4) Subm 4:* *F1 Score = 0.27* *Accuracy = 0.932* *Total = 0.601*	Github	Paper
SALT	*1) Subm 1:* *F1 Score = 0.161* *Accuracy = 0.906* *Total = 0.533* *2) Subm 2:* *F1 Score = 0.216* *Accuracy = 0.886* *Total = 0.551*	Github	Paper
Netease Fuxi Virtual Human	*1) Subm 1:* *F1 Score = 0.162* *Accuracy = 0.908* *Total = 0.535* *2) Subm 2:* *F1 Score = 0.185* *Accuracy = 0.894* *Total = 0.54*	Github	Paper
Nuctech DSAN	*1) Subm 1:* *F1 Score = 0.137* *Accuracy = 0.921* *Total = 0.529*	Github	Paper
Rest4Bs	*1) Subm 1:* *F1 Score = 0.12* *Accuracy = 0.90* *Total = 0.51*	*Github*	Paper

Latest News

The Competition: Affective Behavior Analysis in-the-wild (ABAW) will be held in conjunction with the IEEE International Conference on Automatic Face and Gesture Recognition (FG) 2020, in Buenos Aires, Argentina, 16-20 November 2020.

For any requests or enquiries, please contact: D.Kollias@greenwich.ac.uk

Organisers

Chairs:
Stefanos Zafeiriou, Imperial College London, UK s.zafeiriou@imperial.ac.uk
Dimitrios Kollias, Imperial College London, UK dimitrios.kollias15@imperial.ac.uk
Attila Schulc, Realeyes - Emotional Intelligence attila.schulc@realeyesit.com
Elnar Hajiyev, Realeyes - Emotional Intelligence elnar@realeyesit.com

Scope

This Competition aims at advancing the state-of-the-art in the problem of analysis of human affective behavior in-the-wild. Representing human emotions has been a basic topic of research. The most frequently used emotion representation is the categorical one, including the seven basic categories, i.e., Anger, Disgust, Fear, Happiness, Sadness, Surprise and Neutral. Discrete emotion representation can also be described in terms of the Facial Action Coding System model, in which all possible facial actions are described in terms of Action Units (AUs). Finally, the dimensional model of affect has been proposed as a means to distinguish between subtly different displays of affect and encode small changes in the intensity of each emotion on a continuous scale. The 2-D Valence and Arousal Space (VA-Space) is the most usual dimensional emotion representation; valence shows how positive or negative an emotional state is, whilst arousal shows how passive or active it is.

The Competition

The Competition is split into three Challenges-Tracks, which are based, for the first time, on the same database; these target: dimensional and categorical affect recognition. *In particular, the 3 Challenges-Tracks are:*

- *valence-arousal estimation*
- *seven basic expression classification*
- *facial action unit detection*

These Challenges will produce a significant step forward when compared to previous events. In particular, they use the Aff-Wild2, the first comprehensive benchmark for all three affect recognition tasks in-the-wild.

Participants are invited to participate in one or more of these Challenges.

There will be one winner per Challenge-Track; the winners are expected to contribute a paper describing their approach, methodlogy and results; the accepted winning papers will be part of the IEEE FG 2020 proceedings; all other teams will be able to able to submit a paper describing their solutions and final results to the Workshop that we are also organizing at FG2020.

For the purpose of the Challenges and to facilitate training, especially for people that do not have access to face detectors/tracking algorithms, we provide the cropped images and the cropped & aligned ones.

The baseline/white paper is ready. You can read it here.

Data: Aff-Wild2

Aff-Wild2 is an extension of the Aff-Wild database (both in terms of annotations and videos). Aff-Wild2 is: i) an in-the-wild audiovisual database; ii) a large scale database consisting of *564* videos of around *2.8M* frames (the largest existing one); iii) the first database to contain annotations for all *3 behavior tasks* (and also the first audiovisual database with annotations for AUs). *558* videos contain annotations for valence-arousal, *539* videos contain annotations for the 7 basic expressions and *57* videos contain annotations for 8 AUs (AU1,AU2,AU4,AU6,AU12,AU15,AU20,AU25).

How to participate

To participate, you need to register your team.
For this, please send us an email to: dimitrios.kollias15@imperial.ac.uk
with the title "Affective Behavior Analysis in-the-wild Competition: Team Registration".
In this email include the following information:

Team Name
Team Members
Affiliation

There is no maximum number of participants in each team.

As a reply, you will receive access to the dataset's *videos, annotations, cropped and cropped-aligned images* and other important information.

At the end of the Challenges, each team will have to send us: i) their predictions on the test set, ii) a link to a Github repository where their solution/source code will be stored, and iii) a link to an ArXiv paper with 2-6 pages describing their proposed methodology, data used and results. After that, the winner of each Challenge will be announced and will be invited to submit a paper describing the solution and results. Also all (non-winning) teams will be able to submit a paper describing their solutions and final results to the Workshop that we are also organizing entitled 'Affect Recognition in-the-wild: Uni/Multi-Modal Analysis'.

Rules

• Participants can contribute to any of the 3 Challenges.

• In order to take part in any Challenge, participants will have to register by sending an email to the organizers containing the following information: Team Name, Team Members, Affiliation.

• Participants can use scene/background/body pose etc. information along with the face information.

• Any face detector whether commercial or academic can be used in the challenge. The paper accompanying the challenge result submission should contain clear details of the detectors/libraries used.

• *The participants are free to use external data for training along with the Aff-Wild2 partitions. However, this should be clearly discussed in the accompanying paper*

• *The participants are free to use any pre-trained network, even the publicly available ones (CNN, AffWildNet) that displayed the best performance in the (former) Aff-Wild database (part of Aff-Wild2).*

Performance Assessment

1) For Challenge-Track 1: Valence-Arousal estimation : the *Concordance Correlation Coefficient (CCC)* will be the metric to judge the performance of the models.

2) For Challenge-Track 2: 7 Basic Expression Classification: the perfromance metric will be:
0.67* F1_Score + 0.33* Accuracy
Note: F1 Score is the unweighted mean and Accuracy is the total accuracy

3) For Challenge-Track 3: 8 Action Unit Detection: the perfromance metric will be:
0.5* F1_Score + 0.5* Accuracy
Note: F1 Score is the unweighted mean and Accuracy is the total accuracy

Test Set Submissions:

Participating teams are allowed to have at most 7 different submissions per Challenge-Track. A submission is considered valid if we receive the code, the paper and the results; so if you fail to submit one of these items, your submission will be invalid.

When sending your final results, make sure to clarify to which Challenge-Track they correspond by for example storing them into a folder named after the Challenge-Track.

The format of the predictions should follow the (same) format of the annotation files that we provided. So if the test set contains for instance 200 videos, the submission should also contain 200 text files (or something more if some videos contain two subjects). The names of the files should match the ones that are in the attached, to this email, files. Each file should contain in its first line the above (as was the case with the annotation files), depending on which Challenge-Track it corresponds to:

- valence,arousal

or

- Neutral,Anger,Disgust,Fear,Happiness,Sadness,Surprise

or

- AU1,AU2,AU4,AU6,AU12,AU15,AU20,AU25

After that, each line should contain the predictions corresponding to each video frame.

For the VA Challenge-Track, each following line should have the valence and arousal values (first the valence value and then the arousal) comma separated (as was the case in the annotation files), such as:

0.58,0.32

For the AU Challenge-Track, each following line should have the 8 action unit values comma separated (as was the case in the annotation files), such as:

0,1,0,1,1,0,1,0

For the Expr Challenge-Track, each following line should have the expression value (as was the case in the annotation files), which is in: {0,1,2,3,4,5,6} (these values correspond to the emotions: {Neutral,Anger,Disgust,Fear,Happiness,Sadness,Surprise}). So for instance one line could be:

4

Note that in your files you should include predictions for all frames in the video (regardless if the bounding box failed or not). So the total number of lines in a file should be equal to the total number of frames of this video plus one (we previously stated the format of the first line of each file).

References

If you use the above data, you must cite *all* following papers:

- **D. Kollias, et. al.: "Analysing Affective Behavior in the First ABAW 2020 Competition", 2020**

@inproceedings{kollias2020analysing, title={Analysing Affective Behavior in the First ABAW 2020 Competition}, author={Kollias, D and Schulc, A and Hajiyev, E and Zafeiriou, S}, booktitle={2020 15th IEEE International Conference on Automatic Face and Gesture Recognition (FG 2020)(FG)}, pages={794--800}}

- **D. Kollias, S. Zafeiriou: "Expression, Affect, Action Unit Recognition: Aff-Wild2, Multi-Task Learning and ArcFace". BMVC, 2019**

@article{kollias2019expression, title={Expression, Affect, Action Unit Recognition: Aff-Wild2, Multi-Task Learning and ArcFace}, author={Kollias, Dimitrios and Zafeiriou, Stefanos}, journal={arXiv preprint arXiv:1910.04855}, year={2019}
}

- **D. Kollias, et at.: "Face Behavior a la carte: Expressions, Affect and Action Units in a Single Network", 2019**

@article{kollias2019face,title={Face Behavior a la carte: Expressions, Affect and Action Units in a Single Network}, author={Kollias, Dimitrios and Sharmanska, Viktoriia and Zafeiriou, Stefanos}, journal={arXiv preprint arXiv:1910.11111}, year={2019}}

- **D. Kollias, et. al.: "Deep Affect Prediction in-the-wild: Aff-Wild Database and Challenge, Deep Architectures, and Beyond". International Journal of Computer Vision (IJCV), 2019**

@article{kollias2019deep, title={Deep affect prediction in-the-wild: Aff-wild database and challenge, deep architectures, and beyond}, author={Kollias, Dimitrios and Tzirakis, Panagiotis and Nicolaou, Mihalis A and Papaioannou, Athanasios and Zhao, Guoying and Schuller, Bj{\"o}rn and Kotsia, Irene and Zafeiriou, Stefanos}, journal={International Journal of Computer Vision}, pages={1--23}, year={2019}, publisher={Springer} }

- **S. Zafeiriou, et. al. "Aff-Wild: Valence and Arousal in-the-wild Challenge", CVPRW, 2017**

@inproceedings{zafeiriou2017aff, title={Aff-wild: Valence and arousal ‘in-the-wild’challenge}, author={Zafeiriou, Stefanos and Kollias, Dimitrios and Nicolaou, Mihalis A and Papaioannou, Athanasios and Zhao, Guoying and Kotsia, Irene}, booktitle={Computer Vision and Pattern Recognition Workshops (CVPRW), 2017 IEEE Conference on}, pages={1980--1987}, year={2017}, organization={IEEE} }

- **D. Kollias, et. al. "Recognition of affect in the wild using deep neural networks", CVPRW, 2017**

@inproceedings{kollias2017recognition, title={Recognition of affect in the wild using deep neural networks}, author={Kollias, Dimitrios and Nicolaou, Mihalis A and Kotsia, Irene and Zhao, Guoying and Zafeiriou, Stefanos}, booktitle={Computer Vision and Pattern Recognition Workshops (CVPRW), 2017 IEEE Conference on}, pages={1972--1979}, year={2017}, organization={IEEE} }

Regarding the database:

• *The database and annotations are available for academic non-commercial research purposes only. If you want to use them for any other purpose (eg industrial -either research or commercial-) email*: D.Kollias@greenwich.ac.uk
• All the training/validation/testing images of the dataset have been obtained from Youtube. We are not responsible for the content nor the meaning of these images.
• Participants will agree not to reproduce, duplicate, copy, sell, trade, resell or exploit for any commercial purposes, any portion of the images and any portion of derived data. They will also agree not to further copy, publish or distribute any portion of annotations of the dataset. Except, for internal use at a single site within the same organization it is allowed to make copies of the dataset.
• We reserve the right to terminate participants’ access to the dataset at any time.
• If a participant’s face is displayed in any video and (s)he wants it to be removed, (s)he can email us at any time

Important Dates (updated):

- Call for participation announced, team registration begins, data available: *18 November 2019*
- Final submission deadline (Results, Code and ArXiv paper): 9 February, 2020
- Winners Announcement: *10 February, 2020*
- Final paper submission deadline: *24 February, 2020*
- Review decisions sent to authors; Notification of acceptance: *29 February, 2020*
- Camera ready version deadline: *4 March, 2020*

Final Paper Sumbission Information

The paper format should adhere to the paper submission guidelines for FG2020. Please have a look at the: Instructions of paper submission for review

The submission process will be handled through the CMT.

All accepted manuscripts will be part of FG2020 conference proceedings.

Keynote Speakers

Aleix M. Martinez

Aleix M. Martinez is a Professor in the Department of Electrical and Computer Engineering at The Ohio State University (OSU), where he is the founder and director of the the Computational Biology and Cognitive Science Lab. He is also affiliated with the Department of Biomedical Engineering and to the Center for Cognitive Science where he is a member of the executive committee. Prior to joining OSU, he was affiliated with the Electrical and Computer Engineering Department at Purdue University and with the Sony Computer Science Lab. He has served as an associate editor of IEEE Transactions on Pattern Analysis and Machine Intelligence, IEEE Transaction on Affective Computing, Computer Vision and Image Understanding, and Image and Vision Computing. He has been an area chair for many top conferences and was Program Chair for CVPR 2014 in his hometown, Columbus, OH. He is also a member of the Cognition and Perception study section at NIH and has served as reviewer for numerous NSF, NIH as well as other national and international funding agencies. Dr. Martinez is the recepient of numerous awards, including best paper awards at ECCV and CVPR, Lumely Research Award, and a Google Faculty Research Award. Dr. Martinez research has been covered by numerous national media outlets, including CNN, The Huffington Post, Time Magazine, CBS News and NPR, as well as intrernational outets, including The Guardian, Spiegel, El Pais and Le Monde.

Pablo Barros

Pablo Barros is currently working as a research scientist at the Italian Institute of Technology in Genova,Italy. His main focus is on the development of deep and self-organizing neural networks for different aspects of emotional appraisal and display in social robots. Prior to that, he was a Post-Doctoral Research Associate in the TRR Crossmodal Learning Project at the Knowledge Technology research group at the University of Hamburg, Germany. He has also been a Vising Professor in the University of Pernambuco - UPE. He holds a Bachelor's degree in Information Systems from the Federal Rural University of Pernambuco - UFRPE and a Master's in Computer Engineering from the University of Pernambuco - UPE and a PhD in Computer Science from the University of Hamburg, Germany. He worked on projects involving computing and affective robotics, assistive computing, artificial neural networks and computational intelligence. He has organized many very successful workshops in top conferences, such as IEEE FG, IEEE/RSJ IROS, IEEE WCCI, IEEE ICDL-EPIROB. Additionally he was a Chair in two Competitions held in conjunction with IEEE FG and IEE WCCI/IJCNN 2018. He has organized special issues in journals, such as Frontiers in Neurorobotics, IEEE Transactions on Affective Computing and Elsevier Cognitive Systems Research.

Sponsors:

The Affective Behavior Analysis in-the-wild Challenge has been generously supported by:
Imperial College London
and
Realeyes - Emotional Intelligence

Intelligent Behaviour Understanding Group (iBUG), Department of Computing, Imperial College London
180 Queen's Gate, London SW7 2AZ U.K. | Tel: +44-207-594-8195 | Fax: +44-207-581-8024 |