

Codex Destination Handoff Report

This PDF is a derived review aid. The JSON contracts and exact SHA-256 receipts remain authoritative.

Field	Value
Handoff ID	v08-f3830cf3-handoff
Job / Package	aq_full_box / v08-f3830cf3-package
Profile	portable_gltf
Primary model	package/asset.glb
Package manifest SHA-256	bde51602fefa67b888c04b7333a3661b44076f35bd957526d662aff55744810b
Round-trip SHA-256	4ae8bc9f0680f3a77b3e0b886e08155c5251f6bab05cf653b3798a6e8d5a1925
LOD / Collider	True / True

Destination context

Contract	Evidence
Asset scope	static_asset
Units	meters
Orientation	source +Z up / interchange +Y up
Pivot policy	Preserve each exported object origin first; use the recorded source +Z base plane only when the destination plan explicitly changes placement.
Export hierarchy	flat_root
LOD reconstruction	1 explicit groups; default LOD 0; destination_defined_unverified
Format losses	Height/displacement is represented only through the baked tangent-space normal channel.; Procedural and master-shader detail is resolution-bounded by the derived atlas bake.; The five-channel contract does not include an opacity texture; alpha is scalar-only.
Unverified	destination engine, version, and render pipeline; destination runtime material and shader parity; destination import axis and unit behavior until import validation; destination instancing, draw calls, physics, and LOD selection behavior; interchange file metadata beyond export-operator evidence; clean-import warning: Axis conversion is declared by the export operator but file metadata was not independently inspected; imported bounds provide indirect evidence only.; clean-import warning: Meter units and unit scale are declared by the export operator but file metadata was not independently inspected; imported numeric bounds provide indirect evidence only.; clean-import warning: Custom split-normal equivalence is not verified; runtime face-normal validity is checked instead.; clean-import warning: Exported tangent vector equivalence is not verified; V0.7 checks only whether a finite basis can be recomputed from the imported UV set.; clean-import warning: UV loop-to-vertex association could not be verified for: product.body__LOD0, product.body__LOD0_COLLIDER, product.body__LOD1, product.body__LOD2; clean-import warning: UV coordinate summary preservation could not be verified for: product.body__LOD0, product.body__LOD1, product.body__LOD2

Assembly manifest

Semantic ID	Role	LOD	Default	LOD group	Export object
product.body	render	0	True	lodgroup.cc37feb2145ed0b36252	product.body_LOD0
product.body	collider	-	False	-	product.body_LOD0_COLLIDER
product.body	lod	1	False	lodgroup.cc37feb2145ed0b36252	product.body_LOD1
product.body	lod	2	False	lodgroup.cc37feb2145ed0b36252	product.body_LOD2

Portable material mapping

Material ID	Representation	UV binding	Available channels	Known loss
mat.product.blue	portable_global_atlas	CBMPortableAtlas -> TEXCOORD_0 (index 0)	base_color, normal, metallic, roughness, emission	Procedural and master-shader detail is resolution-bounded by the derived atlas bake.; Height/displacement is represented only through the baked tangent-space normal channel.; The five-channel contract does not include an opacity texture; alpha is scalar-only.

Destination import checklist

#	Gate	Checkpoint	Instruction
1	pre_plan	Immutable Evidence	Treat package files and metadata as immutable evidence.
2	pre_plan	Detect Destination	Detect the destination engine, version, and render pipeline.
3	pre_plan	Avoid Support Claims	Do not claim support from detection alone.
4	plan	Draft Import Plan	Write import_plan.json before copying or modifying files.
5	plan	Report Reconstruction	Report axis, units, pivot, hierarchy, materials, textures, LOD, and colliders.
6	plan	Map Portable Channels	Plan destination channel conversions without assuming Blender shader transfer.
7	plan	Verify Uv0 Binding	Verify required_uv_set imports as TEXCOORD_0 and drives normal-map tangents.
8	plan	Plan Lod Membership	Plan mutually exclusive LOD groups with only each group's LOD0 active by default.
9	plan	Show Losses	Show expected files, transformations, and known losses to the user.
10	approval	Request Approval	Obtain explicit user approval for the exact import plan.
11	apply	Apply Approved Plan	Modify the destination only after approval and within the plan.
12	apply	Write Receipt	Write import_receipt.json for all destination changes.
13	validate	Validate Import	Write import_validation.json and report unresolved dependencies.
14	validate	Honor Exclusions	Exclude rigs, animation, gameplay logic, and unapproved advanced shaders.