

Database Query Results

Raw PostgreSQL analysis of 30,006 GradCafe entries

STUDENT	Denver Clarke (dclar106)
DATABASE	PostgreSQL 17 / gradcafe
SNAPSHOT	30,006 unique applicant URLs
VALIDATED	September 17, 2026

This report presents the nine required questions and two original questions. Each section states the verified result, shows the executable SQL, and explains how the query answers the question. Counts use whole numbers; percentages and averages use two decimal places.

QUESTION 1 OF 11

How many entries are from applicants who applied for Fall 2026?

Fall 2026 applicant count: 29,586

SQL query

```
SELECT COUNT(*)  
FROM applicants  
WHERE LOWER(BTRIM(term)) = 'fall 2026'
```

How the query answers the question

The query normalizes capitalization and surrounding whitespace in the term field, retains only Fall 2026 entries, and counts the resulting rows.

QUESTION 2 OF 11

Among entries that provide a nationality classification, what percentage are international students?

Percent international: 46.34%

SQL query

```
SELECT
  100.0 * COUNT(*) FILTER (
    WHERE LOWER(BTRIM(us_or_international)) = 'international'
  ) / NULLIF(
    COUNT(*) FILTER (
      WHERE NULLIF(BTRIM(us_or_international), '') IS NOT NULL
    ),
    0
  )
FROM applicants
```

How the query answers the question

The numerator counts rows classified as international. The denominator counts every nonblank nationality classification, including American and Other, while excluding NULL and blank values. NULLIF prevents division by zero.

QUESTION 3 OF 11

What are the average GPA, GRE Quantitative, GRE Verbal, and GRE Analytical Writing scores among applicants who provide each metric?

Average GPA: 3.80

Average GRE Quantitative: 260.47

Average GRE Verbal: 161.53

Average GRE Analytical Writing: 8.34

SQL query

```
SELECT
    AVG(gpa),
    AVG(gre),
    AVG(gre_v),
    AVG(gre_aw)
FROM applicants
```

How the query answers the question

Each AVG operates on one column and automatically ignores NULL values in that column. A row can therefore contribute to one average even when its other metrics are missing. The unusually high GRE results reflect the stored self-reported values; the assignment does not specify an additional score-range filter.

QUESTION 4 OF 11

What is the average GPA of American applicants who applied for Fall 2026?

Average GPA, American Fall 2026 applicants: 3.79

SQL query

```
SELECT AVG(gpa)
FROM applicants
WHERE LOWER(BTRIM(term)) = 'fall 2026'
      AND LOWER(BTRIM(us_or_international)) = 'american'
      AND gpa IS NOT NULL
```

How the query answers the question

The query simultaneously requires Fall 2026, an American classification, and a supplied GPA. AVG then calculates the mean only for rows that satisfy all three conditions.

QUESTION 5 OF 11

What percentage of Fall 2025 entries are acceptances?

Fall 2025 acceptance percentage: 47.92%

SQL query

```
SELECT
  100.0 * COUNT(*) FILTER (
    WHERE LOWER(BTRIM(status)) = 'accepted'
  ) / NULLIF(COUNT(*), 0)
FROM applicants
WHERE LOWER(BTRIM(term)) = 'fall 2025'
```

How the query answers the question

The WHERE clause establishes all Fall 2025 entries as the denominator. A filtered count selects accepted rows for the numerator, and NULLIF protects an empty term group.

QUESTION 6 OF 11

What is the average GPA of accepted applicants who applied for Fall 2026?

Average GPA, accepted Fall 2026 applicants: 3.79

SQL query

```
SELECT AVG(gpa)
FROM applicants
WHERE LOWER(BTRIM(term)) = 'fall 2026'
      AND LOWER(BTRIM(status)) = 'accepted'
      AND gpa IS NOT NULL
```

How the query answers the question

The query filters for Fall 2026 acceptances with a non-NULL GPA and averages the GPA values in that subset.

QUESTION 7 OF 11

How many entries are from applicants who applied to Johns Hopkins University for a master's degree in Computer Science?

JHU Computer Science master's applicant count: 8

SQL query

```
SELECT COUNT(*)
FROM applicants
WHERE (
    LOWER(program) LIKE '%johns hopkins university%'
    OR program ~* '\mJHU\M'
)
AND LOWER(program) LIKE '%computer science%'
AND BTRIM(LOWER(degree)) IN (
    'master',
    'masters',
    'master''s',
    'ms',
    'm.s.',
    'msc',
    'm.sc.'
)
```

How the query answers the question

This query uses only the original program and degree fields. It recognizes the full Johns Hopkins University name or the JHU abbreviation, requires Computer Science in the combined program text, and accepts common master's degree labels.

QUESTION 8 OF 11

How many Fall 2026 entries are acceptances from applicants applying for a PhD in Computer Science at Georgetown, MIT, Stanford, or Carnegie Mellon using the original program field?

Original-field count: 28

SQL query

```
SELECT COUNT(*)
FROM applicants
WHERE LOWER(BTRIM(term)) = 'fall 2026'
AND LOWER(BTRIM(status)) = 'accepted'
AND BTRIM(LOWER(degree)) IN (
    'phd',
    'ph.d.',
    'doctor of philosophy'
)
AND LOWER(program) LIKE '%computer science%'
AND (
    LOWER(program) LIKE '%georgetown university%'
    OR LOWER(program) LIKE '%massachusetts institute of technology%'
    OR program ~* '\mMIT\M'
    OR LOWER(program) LIKE '%stanford university%'
    OR LOWER(program) LIKE '%carnegie mellon university%'
)
```

How the query answers the question

The query applies every required restriction at once: Fall 2026, accepted status, a PhD label, Computer Science in the original program field, and one of the four listed universities.

QUESTION 9 OF 11

Repeat Question 8 using the LLM-generated program and university fields, and compare the counts.

Original-field count: 28

LLM-field count: 28

Difference: +0

SQL query

```
SELECT COUNT(*)
FROM applicants
WHERE LOWER(BTRIM(term)) = 'fall 2026'
AND LOWER(BTRIM(status)) = 'accepted'
AND BTRIM(LOWER(degree)) IN (
    'phd',
    'ph.d.',
    'doctor of philosophy'
)
AND LOWER(llm_generated_program) LIKE '%computer science%'
AND (
    LOWER(llm_generated_university) LIKE '%georgetown university%'
OR LOWER(llm_generated_university)
    LIKE '%massachusetts institute of technology%'
OR llm_generated_university ~* '\mMIT\M'
OR LOWER(llm_generated_university) LIKE '%stanford university%'
OR LOWER(llm_generated_university)
    LIKE '%carnegie mellon university%'
)
```

How the query answers the question

This query retains the original term, degree, and status fields but replaces the original combined program matching with the LLM-generated program and university fields. Both methods match the same 28 URLs because the original names in this subset were already recognizable and the standardized fields preserved them.

QUESTION 10 OF 11

For Fall 2026, what are the applicant counts and acceptance percentages for American and international entries?

American: 15,449 entries, 38.53% accepted (5,952 acceptances)

International: 13,499 entries, 34.59% accepted (4,669 acceptances)

SQL query

```
SELECT
    INITCAP(LOWER(BTRIM(us_or_international))) AS classification,
    COUNT(*) AS applicant_count,
    100.0 * COUNT(*) FILTER (
        WHERE LOWER(BTRIM(status)) = 'accepted'
    ) / NULLIF(COUNT(*), 0) AS acceptance_percentage
FROM applicants
WHERE LOWER(BTRIM(term)) = 'fall 2026'
    AND LOWER(BTRIM(us_or_international)) IN (
        'american',
        'international'
    )
GROUP BY LOWER(BTRIM(us_or_international))
ORDER BY CASE LOWER(BTRIM(us_or_international))
    WHEN 'american' THEN 1
    ELSE 2
END
```

How the query answers the question

The query filters to Fall 2026 American and international entries, groups them by classification, and divides each group's accepted count by its total count. These are dataset percentages, not estimates of population admission rates.

QUESTION 11 OF 11

Which five LLM-standardized universities have the most Fall 2026 entries, and what percentage of each university's entries are acceptances?

1. Stanford University: 718 entries, 19.08% accepted
2. University of California, Berkeley: 615 entries, 25.20% accepted
3. Yale University: 573 entries, 14.14% accepted
4. Princeton University: 556 entries, 20.86% accepted
5. University of Washington: 547 entries, 27.97% accepted

SQL query

```
SELECT
  MIN(BTRIM(llm_generated_university)) AS university,
  COUNT(*) AS applicant_count,
  100.0 * COUNT(*) FILTER (
    WHERE LOWER(BTRIM(status)) = 'accepted'
  ) / NULLIF(COUNT(*), 0) AS acceptance_percentage
FROM applicants
WHERE LOWER(BTRIM(term)) = 'fall 2026'
  AND NULLIF(BTRIM(llm_generated_university), '') IS NOT NULL
GROUP BY LOWER(BTRIM(llm_generated_university))
ORDER BY applicant_count DESC, university ASC
LIMIT 5
```

How the query answers the question

The query filters to Fall 2026 and usable standardized university names, groups entries case-insensitively by university, and ranks the groups by entry count. Each acceptance percentage uses that university's displayed entry count as its denominator.