CODE 1

main.py

```python
import numpy as np

arr = np.array([1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12])

newarr = arr.reshape(4, 3)

print(newarr)
```

OUTPUT

Output

Clear

```
[[ 1  2  3]
 [ 4  5  6]
 [ 7  8  9]
 [10 11 12]]

=== Code Execution Successful ===
```

CODE 2

t.py - C:/Users/dnyan/OneDrive/Dokumen/t.py (3.14.3)

File Edit Format Run Options Window Help

```
import numpy as np

rows, cols=map(int, input().split())-

elements=[]

for _ in range(rows):

    elements.extend(map(int,input().split()))

array=np.array(elements).reshape(rows,cols)

print(array)

print(array.ndim)

print(array.shape)

print(array.size)
```

Ln: 4 Col: 37

OUTPUT


IDLE Shell 3.14.3
File Edit Shell Debug Options Window Help
Python 3.14.3 (tags/v3.14.3:323c59a, Feb 3 2026, 16:04:56) [MSC v.1944 64 bit (AMD64)]
on win32
Enter "help" below or click "Help" above for more information.
>>>
================= RESTART: C:/Users/dnyan/OneDrive/Dokumen/t.py ================
================= RESTART: C:/Users/dnyan/OneDrive/Dokumen/t.py ================
==================== RESTART: C:/Users/dnyan/OneDrive/Dokumen/t.py ====================
2 3
1 2 3
4 5 6
[[1 2 3]
[4 5 6]]
2
(2, 3)
6
>>>
Ln: 17 Col: 0

CODE 3

a.py - C:\Users\dnyan\OneDrive\Dokumen\a.py (3.14.3)

File Edit Format Run Options Window Help

```
import numpy as np

matrix_a = np.array([[1, 2, 3],
                     [4, 5, 6],
                     [7, 8, 9]])

matrix_b = np.array([[9, 8, 7],
                     [6, 5, 4],
                     [3, 2, 1]])

madd = matrix_a + matrix_b
print("Addition (A + B):")
print(madd)
```

Ln: 1 Col: 0

OUTPUT


IDLE Shell 3.14.3
File Edit Shell Debug Options Window Help
Python 3.14.3 (tags/v3.14.3:323c59a, Feb 3 2026, 16:04:56) [MSC v.1944 64 bit (AMD64)]
on win32
Enter "help" below or click "Help" above for more information.
>>>
================= RESTART: C:\Users\dnyan\OneDrive\Dokumen\a.py ================
Addition (A + B):
[[10 10 10]
[10 10 10]
[10 10 10]]
>>>
Ln: 9 Col: 0