NAME : DNYANESH KASHID

PRN:202501080108

SUBJECT:EDS

TOPIC:DICTIONARY

```
data = {}

print("Empty dictionary:", data)

# Ask how many items to add

n = int(input("How many items do you want to add? "))

# Add key-value pairs

for i in range(n):

    key = input("Enter key: ")

    value = input("Enter value: ")

    data[key] = value

    print("Dictionary after adding items:", data)
```

```python
data = {}
print("Empty dictionary:", data)
# Ask how many items to add
n = int(input("How many items do you want to add? "))
# Add key-value pairs
for i in range(n):
    key = input("Enter key: ")
    value = input("Enter value: ")
    data[key] = value
    print("Dictionary after adding items:", data)
```

```python
update_key = input("Enter key to update: ")

if update_key in data:

  new_value = input("Enter new value: ")

  data[update_key] = new_value

  print("Value updated")

else:

  print("Key not found")
```

```
update_key = input("Enter key to update: ")
if update_key in data:
    new_value = input("Enter new value: ")
    data[update_key] = new_value
    print("Value updated")
else:
    print("Key not found")
```

Retrieve value using key (normal method)

search_key = input("Enter key to retrieve value: ")

if search_key in data:

print("Value:", data[search_key])

else:

print("Key not found")

```
# Retrieve value using key (normal method)
search_key = input("Enter key to retrieve value: ")
if search_key in data:
    print("Value:", data[search_key])
else:
    print("Key not found")
```

Retrieve value using get()

get_key = input("Enter key to retrieve using get(): ")

value = data.get(get_key)

if value is not None:

print("Value:", value)

else:

print("Key not found")

```
# Retrieve value using get()
get_key = input("Enter key to retrieve using get(): ")
value = data.get(get_key)
if value is not None:
    print("Value:", value)
else:
    print("Key not found")
```

#Delete a key-value pair

delete_key = input("Enter key to delete: ")

if delete_key in data:

del data[delete_key]

print("Deleted")

else:

print("Key not found")

```
#Delete a key-value pair

delete_key = input("Enter key to delete: ")

if delete_key in data:

    del data[delete_key]

    print("Deleted")

else:

    print("Key not found")
```

Display updated dictionary

print("Updated dictionary:", data)

10

```
# Display updated dictionary
print("Updated dictionary:", data)

10
```

CODE OUTPUT:

```
Empty dictionary: {}
How many items do you want to add? 5
Enter key: 1
Enter value: 99
Dictionary after adding items: {'1': '99'}
Enter key: 2
Enter value: 104
Dictionary after adding items: {'1': '99', '2': '104'}
Enter key: 3
Enter value: 106
Dictionary after adding items: {'1': '99', '2': '104', '3': '106'}
Enter key: 4
Enter value: 108
Dictionary after adding items: {'1': '99', '2': '104', '3': '106', '4': '108'}
Enter key: 5
Enter value: 111
Dictionary after adding items: {'1': '99', '2': '104', '3': '106', '4': '108', '5': '111'}
Enter key to update: 3
Enter new value: 107
Value updated
Enter key to retrieve value: 2
Value: 104
Enter key to retrieve using get(): 4
Value: 108
Enter key to delete: 5
Deleted
Updated dictionary: {'1': '99', '2': '104', '3': '107', '4': '108'}
```