



GS FOUNDATION 2024-25

GEOGRAPHY - 12

The Origin and the Evolution of the Earth

TABLE OF CONTENTS

Introduction	3
Origin of the Earth	3
Early Theories	3
Nebular Hypothesis	3
Revised Nebular Hypothesis	4
Binary Star Hypothesis	5
Modern Theories	6
The Big Bang Theory	6
The Steady-State Theory	7
Formation of Star and Galaxies	9
Formation of Galaxies	9
Nebula and Star Formation	9
The Life Cycle of Stars	10
Protostar	10
Main Sequence Stars	10
Red Giant	10
Planetary Nebula	10
White Dwarf	10
Black Dwarf	11
Supernova	11
Neutron Stars	11
Black Holes	11
Constellations	11

Formation of Planets	12
The Solar System	13
Types of Planets	13
<i>Inner Planets (Terrestrial Planets)</i>	13
<i>Outer Planets (Gas Giants and Ice Giants)</i>	13
<i>Detailed Planetary Descriptions</i>	14
Evolution of the Earth	16
<i>Formation of the Earth's Layered Structure</i>	17
<i>Evolution of the Lithosphere</i>	17
<i>Evolution of the Atmosphere and Hydrosphere</i>	17
<i>Origin of Life on Earth</i>	17
The Moon	18
<i>Formation of the Moon</i>	18
Asteroids	19
Meteors and Meteorites	19
<i>Asteroid vs. Meteoroid</i>	19
<i>Meteor vs. Meteorite</i>	19
Comets	20
Exoplanets	20
Sunspots	20
Solar Flares and Coronal Mass Ejections (CMEs)	20
Solar Cycle	20


The Origin and the Evolution of the Earth

Introduction:

The origin and evolution of the Earth is a cornerstone of geographical study, providing crucial insights into the planet's formation and development over billions of years. This chapter delves into the **scientific theories and evidence that explain Earth's formation**, the dynamic processes that shaped it, and its ongoing geological activity.

Origin of the Earth:

The origin of Earth is a topic that has intrigued scientists for centuries. Dating back approximately **4.6 billion years**, **Earth's formation** is closely linked to the birth of our solar system. Throughout history, numerous scientific theories have been proposed to explain Earth's origin. These theories can be broadly classified into **early and modern theories**.




Early Theories:

Nebular Hypothesis:

The Nebular Hypothesis, initially developed by **Immanuel Kant in 1755**, proposed that the solar system formed from a rotating cloud of gas and dust that contracted and flattened into a disk. **Pierre-Simon Laplace modified and expanded this theory in 1796**, suggesting that the Sun and planets condensed from a single rotating nebula, providing a more detailed explanation of the process.

According to this hypothesis:

- The solar system formed from a large, rotating cloud of interstellar gas and dust, known as a **Nebula**. Over time, **self-gravitational forces** caused the nebula to **contract**. As it did, it began to **spin faster** due to the **conservation of angular momentum**.
- The collapsing nebula flattened into a **spinning disk** with the **proto-Sun** forming at the center.
- Within the disk, particles collided and stuck together, gradually forming larger bodies called **Planetesimals**.
- Through a process of accretion, these planetesimals combined to form **protoplanets**, which eventually became the planets we see today.
- The solar wind from the newly formed Sun blew away the remaining gas and dust, leaving behind a system of **planets, moons, and other bodies**.



Criticism of Nebular Hypothesis:

- **Angular Momentum:** The theory couldn't explain how the Sun ended up with less angular momentum (rotational spin) than expected if it formed from the entire nebula.
- **Origin of the Nebula:** It doesn't explain the origin of the giant gas cloud (nebula) that supposedly started it all. What caused its heat and rotation remains a mystery.
- **Planetary Composition:** The hypothesis predicts planets formed from gas should themselves be gaseous, which isn't the case for most planets. It struggles to explain the formation of solid planets from a gaseous nebula.
- **Planetary Rotation:** The theory suggests all planets and moons should rotate in the same direction as the nebula. However, Venus and Uranus have opposite rotation, and some moons of Jupiter and Saturn have different rotations from their planets.
- **Ring Formation:** It proposes the nebula formed rings that condensed into planets. However, the theory doesn't explain why the ring would break into specific numbers of planets or why the Sun (the remaining core) wouldn't have a bulge from the ring's separation.

Revised Nebular Hypothesis:

In 1950, **Otto Schmidt** in Russia and **Carl Weizascar** in Germany somewhat revised the 'Nebular Hypothesis', though differing in details. The story begins with a **vast cloud of gas and dust surrounding a young Sun**. This cloud, unlike the unspecified material in the original Nebular Hypothesis, was believed to be **primarily composed of hydrogen, helium, and smaller amounts of dust particles**.

They proposed that **collisions and friction** between these particles played a crucial role. The constant bump and grind not only shaped the cloud from a sphere into a **flattened disc**, but also set the stage for the next act – the **birth of**

planets. Within this swirling disc, gravity took over. **Particles with mass began to attract their neighbours,** slowly clumping together and growing larger through a process called **accretion.** Over vast stretches of time, these clumps eventually became the **planets, moons, and asteroids** that populate our solar system today.


Binary Star Hypothesis:

Despite several hypotheses proposed to explain the formation of the solar system, no one has been able to answer some of the **dilemmas** such as **high angular momentum of planets, unexplained variations in the distances of planets from the sun, discrepancy in the atomic weights of inner and outer planets etc.**

H.N. Russell, an American astronomer, propounded his '**Binary Star Hypothesis**' in the year **1937** to remove the shortcomings of previous hypotheses.

According to this hypothesis:

- Initially, there were **two stars near the primitive sun** in the universe. One star, known as the '**Companion star,**' orbited the primitive sun.
- A third giant star, called the '**Approaching star,**' later came near the companion star from the opposite direction and the approaching star's revolution was in the opposite direction to that of the companion star.
- A The immense gravitational pull of the giant star caused a **tidal bulge** on the companion star, stretching its outer material. However, the approaching star was at a much **greater distance from the primitive sun,** and there would have been no effect of the tidal force of the giant approaching star on the primitive sun.
- When the approaching star came closest to the companion star, **a significant amount of matter was ejected from the companion star** due to the maximum gravitational force exerted by the approaching star.
- The ejected matter began to **revolve around the approaching star, in a direction opposite** to the revolution of the companion star. This ejected material **eventually condensed to form the planets** in our solar system.
- Initially, these planets were likely closer to each other, and **matter may have been ejected** from them due to their **mutual attraction,** leading to the formation of **satellites.**



Criticism of Nebular Hypothesis:


- It could not explain why the companion star vanished, how it was freed from the Sun's gravitational control, or how the planet-forming filament remained within the Sun's control.
- Additionally, it did not address the current spacing of the planets or why the companion's tidal attraction couldn't form a filament. These gaps led to the development of more comprehensive theories.

Modern Theories:

The Big Bang Theory:

The most popular argument regarding the origin of the universe is the Big Bang Theory. It is also called **Expanding Universe Hypothesis**.

Edwin Hubble, in **1920**, provided evidence that the universe is expanding. Since then, the Universe has expanded, cooling and becoming less dense. This theory is widely accepted for explaining the **creation of matter, space, and time** approximately **13.7 billion years ago**. It is supported by several key features and predictions validated by various observations and experiments.



Evolution of the Big Bang Theory:

- **Einstein's General Theory of Relativity (1915)** - This theory laid the groundwork for understanding the behavior of **space and time**, which later influenced the Big Bang Theory.
- **Karl Schwarzschild's Solution (1916)** - Schwarzschild derived a solution for a point-like mass, describing a **non-rotating black hole**.
- **Alexander Friedmann's Solution (1922)** - Friedmann developed a solution for an **isotropic and homogeneous universe**, incorporating various forms of energy, including matter and radiation.
- **Georges Lemaitre's Proposal (1927-1931)** - Lemaitre, known as the **Father of the Big Bang Theory**, proposed the idea of an **initial point of concentrated mass**, suggesting the origin of space and time.

According to this Theory:

The **Universe began from an infinitely hot and dense point ("tiny ball")** called the '**Singularity**' around **13.7 billion years ago**. Singularity refers to a point where space-time concepts break down and physical laws fail. It represents **infinite density and gravity** and is associated with the Big Bang and black holes. The earliest period of the Universe, known as the **Planck Epoch**, is when general relativity and quantum mechanics are not applicable. In this state, the Universe was highly unstable due to extreme heat and density.

The Universe underwent a **rapid expansion during the first fraction of a second**, known as '**Cosmic inflation**.' This expansion set the stage for subsequent developments. Following inflation, the Universe entered a **phase of explosive expansion**. The **energy from the Big Bang converted into matter and light**, forming the building blocks of our current reality, such as atoms and molecules. **Alongside matter and light, fundamental forces like the strong and weak nuclear forces and electromagnetism emerged**. With continued cooling and expansion, more complex structures like **stars, planets, and galaxies formed**. The Universe **continues to evolve and expand today**.

Evidence Supporting the Big Bang Theory:

- **The Expanding Universe:**

- **Hubble's Observations** - Edwin Hubble's measurements revealed that galaxies are **moving away from each other**, with those farther away receding faster. This was demonstrated using the analogy of dots on an expanding balloon.
- **Spatial Expansion Analogy** - As a balloon inflates, dots on its surface move away from each other, illustrating the expanding universe.

- **Cosmic Microwave Background Radiation (CMBR):**

- Discovered by Penzias and Wilson as **residual heat from the Big Bang**, CMBR currently measures 2.7 Kelvin.
- **Temperature Variations** - Probes like COBE and WMAP studied temperature variations in CMBR, confirming its **nearly uniform distribution with minor temperature fluctuations**, consistent with the Big Bang Theory.

Criticism of the Big Bang Theory:

- **Light Elements (Lithium and Helium)** - The Big Bang should produce specific amounts of these elements. Observations show older stars have less lithium and nearby stars have less helium than predicted.
- **Antimatter-Matter Annihilation** - The theory predicts equal amounts of matter and antimatter, which should result in low matter density. However, observed matter density is higher than expected, suggesting an unknown asymmetry.
- **Surface Brightness** - The expanding Universe should cause distant objects to appear dimmer. However, surface brightness remains constant with distance.
- **CMB Anomalies** - Although CMB is a relic of the Big Bang, anomalies in its data do not fully align with predictions. Inflation theory introduces unknown forces to address these discrepancies.
- **Dark Matter** - The Big Bang Theory assumes the existence of dark matter. Evidence from galaxy motions and Earth experiments has failed to detect dark matter particles, challenging its existence.

The Steady-State Theory:

The **Steady-State Theory** is a cosmological model that was proposed in the late **1940s** by **Fred Hoyle, Thomas Gold**, and **Hermann Bondi** as an **alternative to the Big Bang Theory**.

Basic Concepts:


1. **Uniformity and Constancy** - The Steady-State Theory posits that the **universe is eternal and has always existed in a constant state**. It suggests that the universe is **homogeneous and isotropic** (the same in all directions) at large scales.
2. **Continuous Creation** - Unlike the Big Bang Theory, which posits that the universe began from a singular point, the Steady-State Theory holds that **new matter is continuously created as the universe expands**. This creation process **maintains the overall density** of the universe, countering the effects of expansion.
3. **Expansion of the Universe** - According to the theory, as the universe expands, new galaxies are formed to fill the gaps created by the expansion. This **continuous creation of matter ensures that the large-scale structure of the universe remains unchanged**.

Key Features:

- **Eternal Universe** - The Steady-State Theory implies that the **universe has no beginning or end** and has always existed in roughly the same state.
- **No Big Bang** - It **rejects the Big Bang Theory's idea** of a singular origin event. Instead, the theory suggests that the universe has always been in a steady state, with **no initial creation event**.
- **Perfect Cosmological Principle** - The theory is based on the perfect cosmological principle, which extends the cosmological principle (that the universe is the same in all locations) to time, meaning the universe looks the same at all times as well as in all places.

Criticisms of the Steady-State Theory:

- **Cosmic Microwave Background Radiation (CMB)**: The discovery of the CMB in 1965 by Arno Penzias and Robert Wilson was a major blow to the Steady-State Theory. The **CMB is consistent with the Big Bang Theory**, providing evidence for the hot, dense state of the early universe.
- **Observations of Galaxies**: Observations of **distant galaxies show that the universe was different in the past**. These observations support the Big Bang Theory, which describes a universe that evolves over time from a hot, dense state.
- **Distribution of Galaxies**: The Steady-State Theory struggles to account for the observed distribution of galaxies and the evolution of large-scale structures in the universe.



Formation of Star and Galaxies:

In the **early universe**, the **distribution of matter and energy was not uniform**. This uneven distribution resulted in **variations in density**, which led to **differences in gravitational forces**. These gravitational differences caused matter to be drawn together, creating the foundational structures for the development of galaxies.


Formation of Galaxies:

- **Galaxies** are vast systems that **contain a large number of stars**. They are distributed over immense distances, typically measured in thousands of light-years. The **diameters of individual galaxies** can range from **80,000 to 150,000 light-years**. The formation of a galaxy **begins with the accumulation of hydrogen gas into a very large cloud known as a nebula**.

Nebula and Star Formation:

- A nebula, **primarily composed of hydrogen gas**, serves as the **birthplace of stars**. Over time, the growing nebula starts to develop **localized clumps of gas**. These clumps **become denser and continue to grow**, eventually **forming stars**.
- The process of Star formation involves the following steps:
 - **Initial Gas Accumulation** - Hydrogen gas accumulates in a large cloud (nebula).
 - **Clump Formation** - Localized **clumps or clouds of gas** form within the nebula due to gravitational attraction.
 - **Increase in Density** - These clumps grow denser as more gas is drawn in.
 - **Star Formation** - The dense clumps eventually become gaseous bodies dense enough to initiate nuclear fusion, resulting in the formation of stars.

The **formation of stars** is believed to have occurred **approximately 5-6 billion years ago**. During this period, the process described above led to the creation of numerous stars within galaxies.



Light Year


A light year is a **unit of distance (not time)**, defined by how far **light travels in one year** at a speed of 300,000 kilometers per second. This distance amounts to **approximately 9.461 trillion kilometers (9.461×10^{12} km)**.

To put this in perspective, the mean **distance between the Sun and the Earth** is about **149,598,000 kilometers**. When measured in light years, this distance equates to roughly **8.311 minutes**, meaning that light from the Sun takes just over 8 minutes to reach Earth.

The Life Cycle of Stars:


Protostar:

A protostar is the **earliest stage in the life of a star**. It forms from a **collapsing cloud of gas and dust**, primarily hydrogen and helium. As **gravity pulls the material together**, it heats up due to increasing pressure. This heat is not yet sufficient to initiate nuclear fusion, the process that powers stars. Instead, the **protostar continues to contract and grow hotter**.




Main Sequence Stars:

Once the **core temperature of a protostar reaches about 15 million degrees Kelvin**, nuclear fusion begins. Hydrogen atoms fuse into helium, releasing immense amounts of energy. This phase is known as the **'Main sequence stage.'** Our **Sun is currently a main sequence star**. Around **90% of the star in the universe** are main sequence stars. The size, temperature, and lifespan of a main sequence star depend on its mass. Massive stars burn through their hydrogen fuel rapidly and have shorter lifespans, while smaller stars conserve fuel and live longer.



Red Giant:

As a **star exhausts its core hydrogen**, it begins to fuse hydrogen in a shell surrounding the core. This causes the **star to expand dramatically**, becoming a red giant. The **surface temperature cools**, giving it a **reddish appearance**. The core continues to contract and heat up, eventually leading to the fusion of helium into heavier elements like carbon and oxygen.



Planetary Nebula:

When a **low-mass star like our Sun runs out of helium fuel**, it **expels its outer layers into space**, creating a **beautiful, glowing shell of gas called a planetary nebula**. The remaining core, now devoid of nuclear fuel, collapses into a dense, hot object known as a white dwarf.




White Dwarf:

A white dwarf is the remnant of a **low-mass star after it has expelled its outer layers**. It is **incredibly dense**, with a **mass comparable to that of the Sun packed into a volume about the size of Earth**. A white dwarf **slowly cools over billions of years**, eventually becoming a black dwarf.



Black Dwarf:

A **theoretical stellar remnant**, a black dwarf is a **white dwarf that has cooled down completely and no longer emits heat or light**. Since the universe is relatively young, no black dwarfs are believed to exist yet.



Supernova:

Massive stars, with masses several times that of our Sun, end their lives in a cataclysmic explosion called a supernova. This explosion scatters heavy elements into space, enriching the interstellar medium and providing the raw material for new stars and planets.



Neutron Stars:

The **core of a massive star that doesn't collapse into a black hole** becomes an **incredibly dense neutron star**. These objects are composed primarily of neutrons and have a diameter of only about 20 kilometers. Neutron stars rotate rapidly and emit powerful beams of radiation, known as **pulsars**, as they spin.



Black Holes:

The most extreme endpoint of stellar evolution, a black hole is a **region of spacetime where gravity is so strong that nothing, not even light, can escape**. They form from the **collapse of extremely massive stars**. Black holes have a **singularity at their center**, a point of infinite density.



Constellations:

Constellations are **groups of stars that appear to form patterns in the night sky**. They are cultural constructs and have no physical significance. Different cultures have recognized different constellations, and their names and stories vary widely. Constellations are used for navigation, storytelling, and cultural heritage. **The International Astronomical Union (IAU) recognizes 88 constellations**. Different cultures have their own constellations and myths associated with them. Constellations help astronomers locate objects in the sky and are used in modern astronomy for mapping the celestial sphere.



Formation of Planets:

The formation of planets is a complex and gradual process that unfolds over millions of years. This process can be divided into three main stages.

Formation of Gas Cores and Discs:


- The initial stage of planet formation begins within a **nebula, a vast cloud of gas and dust in space**. In this environment, **localized lumps of gas** form due to slight **variations in density**. These lumps, which are the precursors to stars and planets, experience **gravitational collapse, leading to the formation of a dense core**. As the core contracts, it heats up, and the remaining gas and dust begin to rotate around it, forming a **massive rotating disc**. This disc of gas and dust, surrounding the newly formed core, serves as the primary material reservoir for subsequent planetary development.

Condensation and Planetesimal Formation:

- In the second stage, the gas cloud within the **disc begins to cool and condense**. As the temperature drops, **solid particles such as dust grains and ice crystals form**. These particles coalesce through cohesive forces, creating **small, rounded objects**. These objects, known as **'planetesimals,'** are the **building blocks of planets**. Over time, these planetesimals **grow larger through collisions** and gravitational interactions. The process of **accretion**, where material sticks together due to gravitational attraction, leads to the formation of larger planetesimals as smaller bodies collide and merge.

Accretion into Planets:

- The final stage involves the **accumulation of these planetesimals into larger planetary bodies**. As the number of small planetesimals decreases, their collisions lead to the formation of fewer but larger bodies. This process, known as **'accretion,'** involves the continuous growth of these bodies as they attract and merge with other material. The larger planetesimals, now referred to as **protoplanets**, continue to grow by attracting more material and clearing their orbits of smaller debris. Eventually, these protoplanets evolve into fully-fledged planets. **During this stage, planets may further undergo processes such as differentiation, volcanic activity, and atmospheric development, leading to the diverse planetary systems observed in the universe today.**



The Solar System:

The Solar System is the gravitationally bound system of the **Sun and the objects that orbit it**, either directly or indirectly. Our solar system consists of our star, the Sun, and everything bound to it by gravity – the planets **Mercury, Venus, Earth, Mars, Jupiter, Saturn, Uranus, and Neptune**; dwarf planets such as Pluto; dozens of moons; and millions of asteroids, comets, and meteoroids. The Solar System **formed 4.6 billion years ago** from the gravitational collapse of a giant interstellar molecular cloud.

Types of Planets:


The planets in the Solar System are categorized into **two main groups** based on their **composition and location**.

Inner Planets (Terrestrial Planets):

- The inner planets, comprising **Mercury, Venus, Earth, and Mars**, are characterized by their **rocky surfaces** and **metallic cores**. They are **smaller** compared to the outer planets and have solid surfaces. These planets are located **closer to the Sun** and have **fewer moons**.

Outer Planets (Gas Giants and Ice Giants):

- The outer planets are **larger** and are divided into **two categories** - **Gas Giants** and **Ice Giants**.
 - **The Gas Giants** - **Jupiter and Saturn**, are primarily composed of **hydrogen and helium**.
 - **The Ice Giants** - **Uranus and Neptune**, contain **icy materials** such as **water, methane, and ammonia**.
- All the outer planets have a **lot of moons** and **thin ring systems** made of dust and rocks.



Detailed Planetary Descriptions:

Mercury:

- **Mercury's surface** is **heavily cratered** and bears a resemblance to the Moon's, suggesting it has been **geologically inactive** for billions of years due to its **lack of atmosphere**.
- When viewed from Earth, Mercury can only be seen close to the western or eastern horizon during early evening or morning, often appearing as a bright star-like object, though **less luminous than Venus**.
- Because Mercury lacks an atmosphere to retain heat, its **surface experiences extreme temperature fluctuations, ranging from -173°C at night to 427°C during the day**, the most variable of any planet in the Solar System.
- Although **Mercury is smaller than Ganymede** (largest moon of Jupiter) and **Titan** (largest moon of Saturn), it is more massive than both. Images from the **MESSENGER spacecraft**, which arrived in 2004, have shown evidence of **pyroclastic flows** and water ice at **Mercury's poles**.

Venus:

- Venus, the **brightest planet** in the solar system, is the **third most luminous object visible from Earth, following the Sun and the Moon**. In ancient texts, Venus is often called the **morning and evening star**.
- Its **exceptional brightness is due to its high albedo, resulting from the highly reflective sulfuric acid clouds** in its atmosphere. This brightness sometimes makes Venus **visible to the naked eye** even in broad daylight.
- Often referred to as **Earth's sister planet or twin**, Venus shares similarities with Earth in terms of size, mass, proximity to the Sun, bulk composition, and the presence of physical features such as **high plateaus, folded mountain belts, and numerous volcanoes**.
- However, Venus differs significantly from Earth in other aspects. Its surface is completely hidden by a **thick atmosphere composed of approximately 96% carbon dioxide**, covered with clouds of **highly reflective sulfuric acid**. It has the **densest atmosphere among the four terrestrial planets**, with surface atmospheric pressure 92 times that of Earth, equivalent to the pressure found 900 meters underwater on Earth.
- Venus is the **hottest planet** in the Solar System, **even hotter than Mercury** despite being farther from the Sun. This extreme heat is due to the **greenhouse effect** caused by **high concentrations of CO₂ and a thick atmosphere**.
- **A day on Venus is equivalent to 243 earth days and lasts longer than its year (224 days)**. It rotates in the **opposite direction (clockwise)** to most other planets.

Earth:

- Earth is the third planet from the Sun, is located approximately **150 million kilometers (93 million miles) away, a distance known as one Astronomical Unit (AU)**.
- A day on Earth lasts 24 hours, the time required for the planet to complete one full rotation. Earth's atmosphere, composed of **78% nitrogen (N₂), 21% oxygen (O₂), and 1% other gases**, creates an ideal environment for life.
- Unlike other planets in our solar system with atmospheres, only Earth's is breathable. Earth has a **single natural satellite**, commonly referred to as the **Moon**.
- It is the perfect habitat for life as we know it, with its atmosphere providing protection from incoming meteoroids, which typically disintegrate before reaching the surface as meteorites.

Mars:

- Mars, often known as the **“Red Planet,”** gets its distinctive color from the abundant **iron oxide on its surface**, making it **easily visible from Earth without telescopes**.
- **Around 4 billion years ago, Mars lost its magnetosphere, likely due to multiple asteroid impacts.** This loss allows the solar wind to interact directly with the Martian ionosphere, resulting in a **lower atmospheric density**. Mars's atmosphere is composed primarily of **carbon dioxide (about 96%)**, with minor components of **argon (1.93%)** and **nitrogen (1.89%)**, as well as **traces of oxygen, methane, and water**.
- Methane in the Martian atmosphere has a short lifespan before being destroyed by the solar wind, suggesting an active source replenishing it. Possible sources include geological processes like serpentinization, volcanic activity, cometary impacts, or even methanogenic microbial life.
- **Mars's seasons are the most similar to Earth's among the planets in the Solar System, thanks to the comparable tilts of their rotational axes.** However, **Mars's lack of a magnetosphere** and its thin atmosphere present significant challenges, including limited heat transfer across its surface and poor insulation against the solar wind.
- Visible landforms on Mars, such as impact **craters, valleys, deserts, and polar ice caps**, indicate that its atmosphere was once thick enough to support liquid water. Today, due to the **low atmospheric pressure (less than 1% of Earth's)**, **liquid water cannot exist on the Martian surface and is confined to the polar ice caps**.
- Mars features the **Olympus Mons, the largest volcano and the highest known mountain in the Solar System**, standing at **24 km**, and **Valles Marineris**, one of the largest canyons in the Solar System. The planet is now **nearly geologically inactive**, with the cessation of volcanic activity halting the recycling of chemicals and minerals between its surface and interior.
- Mars has **two irregularly shaped moons - Phobos and Deimos**, believed to be captured asteroids.
- **Mars Compared to Earth:**
 - Mars **has 53% of Earth's diameter** and **10% of Earth's mass**.
 - Surface gravity on Mars is only **38% of Earth's gravity**.
 - A Martian day lasts **1.03 Earth days**.
 - Mars has an **axial tilt of 25.19°**, close to Earth's 23.5° tilt.
 - A **Martian year** lasts about **twice as long as an Earth year**, with seasons that are similarly extended.

Jupiter:

- Jupiter is primarily composed of **gas and liquid**, swirling in intricate patterns with **no solid surface**. Due to its **rapid rotation**, completing **one spin every 10 hours**, Jupiter takes the **shape of an oblate spheroid**, displaying a slight bulge at the equator.
- The **four major moons of Jupiter—Io, Europa, Ganymede, and Callisto**—are known as the **Galilean satellites**, named after their discoverer, Galileo.
- **Ganymede**, with a diameter of **5,268 kilometers**, is the **largest natural satellite** in the solar system. It surpasses the size of Mercury and is three times **larger than Earth's Moon**, which is 3,474 kilometers in diameter and the fifth-largest moon.

- Jupiter has a **faint ring system** that was discovered in 1979 by the Voyager-1 mission. **All four giant planets in our solar system have ring systems.** Jupiter **cannot support life** as we know it. However, some of Jupiter's moons have oceans underneath their crusts that might support life.

Saturn:

- Saturn is located **approximately 1.4 billion kilometers** (886 million miles) or **9.5 AU away**. **A day on Saturn lasts about 10.7 hours**, the time it takes to complete one rotation. As a gas giant, Saturn **lacks a solid surface**, with an **atmosphere primarily composed of hydrogen (H₂) and helium (He)**. Remarkably, **Saturn's density is less than that of water**. Its **renowned ring system** is likely formed of **billions of ice particles and ice-covered rocks**.
- **Titan, Saturn's largest moon, is the second-largest moon in the Solar System** and uniquely possesses a thick **nitrogen-rich atmosphere**. Saturn's ring system is the most spectacular, consisting of seven distinct rings with various gaps and divisions. Only a few missions have visited Saturn, including **Pioneer 11, Voyager 1 and 2, and Cassini-Huygens**.

Uranus:

- Uranus is unique among planets due to its **tilted position, spinning on its side**. Its **axis of rotation is almost in the plane of its orbit**, meaning the **poles of Uranus lie where the equators of other planets do**.
- Located about **2.9 billion km** (1.8 billion miles) or **19.19 AU from the Sun**. **A single day on Uranus lasts approximately 17 hours**, the time it takes to complete one rotation.
- Classified as an **ice giant**, **over 80% of Uranus's mass consists of a hot, dense fluid of "icy" materials** such as water (**H₂O**), **methane (CH₄)**, and **ammonia (NH₃)**, surrounding a small rocky core. Its atmosphere is primarily composed of hydrogen (H₂) and helium (He), with a minor amount of methane (CH₄).
- Uranus features **13 known rings**. The planet is **not capable of supporting life** as we know it.

Neptune:

- **Uranus and Neptune** (the ice giants) are called the **twins of the outer solar system**. They are surrounded by a thick atmosphere of **hydrogen and helium** and contain a higher proportion of **"ices"** such as **water, ammonia, and methane ice giants** to emphasise this distinction.
- Neptune is the eighth and **farthest planet from the sun** at a distance of about **4.5 billion km** (2.8 billion miles) or **30.07 AU**.
- **One day on Neptune** takes about **16 hours** (the time it takes for Neptune to rotate or spin once).
- Neptune has **six rings**. Neptune **cannot support life** as we know it.

Evolution of the Earth:

The planet **Earth started as a barren, rocky, and hot object** with a thin atmosphere composed primarily of **hydrogen and helium**. This early state is vastly different from the Earth we know today, which is teeming with water and an atmosphere conducive to life. This transformation from a hostile environment to a life-supporting planet was driven by several key events and processes that occurred over billions of years.

Formation of the Earth's Layered Structure:

- Earth has a layered structure that **ranges from the outermost part of the atmosphere to its core**. The materials comprising these layers **vary in density and characteristics**. The atmosphere, for instance, has the lowest density, whereas the **deeper layers of the Earth's interior contain materials that increase in density** as you move towards the core. Understanding the development of this layered structure is crucial to comprehending Earth's evolution.

Evolution of the Lithosphere:

During its **early stages**, Earth existed primarily in a **volatile state**. As **density gradually increased**, so did the internal temperature. This caused **materials inside the Earth to separate based on their densities**. **Heavier materials, such as iron, sank towards the center, while lighter materials rose towards the surface**.

Over time, this **separation led to cooling, solidification, and a reduction in Earth's size**. Eventually, this process formed the crust, the Earth's outermost layer. The **formation of the moon, which resulted from a giant impact, further heated the Earth, enhancing the differentiation process that created distinct layers within the planet - the crust, mantle, outer core, and inner core**. Moving from the crust to the core, the density of the materials increases.

Evolution of the Atmosphere and Hydrosphere:

- Earth's current atmosphere is predominantly composed of **nitrogen and oxygen**. The evolution of the atmosphere occurred in **3 stages**:
 - **Loss of Primordial Atmosphere** - The initial atmosphere, mainly composed of **hydrogen and helium**, was stripped away by solar winds. This phenomenon affected all terrestrial planets.
 - **Release of Gases from the Earth's Interior** - As Earth cooled, **gases and water vapor were released from its interior through a process called 'degassing,'** primarily driven by **volcanic eruptions**. The early atmosphere contained water **vapor, nitrogen, carbon dioxide, methane, ammonia**, and very little free **oxygen**.
 - **Modification by the Living World** - The **development of life**, particularly through **photosynthesis**, significantly altered the atmospheric composition. Photosynthesis contributed **oxygen** to the atmosphere, transforming it over time.
- The **cooling of the Earth caused water vapor to condense, leading to rain**. Carbon dioxide dissolved in rainwater, reducing the greenhouse effect and causing further cooling. **Rainwater accumulated in depressions, forming oceans within 500 million years of Earth's formation**. Therefore, Earth's oceans are approximately 4,000 million years old.

Origin of Life on Earth:

- The **final phase of Earth's evolution** involves the origin and **development of life**. Initially, neither Earth nor its atmosphere was conducive to life.
- Modern scientists describe the origin of life as a series of **chemical reactions that produced complex organic molecules, which then assembled in ways that allowed them to replicate, thus transforming inanimate matter into living substances**.

- **Evidence of early life on Earth is found in fossils within rocks**, including microscopic structures similar to present-day **blue-green algae**, which date back over **3,000 million years**.
- It is estimated that **life began evolving around 3,800 million years ago**. The progression of life from unicellular bacteria to modern humans is detailed in the Geological Time Scale. **Photosynthesis emerged between 2,500 and 3,000 million years ago, initially taking place in the oceans**. This process gradually introduced oxygen into the oceans, and as the oxygen levels increased and the oceans became saturated, oxygen began accumulating in the atmosphere around 2,000 million years ago. The **rise in atmospheric oxygen was crucial for the development of complex life** forms and significantly altered Earth's environment, paving the way for the diversity of life we see today.

The Moon:


The Moon's **diameter is only one-quarter that of Earth**, and it is located **approximately 384,400 km away**. It is **tidally locked to Earth**, meaning its **orbital period matches its rotational period**.

The Moon takes about **27 days to revolve around Earth**, which is the same time it takes to complete one rotation. Due to this tidal locking, only one side of the Moon is ever visible from Earth.

The Moon plays a crucial role in stabilizing Earth's orbital axis. Without it, Earth's tilt could vary up to 85° (currently, Earth's axis is tilted at an angle of 23.5° relative to its orbital plane).

Formation of the Moon:

- The prevailing theory is that the Moon's formation as a satellite of Earth resulted from a '**giant impact**' or the '**big splat**.' A body, **one to three times the size of Mars, collided with Earth shortly after its formation**.
- This impact **ejected a large portion of Earth's material into space**. This ejected material then orbited Earth and eventually coalesced into the Moon around **4.44 billion years ago**. Scientists estimate that **a day on early Earth lasted only about 6 hours**, and the Moon formed much closer to Earth than its current distance.



Asteroids:

Asteroids are primarily **found in the inner solar system**. They **orbit the Sun in a region between Mars and Jupiter** known as the **Asteroid Belt**. These **solid, rocky bodies have irregular shapes** and **do not possess atmospheres**. More than 150 asteroids have a small companion moon, with some having two.

The first discovery of an asteroid-moon system was Ida and its moon Dactyl in 1993. Asteroids lack rings and cannot support life. **Ceres, the largest asteroid discovered in 1801 by Giuseppe Piazzi**, accounts for over one-third of the total mass of the asteroid belt.

Meteors and Meteorites:


Asteroids sometimes **collide, breaking into smaller fragments** called **meteoroids**, which orbit the Sun. When meteoroids **enter Earth's atmosphere**, they **burn up and create meteors**. Larger meteoroids, known as **fireballs**, range from the size of a basketball to a Volkswagen and create impressive displays as they burn up. **Meteoroids that survive their passage through the atmosphere** and reach the ground are called **meteorites**.

Asteroid vs. Meteoroid:

- **Asteroids** have **elliptical orbits around the Sun**, believed to be remnants of planet formation.
- **Meteoroids** are smaller fragments, often from comets or asteroids, that burn up upon entering a planet's atmosphere.
- **Size:** Asteroids range from 1 to over 100 kilometers in diameter, whereas **meteoroids** are typically **less than 10 meters**.

Meteor vs. Meteorite:

- **Meteors** are in the sky, formed by meteoroids burning up in Earth's atmosphere.
- **Meteorites** are meteoroid fragments that land on Earth.



Comets:

Comets, or "**dirty snowballs**," are composed of **dust, rocks, and ice**, ranging in width from a **few miles to tens of miles**. When they approach the Sun, they **release gas and dust, forming a glowing head and tail**. Each solar pass reduces a comet's material. Short-period comets, like **Halley's Comet**, take less than 200 years to orbit the Sun and are found in the **Kuiper belt**.


Long-period comets originate from the **Oort cloud**, taking up to 30 million years to orbit the Sun. Comets do not emit their own light; their visibility depends on the reflection of the Sun's light and the release of gas molecules.

Exoplanets:

Exoplanets are **planets orbiting stars outside our solar system**, primarily found in the Milky Way galaxy. The "**Goldilocks Zone**" refers to the **habitable zone around a star where conditions are right for liquid water, essential for life**. The **TRAPPIST-1 system** holds the record for the most habitable-zone planets around a single star.

Sunspots:


Sunspots are **dark areas on the Sun's surface, cooler than the surrounding regions** due to **strong magnetic fields**. They consist of a **dark umbra** and a **lighter penumbra**. Sunspot activity follows an 11-year solar cycle, with the number of sunspots fluctuating over time. The current solar cycle began in 2008 and is in a solar minimum phase.



Solar Flares and Coronal Mass Ejections (CMEs):

Solar flares are sudden explosions of energy **near sunspots** caused by the reorganization of magnetic field lines, releasing significant radiation. **CMEs** are **large bubbles of radiation and particles from the Sun's corona, capable of causing geomagnetic storms and auroras on Earth**.

The **aurora borealis** (northern lights) and **aurora australis** (southern lights) are visible displays caused by these particles interacting with Earth's atmosphere.



Solar Cycle:

The Sun's magnetic field undergoes an **11-year cycle**, during which the **Sun's magnetic poles flip**. This cycle influences solar activity, including sunspots and solar flares.

The **solar cycle starts with a solar minimum, increases to a solar maximum**, and then declines back to a solar minimum, marking the beginning of a new cycle.

===== XXXXX =====