



React Getting Started

[< Previous](#)[Next >](#)

To use React in production, you need npm which is included with [Node.js](#).

To get an overview of what React is, you can write React code directly in HTML.

But in order to use React in production, you need npm and [Node.js](#) installed.

React Directly in HTML

The quickest way start learning React is to write React directly in your HTML files.

W3Schools Spaces

The easiest way to get started with creating HTML files is W3Schools Spaces!

It is the perfect place to create, edit, and share your work with others!

[Get started for free >](#)



Example

[Get your own React.js Server](#)

Include three CDN's in your HTML file:

```
<!DOCTYPE html>
<html>
  <head>
    <script src="https://unpkg.com/react@18/umd/react.development.js" crossorigin>
    <script src="https://unpkg.com/react-dom@18/umd/react-dom.development.js" cr
    <script src="https://unpkg.com/@babel/standalone/babel.min.js"></script>
  </head>
  <body>

    <div id="mydiv"></div>

    <script type="text/babel">
      function Hello() {
        return <h1>Hello World!</h1>;
      }

      const container = document.getElementById('mydiv');
      const root = ReactDOM.createRoot(container);
      root.render(<Hello />)
    </script>

  </body>
</html>
```

Try it Yourself »

This way of using React can be OK for testing purposes, but for production you will need to set up a **React environment**.



Setting up a React Environment

If you have npx and Node.js installed, you can create a React application by using `create-react-app`.

If you've previously installed `create-react-app` globally, it is recommended that you uninstall the package to ensure npx always uses the latest version of `create-react-app`.

To uninstall, run this command: `npm uninstall -g create-react-app`.

Run this command to create a React application named `my-react-app`:

```
npx create-react-app my-react-app
```

The `create-react-app` will set up everything you need to run a React application.

Run the React Application

Now you are ready to run your first *real* React application!

Run this command to move to the `my-react-app` directory:



Tutorials ▾

Exercises ▾

Services ▾



Sign Up

Log in



CSS

JAVASCRIPT

SQL

PYTHON

JAVA

PHP

HOW TO

W3.CSS


C

Run this command to run the React application `my-react-app` :

```
npm start
```

A new browser window will pop up with your newly created React App! If not, open your browser and type `localhost:3000` in the address bar.

The result:



Modify the React Application



/myReactApp/src/App.js:

```
import logo from './logo.svg';
import './App.css';

function App() {
  return (
    <div className="App">
      <header className="App-header">
        <img src={logo} className="App-logo" alt="logo" />
        <p>
          Edit <code>src/App.js</code> and save to reload.
        </p>
        <a
          className="App-link"
          href="https://reactjs.org"
          target="_blank"
          rel="noopener noreferrer"
        >
          Learn React
        </a>
      </header>
    </div>
  );
}

export default App;
```

Try changing the HTML content and save the file.

Notice that the changes are visible immediately after you save the file, you do not have to reload the browser!



Tutorials ▼

Exercises ▼

Services ▼



Sign Up

Log in

≡ . CSS JAVASCRIPT SQL PYTHON JAVA PHP HOW TO W3.CSS C

Replace all the content inside the `<div className="App">` with a `<h1>` element.

See the changes in the browser when you click Save.

```
function App() {  
  return (  
    <div className="App">  
      <h1>Hello World!</h1>  
    </div>  
  );  
}  
  
export default App;
```

Notice that we have removed the imports we do not need (logo.svg and App.css).

The result:



Hello World!

What's Next?

Now you have a React Environment on your computer, and you are ready to learn more about React.

In the rest of this tutorial we will use our "Show React" tool to explain the various aspects of React, and how they are displayed in the browser.

If you want to follow the same steps on your computer, start by stripping down the `src` folder to only contain one file: `index.js`. You should also remove any unnecessary lines of code inside the `index.js` file to make them look like the example in the "Show React" tool below:

Example

Click the "Run Example" button to see the result.

`index.js` :

[Tutorials ▼](#)[Exercises ▼](#)[Services ▼](#)[Sign Up](#)[Log in](#)[≡](#) [.](#) [CSS](#) [JAVASCRIPT](#) [SQL](#) [PYTHON](#) [JAVA](#) [PHP](#) [HOW TO](#) [W3.CSS](#) [C](#)

```
const myFirstElement = <h1>Hello React!</h1>
```

```
const root = ReactDOM.createRoot(document.getElementById('root'));  
root.render(myFirstElement);
```

[Run Example »](#)

Exercise [?]

What is a correct command to create a React application


- ☐ npx create-react-app my-team
- ☐ npx start-react-app my-team
- ☐ npx init-react-app my-team

[Submit Answer »](#)[◀ Previous](#)[Next >](#)

W3schools Pathfinder

Track your progress - it's free!

[Sign Up](#)[Log in](#)

[Tutorials ▼](#)[Exercises ▼](#)[Services ▼](#)[Sign Up](#)[Log in](#)[CSS](#) [JAVASCRIPT](#) [SQL](#) [PYTHON](#) [JAVA](#) [PHP](#) [HOW TO](#) [W3.CSS](#) [C](#)

COLOR PICKER

[SPACES](#)[UPGRADE](#)[AD-FREE](#)[NEWSLETTER](#)[GET CERTIFIED](#)[CONTACT US](#)

Top Tutorials

[HTML Tutorial](#)
[CSS Tutorial](#)
[JavaScript Tutorial](#)
[How To Tutorial](#)

Top References

[HTML Reference](#)
[CSS Reference](#)
[JavaScript Reference](#)
[SQL Reference](#)

[Tutorials ▼](#)[Exercises ▼](#)[Services ▼](#)[Sign Up](#)[Log in](#)[CSS](#)[JAVASCRIPT](#)[SQL](#)[PYTHON](#)[JAVA](#)[PHP](#)[HOW TO](#)[W3.CSS](#)[C](#)[C++ Tutorial](#)[jQuery Tutorial](#)

Top Examples

[HTML Examples](#)[CSS Examples](#)[JavaScript Examples](#)[How To Examples](#)[SQL Examples](#)[Python Examples](#)[W3.CSS Examples](#)[Bootstrap Examples](#)[PHP Examples](#)[Java Examples](#)[XML Examples](#)[jQuery Examples](#)[Angular Reference](#)[jQuery Reference](#)

Get Certified

[HTML Certificate](#)[CSS Certificate](#)[JavaScript Certificate](#)[Front End Certificate](#)[SQL Certificate](#)[Python Certificate](#)[PHP Certificate](#)[jQuery Certificate](#)[Java Certificate](#)[C++ Certificate](#)[C# Certificate](#)[XML Certificate](#)[FORUM](#) [ABOUT](#) [CLASSROOM](#)

W3Schools is optimized for learning and training. Examples might be simplified to improve reading and learning.

Tutorials, references, and examples are constantly reviewed to avoid errors, but we cannot warrant full correctness of all content. While using W3Schools, you agree to have read and accepted our [terms of use](#), [cookie and privacy policy](#).

Copyright 1999-2024 by Refsnes Data. All Rights Reserved. [W3Schools is Powered by W3.CSS](#).