

# Cucumber Report

Mar 29, 2023 9:53:58 PM

Start : Mar 29, 9:53:01.907 PM

End : Mar 29, 9:53:57.687 PM

Duration : 55.780 s

Features



Scenarios

Steps

PASSED - 1  
FAILED - 1  
SKIPPED - 0


PASSED - 2  
FAILED - 1  
SKIPPED - 0

PASSED - 24  
FAILED - 1  
SKIPPED - 0




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Country Multi Scenario</u>	23.359 s	1	0	1	0	6	5	1	0
<u>DataTable Functionality</u>	32.395 s	2	2	0	0	19	19	0	0

Tag	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@Regression	3	2	1	0	2	1	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>Country Multi Scenario</u>	1	0	1	0	23.359 s
2	<u>DataTable Functionality</u>	2	2	0	0	32.395 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Country Multi Scenario</u>	<u>Create a country 2</u>	6	5	1	0	23.356 s
2	<u>DataTable Functionality</u>	<u>Create Country</u>	10	10	0	0	16.472 s
3	<u>DataTable Functionality</u>	<u>Create Nationality</u>	9	9	0	0	15.917 s

## Country Multi Scenario

<b>FAILED</b>	DURATION - 23.359 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 6 Pass - 5 Fail - 1 Skip - 0	
/ 9:53:01.907 PM // 9:53:25.266 PM /					

## Create a country 2


<div>FAILED</div> <div>DURATION - 23.356 s</div>		<div></div>	<div>Steps</div> <div>Total - 6</div> <div>Pass - 5</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
<div>/ 9:53:01.910 PM // 9:53:25.266 PM /</div>				
<div>Country Multi Scenario</div>				
<div>@Regression</div>				

#	Step / Hook Details	Status	Duration
1	Given Navigate to Campus	PASSED	4.257 s
2	When Enter username and password and login button	PASSED	1.029 s
3	Then User should login succesfully	PASSED	2.289 s
4	And Navigate to Country page	PASSED	0.709 s
5	When Create a Country name as "Reymond Reddinton95" code as "RR95"	PASSED	1.848 s
6	Then Success mesasage should be displayed org.openqa.selenium.TimeoutException: Expected condition failed: waiting for text ('success') to be present in element Proxy element for: DefaultElementLocator 'By.xpath: //div[contains(text(),'successfully')]' (tried for 7 second(s) with 500 milliseconds interval) at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:87) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231) at Pages.Parent.verifyContainsTextFunction(Parent.java:36) at StepDefinitions._02_CountrySteps.successMesasageShouldBeDisplayed(_02_CountrySteps.java:41) at ?.Success mesasage should be displayed(file:///C:/Users/MDU-17/IdeaProjects/Cucumber_5/src/test/java/FeatureFiles/_03_CountryMultipleScenarios.feature:15) Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[contains(text(),'successfully')]} (Session info: chrome=111.0.5563.111) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name:	FAILED	7.372 s



#	Step / Hook Details	Status	Duration
	<p>'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_351' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5c72ab610d7fc6fa4dda45a48f9ad322, findElement {using=xpath, value=//div[contains(text()),'successfully']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.111, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\MDU-17\AppData\Loc...}, goog:chromeOptions: {debuggerAddress: localhost:57611}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:57611/devtoo..., se:cdpVersion: 111.0.5563.111, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5c72ab610d7fc6fa4dda45a48f9ad322</p> <p>at sun.reflect.GeneratedConstructorAccessor17.newInstance(Unknown Source)  at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  at java.lang.reflect.Constructor.newInstance(Constructor.java:423)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)  at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)  at com.sun.proxy.\$Proxy25.getText(Unknown Source)  at org.openqa.selenium.support.ui.ExpectedConditions\$12.apply(ExpectedConditions.java:346)  at org.openqa.selenium.support.ui.ExpectedConditions\$12.apply(ExpectedConditions.java:342)  at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208)  at Pages.Parent.verifyContainsTextFunction(Parent.java:36)  at StepDefinitions._02_CountrySteps.successMesasageShouldBeDisplayed(_02_CountrySteps.java:41)  at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)  at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)  at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)  at java.lang.reflect.Method.invoke(Method.java:498)  at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)  at io.cucumber.java.Invoker.invoke(Invoker.java:24)  at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)  at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)  at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)  at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)</p>		

#	Step / Hook Details	Status	Duration
	<pre> at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.lang.reflect.Method.invoke(Method.java:498) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:124) at org.testng.internal.Invoker.invokeMethod(Invoker.java:583) at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:719) at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:989) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:125) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:109) at org.testng.TestRunner.privateRun(TestRunner.java:648) at org.testng.TestRunner.run(TestRunner.java:505) at org.testng.SuiteRunner.runTest(SuiteRunner.java:455) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:450) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:415) at org.testng.SuiteRunner.run(SuiteRunner.java:364) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:84) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1208) at org.testng.TestNG.runSuitesLocally(TestNG.java:1137) at org.testng.TestNG.runSuites(TestNG.java:1049) at org.testng.TestNG.run(TestNG.java:1017) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109) </pre> <p>* Not displayable characters are replaced by '?'.  </p>		
	AFTER - StepDefinitions.Hooks.after(io.cucumber.java.Scenario)	PASSED	5.829 s
	screenshot name		





#	Step / Hook Details	Status	Duration
			

## DataTable Functionality

<b>PASSED</b>	DURATION - 32.395 s	Scenarios Total - 2 Pass - 2 Fail - 0 Skip - 0		Steps Total - 19 Pass - 19 Fail - 0 Skip - 0	
/ 9:53:25.292 PM // 9:53:57.687 PM /					



## Create Country

<b>PASSED</b>	DURATION - 16.472 s		Steps Total - 10 Pass - 10 Fail - 0 Skip - 0	
/ 9:53:25.292 PM // 9:53:41.764 PM /				
DataTable Functionality				
@Regression				

#	Step / Hook Details	Status	Duration
1	Given Navigate to Campus	PASSED	2.828 s
2	When Enter username and password and login button	PASSED	0.919 s
3	Then User should login succesfully	PASSED	2.171 s
4	And Click on the element in LeftNav	PASSED	0.650 s
	<div>setup</div> <div>parameters</div> <div>countries</div>		
5	And Click on the element in Dialog	PASSED	0.676 s
	<div>addButton</div>		

#	Step / Hook Details	Status	Duration
6	And User sending the keys in Dialog Content	PASSED	0.935 s
	<div>nameInput</div> <div>RonaldaUlk112</div> <div>codeInput</div> <div>RNDULK112</div>		
7	And Click on the element in Dialog	PASSED	0.183 s
	<div>saveButton</div>		
8	Then Success mesasage should be displayed	PASSED	0.631 s
9	And User delete item from Dialog Content	PASSED	1.220 s
	<div>RonaldaUlk112</div>		
10	Then Success mesasage should be displayed	PASSED	0.581 s

### Create Nationality

PASSED	DURATION - 15.917 s		<div>Steps</div> <div>Total - 9</div> <div>Pass - 9</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 9:53:41.770 PM // 9:53:57.687 PM /				
DataTable Functionality				
@Regression				

#	Step / Hook Details	Status	Duration
1	Given Navigate to Campus	PASSED	2.852 s
2	When Enter username and password and login button	PASSED	0.941 s
3	Then User should login succesfully	PASSED	2.142 s
4	And Click on the element in LeftNav	PASSED	1.091 s
	<div>setup</div> <div>paremeters</div> <div>nationality</div>		
5	And Click on the element in Dialog	PASSED	0.682 s
	<div>addButton</div>		
6	And User sending the keys in Dialog Content	PASSED	0.400 s
	<div>nameInput</div> <div>RonaldaUlk1234567891</div>		

#	Step / Hook Details	Status	Duration
7	And Click on the element in Dialog	PASSED	0.145 s
	saveButton		
8	And User delete item from Dialog Content	PASSED	1.403 s
	RonaldaUlk1234567891		
9	Then Success mesasage should be displayed	PASSED	0.588 s