

# Cucumber Report

Mar 30, 2023 8:38:10 PM

Start : Mar 30, 8:37:59.041 PM

End : Mar 30, 8:38:08.684 PM

Duration : 9.643 s

Features


Scenarios

Steps

PASSED - 1  
FAILED - 2  
SKIPPED - 0


PASSED - 1  
FAILED - 3  
SKIPPED - 0

PASSED - 3  
FAILED - 3  
SKIPPED - 22




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Country Multi Scenario</u>	6.765 s	1	1	0	0	3	3	0	0
<u>Country Multi Scenario</u>	3.953 s	1	0	1	0	6	0	1	5
<u>DataTable Functionality</u>	5.651 s	2	0	2	0	19	0	2	17

Tag	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@Regression	4	1	3	0	3	1	2	0





#	Feature Name	T	P	F	S	Duration
1	<u>Country Multi Scenario</u>	1	1	0	0	6.765 s
2	<u>Country Multi Scenario</u>	1	0	1	0	3.953 s
3	<u>DataTable Functionality</u>	2	0	2	0	5.651 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Country Multi Scenario</u>	<u>Create a country 2</u>	3	3	0	0	6.761 s
2	<u>Country Multi Scenario</u>	<u>Create a country 2</u>	6	0	1	5	3.949 s
3	<u>DataTable Functionality</u>	<u>Create Country</u>	10	0	1	9	2.495 s
4	<u>DataTable Functionality</u>	<u>Create Nationality</u>	9	0	1	8	3.127 s

## Country Multi Scenario



<b>PASSED</b>	DURATION - 6.765 s	Scenarios Total - 1 Pass - 1 Fail - 0 Skip - 0		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 8:37:59.041 PM // 8:38:05.806 PM /					

## Create a country 2



<b>PASSED</b>	DURATION - 6.761 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 8:37:59.045 PM // 8:38:05.806 PM /				
Country Multi Scenario				
@Regression				

#	Step / Hook Details	Status	Duration
1	Given Navigate to Campus	PASSED	5.113 s
2	When Enter username and password and login button	PASSED	1.639 s
3	Then User should login succesfully	PASSED	0.000 s

## Country Multi Scenario

<b>FAILED</b>	DURATION - 3.953 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 6 Pass - 0 Fail - 1 Skip - 5	
/ 8:37:59.041 PM // 8:38:02.994 PM /					

## Create a country 2

<div>FAILED</div> <div>DURATION - 3.949 s</div>		<div></div>	<div>Steps</div> <div>Total - 6</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 5</div>	<div></div>
<div>/ 8:37:59.045 PM // 8:38:02.994 PM /</div>				
<div>Country Multi Scenario</div>				
<div>@Regression</div>				



#	Step / Hook Details	Status	Duration
1	<b>Given Navigate to Campus</b> io.cucumber.core.exception.CucumberException: Failed to instantiate class StepDefinitions._01_LoginSteps at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:67) at io.cucumber.core.backend.DefaultObjectFactory.getInstance(DefaultObjectFactory.java:45) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.lang.reflect.Method.invoke(Method.java:498) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:124) at org.testng.internal.Invoker.invokeMethod(Invoker.java:583) at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:719) at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:989) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:125) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:109)	<b>FAILED</b>	2.126 s

#	Step / Hook Details	Status	Duration
	<pre> at org.testng.TestRunner.privateRun(TestRunner.java:648) at org.testng.TestRunner.run(TestRunner.java:505) at org.testng.SuiteRunner.runTest(SuiteRunner.java:455) at org.testng.SuiteRunner.access\$000(SuiteRunner.java:40) at org.testng.SuiteRunner\$SuiteWorker.run(SuiteRunner.java:489) at org.testng.internal.thread.ThreadUtil\$1.call(ThreadUtil.java:52) at java.util.concurrent.FutureTask.run(FutureTask.java:266) at java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1149) at java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:624) at java.lang.Thread.run(Thread.java:750) Caused by: java.lang.reflect.InvocationTargetException at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:53) ... 37 more Caused by: org.openqa.selenium.remote.http.ConnectionFailedException: Unable to establish websocket connection to http://localhost:62805/devtools/browser/51501119-00bd-4b79-b2b3-09655944eb8c Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_351' Driver info: driver.version: ChromeDriver at org.openqa.selenium.remote.http.netty.NettyWebSocket.&lt;init&gt;(NettyWebSocket.java:102) at org.openqa.selenium.remote.http.netty.NettyWebSocket.lambda\$create\$3(NettyWebSocket.java:128) at org.openqa.selenium.remote.http.netty.NettyClient.openSocket(NettyClient.java:107) at org.openqa.selenium.devtools.Connection.&lt;init&gt;(Connection.java:78) at org.openqa.selenium.chromium.ChromiumDriver.lambda\$new\$2(ChromiumDriver.java:116) at java.util.Optional.map(Optional.java:215) at org.openqa.selenium.chromium.ChromiumDriver.&lt;init&gt;(ChromiumDriver.java:114) at org.openqa.selenium.chrome.ChromeDriver.&lt;init&gt;(ChromeDriver.java:82) at org.openqa.selenium.chrome.ChromeDriver.&lt;init&gt;(ChromeDriver.java:50) at Utilities.GWD.getDriver(GWD.java:57) at Pages.Parent.&lt;init&gt;(Parent.java:17) at Pages.DialogContent.&lt;init&gt;(DialogContent.java:11) at StepDefinitions._01_LoginSteps.&lt;init&gt;(_01_LoginSteps.java:12) </pre>		
2	When Enter username and password and login button	SKIPPED	0.000 s
3	Then User should login succesfully	SKIPPED	0.000 s
4	And Navigate to Country page	SKIPPED	0.001 s
5	When Create a Country name as "Reymond Reddincton95" code as "RR95"	SKIPPED	0.000 s
6	Then Success mesasage should be displayed	SKIPPED	0.000 s
	AFTER - StepDefinitions.Hooks.after(io.cucumber.java.Scenario)	FAILED	1.798 s
	org.openqa.selenium.remote.http.ConnectionFailedException: Unable to establish websocket connection to http://localhost:62835/devtools/		





#	Step / Hook Details	Status	Duration
	browser/7ff421a0-31f5-4b82-b611-a92293845194 Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_351' Driver info: driver.version: ChromeDriver at org.openqa.selenium.remote.http.netty.NettyWebSocket.<init>(NettyWebSocket.java:102) at org.openqa.selenium.remote.http.netty.NettyWebSocket.lambda\$create\$3(NettyWebSocket.java:128) at org.openqa.selenium.remote.http.netty.NettyClient.openSocket(NettyClient.java:107) at org.openqa.selenium.devtools.Connection.<init>(Connection.java:78) at org.openqa.selenium.chromium.ChromiumDriver.lambda\$new\$2(ChromiumDriver.java:116) at java.util.Optional.map(Optional.java:215) at org.openqa.selenium.chromium.ChromiumDriver.<init>(ChromiumDriver.java:114) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:82) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:50) at Utilities.GWD.getDriver(GWD.java:57) at StepDefinitions.Hooks.after(Hooks.java:17)		

## DataTable Functionality

<b>FAILED</b>	DURATION - 5.651 s	Scenarios		Steps	
/ 8:38:03.033 PM // 8:38:08.684 PM /		Total - 2		Total - 19	
		Pass - 0		Pass - 0	
		Fail - 2		Fail - 2	
		Skip - 0		Skip - 17	

## Create Country

<div>FAILED</div> <div>DURATION - 2.495 s</div>		<div></div>	Steps	<div></div>
<div>/ 8:38:03.033 PM // 8:38:05.528 PM /</div>			Total - 10	
<div>DataTable Functionality</div>			Pass - 0	
<div>@Regression</div>			Fail - 1	
			Skip - 9	



#	Step / Hook Details	Status	Duration
1	Given Navigate to Campus	FAILED	0.936 s
	io.cucumber.core.exception.CucumberException: Failed to instantiate class StepDefinitions._01_LoginSteps at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:67)		

#	Step / Hook Details	Status	Duration
	<pre> at io.cucumber.core.backend.DefaultObjectFactory.getInstance(DefaultObjectFactory.java:45) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.lang.reflect.Method.invoke(Method.java:498) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:124) at org.testng.internal.Invoker.invokeMethod(Invoker.java:583) at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:719) at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:989) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:125) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:109) at org.testng.TestRunner.privateRun(TestRunner.java:648) at org.testng.TestRunner.run(TestRunner.java:505) at org.testng.SuiteRunner.runTest(SuiteRunner.java:455) at org.testng.SuiteRunner.access\$000(SuiteRunner.java:40) at org.testng.SuiteRunner\$SuiteWorker.run(SuiteRunner.java:489) at org.testng.internal.thread.ThreadUtil\$1.call(ThreadUtil.java:52) at java.util.concurrent.FutureTask.run(FutureTask.java:266) at java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1149) at java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:624) at java.lang.Thread.run(Thread.java:750) Caused by: java.lang.reflect.InvocationTargetException at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) </pre>		

#	Step / Hook Details	Status	Duration
	at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:53) ... 37 more Caused by: org.openqa.selenium.remote.http.ConnectionFailedException: Unable to establish websocket connection to http://localhost:62847/devtools/browser/5ec09f67-1bad-47e8-9ee4-4851a98e8299 Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_351' Driver info: driver.version: ChromeDriver at org.openqa.selenium.remote.http.netty.NettyWebSocket.<init>(NettyWebSocket.java:102) at org.openqa.selenium.remote.http.netty.NettyWebSocket.lambda\$create\$3(NettyWebSocket.java:128) at org.openqa.selenium.remote.http.netty.NettyClient.openSocket(NettyClient.java:107) at org.openqa.selenium.devtools.Connection.<init>(Connection.java:78) at org.openqa.selenium.chromium.ChromiumDriver.lambda\$new\$2(ChromiumDriver.java:116) at java.util.Optional.map(Optional.java:215) at org.openqa.selenium.chromium.ChromiumDriver.<init>(ChromiumDriver.java:114) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:82) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:50) at Utilities.GWD.getDriver(GWD.java:57) at Pages.Parent.<init>(Parent.java:17) at Pages.DialogContent.<init>(DialogContent.java:11) at StepDefinitions._01_LoginSteps.<init>(_01_LoginSteps.java:12)		
2	When Enter username and password and login button	SKIPPED	0.002 s
3	Then User should login succesfully	SKIPPED	0.001 s
4	And Click on the element in LeftNav	SKIPPED	0.006 s
	<div>setup</div> <div>paremeters</div> <div>countries</div>		
5	And Click on the element in Dialog	SKIPPED	0.002 s
	<div>addButton</div>		
6	And User sending the keys in Dialog Content	SKIPPED	0.001 s
	<div>nameInputRonaldaUlk112</div> <div>codeInputRNDULK112</div>		
7	And Click on the element in Dialog	SKIPPED	0.000 s
	<div>saveButton</div>		
8	Then Success mesasage should be displayed	SKIPPED	0.000 s
9	And User delete item from Dialog Content	SKIPPED	0.001 s
	<div>RonaldaUlk112</div>		
10	Then Success mesasage should be displayed	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
	<b>AFTER - StepDefinitions.Hooks.after(io.cucumber.java.Scenario)</b> <pre>org.openqa.selenium.remote.http.ConnectionFailedException: Unable to establish websocket connection to http://localhost:62867/devtools/ browser/24ccdcf4-b17d-4171-a12a-73f1cc99625e Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 11', os. arch: 'amd64', os.version: '10.0', java.version: '1.8.0_351' Driver info: driver.version: ChromeDriver     at org.openqa.selenium.remote.http.netty.NettyWebSocket.&lt;init&gt;(NettyWebSocket.java:102)     at org.openqa.selenium.remote.http.netty.NettyWebSocket.lambda\$create\$3(NettyWebSocket.java:128)     at org.openqa.selenium.remote.http.netty.NettyClient.openSocket(NettyClient.java:107)     at org.openqa.selenium.devtools.Connection.&lt;init&gt;(Connection.java:78)     at org.openqa.selenium.chromium.ChromiumDriver.lambda\$new\$2(ChromiumDriver.java:116)     at java.util.Optional.map(Optional.java:215)     at org.openqa.selenium.chromium.ChromiumDriver.&lt;init&gt;(ChromiumDriver.java:114)     at org.openqa.selenium.chrome.ChromeDriver.&lt;init&gt;(ChromeDriver.java:82)     at org.openqa.selenium.chrome.ChromeDriver.&lt;init&gt;(ChromeDriver.java:50)     at Utilities.GWD.getDriver(GWD.java:57)     at StepDefinitions.Hooks.after(Hooks.java:17)</pre>	FAILED	1.540 s

## Create Nationality

FAILED		DURATION - 3.127 s			<b>Steps</b> Total - 9 Pass - 0 Fail - 1 Skip - 8			
/ 8:38:05.557 PM // 8:38:08.684 PM /								
DataTable Functionality								
@Regression								

#	Step / Hook Details	Status	Duration
1	<b>Given Navigate to Campus</b> <pre>io.cucumber.core.exception.CucumberException: Failed to instantiate class StepDefinitions._01_LoginSteps     at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:67)     at io.cucumber.core.backend.DefaultObjectFactory.getInstance(DefaultObjectFactory.java:45)     at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)     at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)     at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)     at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)     at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)     at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85)     at io.cucumber.core.runner.TestStep.run(TestStep.java:57)</pre>	FAILED	1.559 s

#	Step / Hook Details	Status	Duration
	<pre> at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.lang.reflect.Method.invoke(Method.java:498) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:124) at org.testng.internal.Invoker.invokeMethod(Invoker.java:583) at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:719) at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:989) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:125) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:109) at org.testng.TestRunner.privateRun(TestRunner.java:648) at org.testng.TestRunner.run(TestRunner.java:505) at org.testng.SuiteRunner.runTest(SuiteRunner.java:455) at org.testng.SuiteRunner.access\$000(SuiteRunner.java:40) at org.testng.SuiteRunner\$SuiteWorker.run(SuiteRunner.java:489) at org.testng.internal.thread.ThreadUtil\$1.call(ThreadUtil.java:52) at java.util.concurrent.FutureTask.run(FutureTask.java:266) at java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1149) at java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:624) at java.lang.Thread.run(Thread.java:750) Caused by: java.lang.reflect.InvocationTargetException at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:53) ... 37 more Caused by: org.openqa.selenium.remote.http.ConnectionFailedException: Unable to establish websocket connection to http://localhost:62885/devtools/browser/2463b1e8-80b2-4156-ad2b-1e349921291b Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_351' Driver info: driver.version: ChromeDriver at org.openqa.selenium.remote.http.netty.NettyWebSocket.&lt;init&gt;(NettyWebSocket.java:102) at org.openqa.selenium.remote.http.netty.NettyWebSocket.lambda\$create\$3(NettyWebSocket.java:128) at org.openqa.selenium.remote.http.netty.NettyClient.openSocket(NettyClient.java:107) </pre>		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.devtools.Connection.<init>(Connection.java:78) at org.openqa.selenium.chromium.ChromiumDriver.lambda\$new\$2(ChromiumDriver.java:116) at java.util.Optional.map(Optional.java:215) at org.openqa.selenium.chromium.ChromiumDriver.<init>(ChromiumDriver.java:114) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:82) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:50) at Utilities.GWD.getDriver(GWD.java:57) at Pages.Parent.<init>(Parent.java:17) at Pages.DialogContent.<init>(DialogContent.java:11) at StepDefinitions._01_LoginSteps.<init>(_01_LoginSteps.java:12)		
2	When Enter username and password and login button	SKIPPED	0.000 s
3	Then User should login succesfully	SKIPPED	0.000 s
4	And Click on the element in LeftNav	SKIPPED	0.000 s
	setup paremeters nationality		
5	And Click on the element in Dialog	SKIPPED	0.001 s
	addButton		
6	And User sending the keys in Dialog Content	SKIPPED	0.000 s
	nameInput RonaldUlk1234567891		
7	And Click on the element in Dialog	SKIPPED	0.001 s
	saveButton		
8	And User delete item from Dialog Content	SKIPPED	0.000 s
	RonaldUlk1234567891		
9	Then Success mesasage should be displayed	SKIPPED	0.000 s
	AFTER - StepDefinitions.Hooks.after(io.cucumber.java.Scenario)  org.openqa.selenium.remote.http.ConnectionFailedException: Unable to establish websocket connection to http://localhost:62900/devtools/browser/863512af-4cc4-4632-8460-9297ae5b4b24 Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_351' Driver info: driver.version: ChromeDriver at org.openqa.selenium.remote.http.netty.NettyWebSocket.<init>(NettyWebSocket.java:102) at org.openqa.selenium.remote.http.netty.NettyWebSocket.lambda\$create\$3(NettyWebSocket.java:128) at org.openqa.selenium.remote.http.netty.NettyClient.openSocket(NettyClient.java:107) at org.openqa.selenium.devtools.Connection.<init>(Connection.java:78) at org.openqa.selenium.chromium.ChromiumDriver.lambda\$new\$2(ChromiumDriver.java:116) at java.util.Optional.map(Optional.java:215)	FAILED	1.562 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.chromium.ChromiumDriver.<init>(ChromiumDriver.java:114) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:82) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:50) at Utilities.GWD.getDriver(GWD.java:57) at StepDefinitions.Hooks.after(Hooks.java:17)		