Asthma Action Plan

Name: _____ Date_____

Controllers (box 1) are taken to prevent symptoms. Relievers (box 2, 3) are used when symptoms occur.

1. GO - GOOD CONTROL

Child can do these activities:
- **Breathing is good**
- **No cough or wheezing**
- **Can work/play**
- **Sleeps all night**

Peak flow in this area most of time

0 to 0
(80 – 100%)

Daily Medication

Medicine:	How much to take:	When to take it:

20 minutes before sports use this medicine:

2. CAUTION- BE CAREFUL

Child has any of these:
- **Cough**
- **Wheeze**
- **Tight chest**
- **Wakes up at night**

Peak flow in this area most of time

0 to 0
(60 – 80%)

Take Daily Medicines and Add these Medicines

Medicine:	How much to take:	When to take it:

Call doctor if quick relief medicine is needed to treat symptoms 3 or more times a week

3. STOP- DANGER CALL YOUR DOCTOR NOW

Child has any of these:
- **Medicine not helping**
- **Breathing hard and fast**
- **Nose open wide**
- **Can't Walk or talk well**
- **Ribs are showing when breathing**

Peak flow below:

0
(< 60%)

Take Daily Medicines and Add these Medicines

Medicine:	How much to take:	When to take it:

911

- **Can't talk or cry because of it's hard to breath**
- **Lips are bluish**
- **Has passsed out**
- **Struggling to breath**

Asthma Triggers: ☐ None/Unknown ☐ Exercise ☐ Tobacco ☐ Animals ☐ Medications ☐ Mites ☐ Food ☐ Smoke ☐ Pollen ☐ Weather ☐ Roaches ☐ Colds ☐ Molds ☐ Other

Primary Physician: _____ **Action Plan Prepared By:** (Please sign here after printing) **Date:** _____

Follow up in: 3 Days **Appt Date/Time:** _____ **at MOFMC** FMR **(Ph: 702-653-2273)**

I have been provided a copy of instruction on how to use this Asthma Action Plan and ways to avoid asthma triggers.

Caregiver signature: (Please sign here after printing) **Date:** _____

Common Triggers and Ways to Avoid Them

Asthma attack can be cause by just one trigger, but other times it may be two or more triggers. Triggers are things in the environment or life circumstances that could lead to an asthma attack. Below are possible triggers and ways to minimize their effects.

Allergens

☐ Animal Dander: (flakes of skin or dried saliva from cats, dogs, birds, rodents):

- Keep pets out of the bedroom at all times.
- Wash pets weekly including cats to decrease dandruff
- Try to limit contact to friends or relatives with pets
- Avoid bedding (pillows/quilts) made with feathers or kapok (sikly fibers from silk-cotton trees

☐ Dust Mites (fecal material):

- Wash bed sheets and blankets weekly in hot water (>130°F) or warm/cold water with detergent and bleach
- Encase pillows and mattress in dust-proof covers.
- If stuffed toys, keep them out of the bed and wash weekly.
- Do not let child sleep on fabric furniture.
- Use throw rugs instead of carpet if possible.
- Keep indoor humidity 30-50% by using dehumidifier if needed
- Damp mop hard floors weekly. Vacuum carpets more frequently. Do not use a vacuum when child is in the room or use dust mask
- Use a vacuum cleaner with a double layered or micro-filter bag or HEPA (High-Efficiency Particulate Air) filter

☐ Cockroaches (dried droppings and remains):

- Keep food and garbage in closed containers. Never leave food out.
- Keep kitchen floor, counter and table clean.
- Try to eat only in the kitchen, never in the bedroom.
- Use poison baits, powders, paste (boric acid) or roach traps. Avoid using spray. If used, stay out of the room until the odor goes away.

☐ Indoor Molds (anywhere there is moisture):

- Keep bathrooms and kitchens well ventilated with exhaust fans and clean regularly.
- Use central air conditioner if possible. Change filter every 2-4 weeks.
- Use dehumidifier for damp basements. Keep humidity level between 30-50%. Empty and clean unit regularly.

☐ Pollen and Outdoor Molds (trees, grass, weeds):

- Stay indoors when pollen count is high.
- Keep windows closed and use air conditioning if possible.
- Avoid sources of molds such as fresh grass, wet leaves and garden debris.

Irritants

☐ Tobacco Smoke (Second and Third Hand Smoke):

- No smoking in your home and car.
- Avoid tobacco smoke in all private or public places.
- If anyone in the family smokes, ask your health care provider for ways to help quit

☐ Smoke, Strong Odors and Sprays:

- If possible, do not use a wood-burning stove, kerosene based heating elements
- Do not use perfumes, strong smelling cosmetics such as talcum powder, hair spray or nail polish.
- Do not use room deodorizes or burn candles.
- Use non-scented household products for laundry and cleaning.
- If painting or varnishing, avoid area when using products and until oder is gone.

☐ Weather:

- Wear scarf over mouth/nose when cold or windy.
- Limit outdoor activities if extremely hot/high humidity

☐ Colds and infections:

- Avoid people with colds or the flu.
- Teach good hand washing technique
- Do not give your child over-the-counter cold remedies, unless you speak with his/her doctor first
- Make sure your child rests, eats a balanced diet and exercises regularly.
- Get a flu shot every year.

☐ Exercise:

- Encourage warm up and cool down exercises
- Ask doctor what medication to take before exercising and develop an asthma control plan that allows your child to exercise, actively play or lay sports without symptoms.

☐ Food- common allergies are:

- Food and beverages with sulfites, shellfish or fish, dairy (milk or eggs), peanuts and tree nuts (walnuts, cashews), soy and wheat.
- Your child may be tested to know what to avoid

☐ Medications

- Such as Aspirin and beta blockers
- Look closely at labels to see if medication is contained in bottle prior to given.